BBC A3000 · ARCHIMEDES · BBC · MASTER

ACORNUSER

SEPTEMBER 1991 £1.60

OFF YOUR
TROLLEY
AUTOMATE THE
SHOPPING
EXPERIENCE



DESIGNER
LOGIC
PUTTING DESIGN

PUTTING DESIGN INTO THE CLASSROOM






FOR DATA
REVIEWING A NEW
APPROACH TO

ARC-HAEOLOGY



JUGGLING USING YOUR BEEB OR ARC





The Original OCA

"IDE is the small-computer drive standard for the future," said RISC User. "ST506 is on the way out; SCSI has only a limited future in the small drive market." Other manufacturers are now following our lead in IDE product development, but you know where the original *ideA* came from!

PERFORMANCE

IDE is the only true 16-bit hard disc system currently available for Archimedes computers. All data transfers are 16-bit all the way from the disc, through the interface, to the computer (except that the A3000 internal interface has an 8-bit link to the computer).

FLEXIBILITY

An *ideA* system can turn your A3000 into a 20, 40 or 60 Mb workstation with no external attachments, using hard discs which sleep quietly during periods of inactivity.

The *ideA* system caters for two low profile hard discs in the same internal or external housing, allowing you to build up your capacity in easy stages without wasting money.

Then there's the *ideA* 'hard card' option – a 2½-inch hard disc on a standard podule.

VALUE

We think *ideA* upgrades offer the best value for your money, and we aim to keep it that way. Advanced IDE disc technology means simpler, cheaper, more reliable interfaces. Manufacturers' prices for hard discs fall gradually, and we pass these savings on to you as soon as we can.

Our upgrade prices include controller cards and fans where needed. Our disc cases are of metal construction.

RELIABILITY

The first *ideA* customers have been using the system successfully since last year. The A3000 internal hard disc is particularly reliable – not one has had to be returned to us.

The latest IDE discs are ruggedly designed with lap-top and portable computers in mind. You'll wait a long time to see a defect! A skilled service team is ready to back up our guarantee should the need ever arise.

COMPATIBILITY

The Micro User reported "no difficulty in running all fully RISC OS applications". Our IDE filing system is no different from ADFS in use, though it has a few extra features such as the facility to write-protect a hard disc. DOS partitions can be created for the PC Emulator.

CONTINUED SUPPORT

The coming months will see the introduction of many new IDE products, including tape streamers and removable discs. You may rest assured that our software and hardware will keep pace with these developments. Updates for existing users, if they ever become necessary, will be simple and cheap.

Only Ian Copestake Software has the expertise gained over a year in designing and supporting IDE products. Trust to our experience.

A beautiful solution. (BBC Acorn User)

Do you have trouble remembering what twelve function keys do, with and without Shift and Ctrl, in twenty different applications?

Do you enjoy watching PipeDream insert a column when you thought you were saving an Impression document?

Up to now the best way to organise function key strips was with one of our Arckeys.

From now on you may never look at a function key strip again.

QuicKey shows 36 function key combinations on your screen. All at the same time, using the minimum of screen space, even in mode 12. You can choose any of these (plus Ctrl A, Ctrl B etc) using only the mouse.

QuicKey knows which application is waiting for input and will show you the appropriate function key definitions - automatically!

No more mis-directed key presses, because you can see what you're going to do before you do it. QuicKey costs only £10 + VAT and comes with a range of popular definitions (including Edit), to which you can easily add your own.

You only have to lift your finger!

Some more original ideas!

(Please see our main list for prices)



TWO (Task and Window Organiser)

Do you wish you could start applications, display directories, and open files all in one go? With TWO you can.

Do you wish your pupils were able to start work without understanding the Desktop? With TWO they are.

Do you wish there was an easy way to tidy up your screen and find that buried window? With TWO there is.

TWO is far more than a 'sticky backdrop'. Its easy-to-use features make the Desktop a friendlier environment and will really save you time.

"As a recent purchaser of TWO may I say how delighted I am with it. Life with 'Archie' has suddenly become much simpler!"

"Just received TWO - marvellous for time saving."

"TWO is the best thing I've ever bought!"



DrawBender distorts Draw files to follow a shape of your choice. A useful addition or inexpensive alternative to other graphics software, supplied with these **three** decorative fonts.

DrawBender is simple and enjoyable to use, with no complex menu structures. Yet it produces results of a superior quality using an iterative reparameterisation algorithm. The example above uses DrawBender with FontFX – the two make ideal companions.

"An excellent tool. As though I've suddenly come across a new and unexplored area, very refreshing." "Quite stunning" (Archive)



Baildon Electronics Oddules open the way to cheap, flexible and almost unlimited external expansion via the I²C bus already supported by RISC OS. Baildon are producing a range of Oddules which may be daisy-chained.

Ready now is the *AnDi* Oddule. It has eight digital I/O channels with high current open collector drivers, four A/D inputs, and one D/A output. AnDi is capable of emulating user and joystick ports, allowing ADVAL operation from BASIC, and the use of Concept Keyboards and analogue or digital joysticks.

Cross-32 Meta-Assembler

This professional table-based cross-assembler works with over 50 target processors (including ARM2 and 3), and has been used for some time on PCs. A RISC OS Desktop version by Baildon Electronics is now available. Cross-32 is user-friendly and supports conditional assembly and macros. Output is in absolute binary, or Intel or Motorola Hex formats (ideal for eprom programmers and emulators)

You can modify the tables supplied or add new ones to cater for new processors and opcodes.




ACU21, 10 Frost drive, WIRRAL, Merseyside, England, L614XL

Fax 051-632 3434 Tel 051-632 1234

PIPEDREAM

WINNER
of the 1989/90
BBC Acorn User
Award for Best
32-bit Business
Software



The bar chart in the screen shown above was produced by using the HotLink between PipeDream 3 and HotLink Presenter.

Major features include:

- intuitive RISC OS user interface many documents loaded at once •
- display and printing of pictures within text

wysiwyg display including all

RISC OS fonts •

built-in 93,003 word spelling

checker •

file compatibility with PC & Z88 PipeDream

- & BBC View Professional
 - natural, background
 - recalculation •
- keystroke compatibility with
 - Z88 & PC PipeDream
 - Z88 filing system

automatic loading of VIEW, ViewSheet, Lotus, First Word

Plus, Tab and CSV files

automatic saving of VIEW, Lotus, Tab, CSV and Acorn

- DTP format files •
- multi-field sorting •
- 62 spreadsheet and database
 - functions •
- external references between documents for 3-D modelling
 - macro file recorder
 - slot protection

coltonare

PipeDream 3 breaks down the barriers between word processor, spreadsheet and database. With PipeDream 3, you can include numerical tables in your letters and reports, add paragraphs to your spreadsheets, and perform calculations within your databases.

PipeDream 3 has been written to take full advantage of RISC OS – if you can use RISC OS, you can use PipeDream 3. It is fully multi-tasking and multi-windowing, so you can work on many documents at once and instantly move information between them. PipeDream 3 can automatically load and save most popular file formats and is the first program to use the new RISC OS HotLink, which enables it to interact dynamically with Archimedes graphics programs, such as *HotLink Presenter* from Lingenuity and *GraphBox* from Minerva.

As well as winning the 1989/90 BBC Acorn User Award for Best 32-bit Business Software, PipeDream 3 was runner-up in the Best 32-bit Educational Software and Best 32-bit DTP/Word Processor categories.

PipeDream 3
Breaking down the barriers

POWER • SPEED • FLEXIBILITY • EASE OF USE

PipeDream 3 is for all Archimedes computers with 1Mbyte or more of RAM, including the A3000.

For a free brochure, see your Archimedes dealer, or phone us on 0223 311881, or return the coupon.

PipeDream 3 costs £147.00 + VAT.

PipeDream 3	
Name	
Address	
	Post code

Colton Software,
2 Signet Court,
Swanns Road,
Cambridge,
CB5 8LA,
United Kingdom.
Tel. 0223 311881 Fax. 0233 312010
All trademarks acknowledged.

SEPTEMBER 1991 ISSUE 110



COVER ILLUSTRATION BY PAUL WEARING

Editor Barry Monk

Technical Assistant Paul James Art Editor Tony Judge Editorial Assistant Sharon Halpern Advertisement Manager Duncan Pringle Senior Sales Executive Richard Power Sales Executive Jack Manzoor Ad Production Fiona Andrews Production Manager Jennifer Jeffrey Publisher Seamus Geoghegan

Publishing Director Michael Potter Editorial Director Christopher Ward

Published by Redwood Publishing, a BBC Enterprises Company, 20-26 Brunswick Place, London N1 6DJ. Tel: 071-490 1444. Telecom Gold 10081:RED001, Micronet 919992492. Bureau setting and ad typesetting by Bold Gray Design, 52 Rosebery Avenue, London, EC1R 4RP. Colour by Trumps Studio, Ware, Herts. Printed by Riverside Press, St Ives PLC, Gillingham. Distributed by BBC Frontline, Park House, 117 Park Road, Peterborough. © Redwood Publishing 1991. All rights reserved. Acorn is a registered

trademark of Acorn ABC Computers Ltd. Redwood Publishing is a registered data user. ISSN 0263 7456.

PRODUCED ON THE **ARCHIMEDES**

All the editorial pages in BBC Acorn User are produced on a DTP system using Acorn Archimedes 440/1 and A540 computers, Computer Concepts' Impression 2 with Laser Direct printers and Taxan monitors

NEWS	7
EDUCATION	13
COMMS	15
MUSIC COLUMN	17
NEXT MONTH	18
LETTERS	21
QUESTIONS AND ANSWERS	24
SUBSCRIPTIONS	27
★INFO	49
Our regular column of essential hints and tips for your eight and 32-bi	t micros
OVER FEATURE: PERFORMING ARCS	56

Our regular column of essential hints and tips for your eight and 32-bit micro	IS
COVER FEATURE: PERFORMING ARCS	56
How to attain circus skills with the aid of a bit of artificial intelligence	
DOING IT WITH DTP	61
Making the best of your desktop publishing system	
FIRST SCREENING	63
Bigger screens mean bigger fun, so watch your Beeb display 102 characters	
OFF YOUR TROLLEY	64
Got the supermarket blues? Let your micro take the strain	
STEPPING UP	66
The start of a new series that may well turn you into a power user	
NORSES FOR COURSES	70
The Vikings take time off from eating Spam to perk up the curriculum	

73 An eight-bit classic that tells you how to cram more graphics on your floppies **YELLOW PAGES** 83 **I-GRABBING** 98 Techno-I - the fast way to good graphics? HOOD IN THE WOOD 102

CUNNING CRUNCHING

Learning can be fun with interactive adventuring THE GREAT DIVIDE 105

CODING MADE COMFY 107

An Arc compiling 68000 code? 6502? Z80? Cross32 claims to do it all

Will Acorn's Desktop Development Environment mean user-friendly coding? **DESIGN FOR LEARNING** 110

How Data Designs' interactive approach has taken the classroom by storm

GET DUG IN 114 Uncover the historical artefacts buried deep in the Arc **SLIMLINE SAMPLER** 119


Simple sampling on the Econet port **GAME SHOW** 122 **PUZZLE PAGE** 128

Confound your cerebrum with this month's clutch of conundrums

56 HAVE A BALL



64 SOUPED-UP SHOPPING



70 SETTLE



122 **GAME** SHOW







ARCHIMEDES

I MICHIM-ILDLO					
A3000 Computer £599			A30	00 + Lear £69	
SYSTEM	ENTRY	MONO		COLOUR	MULTISCAN
410/1	£1099	£11	59	£1278	£1448
420/1	£1299	£13	59	£1478	£1648
440/1	£1699	£17	'59	£1878	£2048
540/1	£2995	£30	65	£3178	

FREE OFFERS ON ARCHIMEDES MICROS

COMPUTER	FREE OFFER
A3000	Upgraded to 2Mb RAM on Board + Monitor Stand + Dust Cover
A410/1	Upgraded to 2Mb RAM & a 20Mb Hard Disc, (A420) + Dust Cover
A420/1	Upgraded to 4Mb RAM & a 40Mb Hard Disc, (A440), Mk II Learning Curve + Acorn DTP Pack + Dust Cover
A440/1	High Resolution 14" Multiscan Colour Monitor + Dust Cover
or	Taxan 775 Monitor (Entry System) + Dust Cover
or	Star XB-2410 24 Pin Colour Printer (Colour System) + Dust Cover
A540/1	High Resolution 14" Multiscan Colour Monitor + Panasonic KX-P1180 Printer & Connecting Cable
or	Taxan 795 or 775 Monitor (Entry System) or Star XB24-10 24 Pin Colour Printer (Colour System)

A3000 ACCESSORIES

	THE STATE OF THE S
3.5" External Drive	£97
Monitor Stand	£15
External Podule Case	£12
Serial Upgrade	£16
A3000 Technical Manual	£28
Dust Cover Micro/Monitor	£5
Dust Cover Micro	£9
User Port/Midi Upgrade	£44
UHFTV Modulator	£29

ARCHIMEDES ACCESSORIES

NEW Multitasking RISC OS	£28
3.5" 800K 2nd Floppy Drive (305/310)	£109
5.25" 800K External Floppy Drive	£84
I/O Podule	
(Analogue & User Port & 1MHz Bus)	£75
MIDI add-on to I/O Podule	£27
MIDI Expansion Card	£64
Econet Network Board	£43
IEEE Interface Adaptor	£265
16 Bit Parallel I/O Card	£193
Software Developers Toolbox	£147
Floating Point Unit	£449
SCSI Adaptor Expansion Card	£159
Keyboard Extension Lead	£5

BBC MASTER

MASTER 128K with View, Viewsheet, ADFS BASIC Editor & Terminal and our Special FREE OFFER, A 5.25" Double Sided, 40/80 Track switchable 400K Disc Drive, 20 Floppy Discs and Monitor Stand.

RAM UPGRADES FOR **ARCHIMEDES**

A3000	Upgrade to 2Mb RAM	£49
A3000	Upgrade to 4Mb RAM	£164
A305	Upgrade to 1Mb RAM	£48
A305/A310	Upgrade to 2Mb RAM	£229
A305/A310	Upgrade to 4Mb RAM	£419
A410/1	Upgrade to 2Mb RAM	£37
A410/1	Upgrade to 4Mb RAM	£99
A410/1	Upgrade to 8Mb RAM	£725
A420/1	Upgrade to 4Mb RAM	£72
A420/1	Upgrade to 8Mb RAM	£679
A440/1	Upgrade to 8Mb RAM	£569
R140	Upgrade to 8Mb RAM	£569

HARD DISK DRIVES (ST506)

£24

£37

£348

£549

£829

£899

2 Podule Backplane

4 Podule Backplane

52Mb Internal

105Mb Internal

170Mb Internal

210Mb Internal

20Mb for 410 ST506	£159
40Mb for 410 ST506	£235
53Mb for 410 ST506	£POA.
A3000 20Mb + Podule	£335
A3000 40Mb + Podule	£449
SCSI HARD DRIVES FOR	RA300/400

Supplied complete with controller card.

BBC B and MASTER ACCESSORIES

Turbo 65C102 Add-on-Module	£113
Econet Module for Master	£44
Twin ROM Cartridge for Master	£12
Master Reference Manual I (No VAT)	£13
Master Reference Manual II (No VAT)	£13
Master Advanced Ref Manual (No VAT)	£16
64K Upgrade Kit for B+	£31
Acorn 1772 DFS Complete Kit	£47

CONCEPT KEYBOARDS

A4 Standard Keyboard inc BBC Software	£115
A3 Standard Keyboard inc BBC Software	£140
A4 Archimedes Keyboard	£116
A3 Archimedes Keyboard	£141

PLOTTERS

£508 GRX-300

£640 GRX-400

£3281 maintenance

£841 DPX & GRX Include

£2366 12 months on-site

£2766

£3620

ROLAND

DXY-1100 DXY-1200

DXY-1300

DPX-2500

DPX-3500

COMMUNICATIONS

A4 Standard Keyboard inc BBC Software	£115
A3 Standard Keyboard inc BBC Software	£140
A4 Archimedes Keyboard	£116
A3 Archimedes Keyboard	£141

£160
£100
£186
£243
£91
£147
£204
£48
£14
£14

MASTER 128 CUMANA DISC DRIVES

н		
	5.25" 200K Single 40T No PSU	£64
l	5.25" 200K Single 40T With PSU	£79
١	5.25" 400K Single 40/80	
Ì	Switchable No PSU	£79
	5.25" 400K Single 40/80	
Ì	Switchable With PSU	£89
	5.25" 400K Dual 40T No PSU	£125
ļ	5.25" 400K Dual 40T With PSU	£149
Ì	5.25" 800K Dual 40/80	
	Switchable No PSU	£159
0	5.25" 800K Dual 40/80	
ì	Switchable With PSU	£179
	3.5" Single Drive No PSU	£64
	3.5" Single Drive With PSU	£79
	3.5" Dual Drive With PSU	£125
	3.5" + 5.25" 40/80 Switchable	£169



We also carry a wide range of GAMES and LEISURE software. Call for details.

Canon BJ10e

£23

£47

SPECIALISTS in the supply of **COMPUTERS** to PRIMARY, SECONDARY and TERTIARY **EDUCATION**

ARCHIMEDES SOFTWARE						
ART/DESIGN/GRAPHICS		LANGUAGES				
Artisan II	£43		£122			
Atelier		Assembler	£145			
Autosketch II	£66		£75			
Gamma Plot	£38		£75			
Graph Box		LISP	£145			
Mogul	£18		£145			
Poster	£77					
Pro Artisan	£71		£269			
Render Bender 2	£56		£91			
Sigma Plot	£38		£132			
olgina i iot		Risc Basic	£72			
DATABASES		Robo Logo	£52			
AlphaBase	£34	Solid Cad	£115			
Genesis	£64	Solid Render	£115			
Multistore	£192	Solid Tools	£269			
		Super Dump	£19			
DESKTOP PUBLISHING		Super Plot	£28			
Acorn DeskTop Publisher	£125	SPREADSHEETS	DAG			
Impression Junior	£77	Intersheet	£23			
Impression II	£131	Schema	£90			
Tempest	£93		£38			
		Sigmasheet Viewsheet	£44			
INTEGRATED			D44			
Desktop Office	£96	WORDPROCESSORS	010			
Logistix	£77	1st Word Plus II	£68			
Pipedream 3	£118	Easiword	£29			

LASER PRINTERS

Interword

View

Pendown Archi

FREE Parallel Printer Cable With All Lasers

	PPM	1			PPA	1	
Brother HL-4	4	*	£698	NEC Silentwriter 2 290			
Brother HL-8e	8	*	£946	P/Script	8	*	£1408
Brother HL-8PS				NEC LC890XL Postscript	8	*	£2340
Postscript	8	*	£1486	NEC Colourmate PS P/Script		*	£5489
Canon LBP-4	4	*	£588	OKI Laser 400	4	*	£538
Laser Direct Hi-Res Card				OKI Laser 800	U	*	£950
for LBP4			£319	OKI Laser 840 P/Script	8	*	£1220
Canon LBP-III	8	*	£990	Panasonic KXP4420	8	*	£646
Canon LBP-IIIT Dual Bin	8	*	£1386	Panasonic KXP4450i			
Canon LBP-IIIR Dual Bin				Dual Bin	11	*	£1026
Duplex	8	*	£1496	Panasonic KXP4455 D/Bin			
Epson EPL-7100	6	*	£639	P/Script	11	*	£1548
Epson EPL-7500				QMS PS410 Postscript	4		£1461
Postscript	6	*	£1186	QMS PS810 + Postscript	8		£2007
HP Laserjet IIIP	4		Call	QUME Crystalprint WP Plus	6	*	£687
HP Laserjet III	8	*	£1024	Qume Crystalprint			
HP Laserjet IIID Dual Bin				S/Series II	6	*	£1057
Duplex	8	*	Call	Qume Crystalprint			
IBM 4019E XL	5		£665	Publisher PS 2Mb	6	*	£1560
IBM 4019 XL	10		£945	Star LP-4	4	*	£696
Kyocera F800T	8	*	£940	Star LP-4PS Postscript	4		£835
Laser Direct	6		£844	Star LP-8 III	8	*	£978
NEC Silentwriter 2 S60P				Star LP-8 II Starscript			
P/Script	6	*	£1200	P/Script	8	*	£1180
NEC Silentwriter 2 266	8	*	£720	All printers marked by an * in on-site maintenance.	ncluc	le 1	2 months

MONITORS

SPECIAL OFFER 14" Multiscan Hi-Resolution 0.28 Dot Pitch, 1024 x 768 \$24.7

MICROVITEC		NEC	
1431 Standard Resolution	£165	Multisync 3D 14" 0.28 Dot Pitch	£334
1451 Medium Resolution	£199	PANASONIC	
14M325 (CUB 3000) Medium Res	£179	14" Super Hi-Res 0.29 Dot Pitch	£235
1441 High Resolution	£349	TAXAN	
2040CS 20" High Resolution	£659	770LR 14" 0.31 Dot Pitch Low Rad	£375
Touchtec 501 Touch Screen	£234	775 Plus 14" 0.28 Dot Pitch Hi-Res	£373
PHILIPS		795 Trinitron 0.26 Dot Pitch	£422
BM7502 12" Hi-Res Green	£68	875 17" 0.26 Dot Pitch	£719
CM8833/II 14" Medium Res	£169	VIDC Enhancer Board	£24

PRINTERS

FREE Parallel Printer Cable With All Printers

£197 IBM Proprinter 24P

£220

Carrott Bo 10 C		IDITITION LATE	DALU
Canon BJ300*	£354	IBM Series II 2380	£280
Canon BJ330*	£398	IBM Series II 2381	£349
Citizen 120D+	£95	IBM Series II 2390	£320
Citizen 124D	£137	IBM Series II 2391	£380
PN-48	£210	IBM Quickwriter 5204	£496
Swift 9	£137	IBM Execjet 4072	£446
Swift 24	£204	Integrex Colour Jet	£499
Swift 24X	£278	Mannesman Tally MT81	£96
Prodot 9	£199	Nec P20	£184
Prodot 24	£224	Nec P30	£248
Epson LX400	£108	Nec P60	£368
Epson LX850	£149	Nec P70	£468
Epson FX850	£283	Nec P90	£647
Epson FX1050	£358	Panasonic KXP1081	£106
Epson EX1000 Colour	£455	Panasonic KXP1180	£108
Epson DFX5000	£1088	Panasonic KXP1123	£147
Epson DFX8000	£1995	Panasonic KXP1124i	£209
Epson LQ400	£165	Panasonic KXP1695	£295
Epson LQ550	£208	Panasonic KXP1624	£293
Epson LQ1010	£318	Panasonic KXP1654	£426
Epson LQ850 +	£384	Star LC10	£107
Epson LQ860 Colour	£447	Star LC200 Colour	£154
Epson LQ1050 +	£474	Star LC15	£179
Epson LQ1060 Colour	£598	Star LC24-10	£148
Epson LQ2550 Colour	£696	Star LC24-200	£184
Epson SQ850	£438	Star LC24-200 Colour	£221
Epson SQ2550	£634	Star LC24-15	£294
Hew/Pack Thinkjet*	£236	Star FR10 Colour*	£213
Hew/Pack Quietjet*	£305	Star FR15*	£267
Hew/Pack Quietjet Plus*	£358	Star XB24-10 Colour*	£276
Hew/Pack Deskjet 500	£298	Star XB24-15*	£358
Hew/Pack Paintjet*	£588	All printers marked by an *	
Hew/Pack Paintjet XL*	£1084	include 12 months on-site	
Hew/Pack Rug/Writer*	£838	maintenance.	

DELIVERY Archimedes Micros only: Free Delivery Hardware: £7 + VAT per box Software: £7 + VAT per order

Lasers: £15 + VAT per printer Next Working Day Service - call for details. UK Offshore - call for details

ALL PRICES EXCLUDE VAT

CREDIT CARD MAIL ORDER HOTLINE



雷 081-680 5686 FAX: 081-760 9861



Prices are subject to change without notice. Please check suitability with the manufacturers before ordering. Goods are not offered on a trial basis. Orders are accepted subject to our standard conditions of sale – available on request. E&OE.

Subject to availability despatch is normally effected within 2 days from receipt of cleared payment. Please allow 7 working days for cheque clearance. All orders will be fulfilled within 28 days unless otherwise notified.

Signature.

College Computers, 14 Emmabrook Court, Sea Road, Rustington, Littlehampton, Sussex BN16 2NG


To: College Computers, 14 Emmabrook Court, Sea Road,	
to comparers, it similarious court, sea Roda,	
Rustington, Littlehampton, Sussex BN16 2NG. I wish to order	er

QUANTITY	DESCRIPTION					PRICE
Mease state disk :	ize				Delivery	
enclose cheque	/PO for £			inc VAT	Total	
or charge my Acc	ess/Visa No:	Exp. date			VAT	
THE TO SERVICE					Total £	

Address_ Postcode

AU9

The Product Guide



Beebug have published a 72 page full colour A4 product guide for users of BBC, Master, A3000 and Archimedes computers. It contains information on thousands of products that are available now for your computer. Whichever system you use, you will find this illustrated and helpful guide to be an invaluable source of information. Everything is covered from complete systems right down to spare parts. As an added feature comparison charts for monitors and printers are provided along with compatibility and upgrade information.

Special Offer on Archimedes Computers

To coincide with the launch of our new catalogue Beebug are making some very special offers on new Archimedes systems.



Archimedes A410/1 Free 1 Mb RAM & 42 Mbyte Hard Drive

The A410/1 is supplied with 1 Mb RAM. At no extra charge we will increase this to 2 Mb and install a 42 Mbyte high speed, top quality, branded IDE hard drive. Should you prefer an 89 Mbyte or 105 Mbyte instead, these are available for an additional £100 or £175 respectively.

Price £1099 With Colour Monitor £1319 (Acorn) or £1299 (CUB A3000)



Advanced Learning Curve Free 2 Mb RAM & 89 Mbyte Hard Drive

The A420/1 Learning Curve is normally supplied with 2 Mb RAM and a 20 Mbyte hard drive. We will increase the memory to the 4 Mb maximum and replace the 20 Mbyte drive with an 89 Mbyte high speed, top quality, branded IDE hard drive. Should you prefer 105 Mbyte instead of the 89 Mbyte, this is available for an additional £75.

Price £1299 With Colour Monitor £1519 (Acorn) or £1499 (CUB A3000)



These offers replace any previously published offers and are for a limited period only. All prices exclude VAT.

Hurry While Stocks Last.

Official Orders From Education Welcome



For your Free A4 Colour Product Guide please write or telephone:

117 Hatfield Road, St. Albans, Herts AL1 4JS TEL 0727 40303 FAX 0727 860263



LOW-COST SOUND SAMPLING ARRIVES

TWO low-cost digital sound sampling devices for the Archimedes have released by both Hybrid Technology and Oak Solutions, At a glance it would be easy to confuse the two, not least because, at the time of going to press, both companies were using the same product name -Arc Recorder. It is understood that Hybrid and Oak are discussing how to resolve the confusion

What the two samplers have in common is that they are both eight-bit devices designed to playback via the Arc's own sound circuitry. Both connect via the parallel printer port and are supplied with a microphone. They are also priced similarly at around £30, both comprehensively undercut earlier sampler designs because they do not use the relatively expensive podule slot option. But that is where the similarities end.

The sampler from Hybrid Technology, the company known for the BBC Model B Music 5000 synthesiser, conforms to the firm's new access link bus protocol which will enable several forthcoming add-ons to be connected to the Archimedes' parallel port at the same time. There is a through connector enabling printers and dongles to be daisy-chained. An audio linein socket is provided for direct sampling from a hi-fi source. Sampling can take place simultaneously with playback.

Emphasis has been placed on ease of use, contrasting with the complex software interfaces usually accompanying sound sampler devices. Hybrid's Chris Jordan wants to see his device used as a general-interest aid to computer users of all ages, not simply as a music sampler or technical sound analyser. A prime target is the classroom.

displayed graphically on-screen and selected samples can also be used to replace the Arc's standard audio waveforms.

Oak Solutions' device consists of a hand-held omnidirectional microphone which simply plugs into the printer port. The software for Oak's device was written by Paul Fellows, author of Genesis. Naturally, Oak sees its sampler as being an ideal extension of versions one and two of this package. The software supplied allows samples to be recorded, played back and transferred to Genesis II and other Archimedes applications via the standard Armadeus file format.

Both the Hybrid and Oak products are set to create increased enthusiasm sound sampling on the Arc - it will be interesting to see how the confusion over product names is resolved.

ACORN IN TOP FIVE

ACORN Computers had the fifth largest share of the personal computer market in the UK in 1990, ahead of both Atari and Apple.

According to figures calculated in unit sales by computer industry research company, IDC*, Acorn's market share was just over six percent. Acorn's main competitor in the education market Research Machines (Nimbus products) - was in eighth place with 2.8 per cent.

Atari was placed sixth with 5.5 percent of the market and Apple was next in seventh place with 4.3 percent.

The Apple Macintosh has never proved to be a major volume seller because of its relatively high price, but it will be interesting to see whether Apple's recent introduction of lower-cost models will boost its market share next year.

Acorn's marketing director, Mike O'Riordan, said he was pleased to see confirmation of the continuing sales growth in the Archimedes. By all accounts, Acorn sales especially of the BBC A3000 - are holding up well despite the economic recession, which is having more effect on the near-saturated PC market.

Ahead of Acorn in the Top Five were, in order: Amstrad, IBM, Commodore and Compaq. That is impressive company for Acorn.

*IDC's estimates are based mainly on data from the manufacturers themselves.

JOIN THE 'ELITISTS' AT BAU SHOW


THE Archimedes version of Elite, the hugely successful BBC micro game which has gathered thousands of fans since the original version was launched in 1984, will be launched at the BBC Acorn User Show at Wembley in October, writes Mat Tizard.

The game has been completely revised and redesigned by the new developers and incorporates all of the features of the original, plus a host of improvements.

The preview version clearly shows that existing Elite enthusiasts who have since upgraded to the Arc and are yearning for their favourite game to appear will certainly not be disappointed. Needless to say, with a new order of processing power the game now uses extremely fast solid 3D graphics routines which can cope with a veritable armada of ships on screen at any one time without slowing down or compromising the atmosphere of the game.

The trading component has been made easier to use and financially more realistic, and the missions you are assigned as you progress are now far

more involved. Not only are the other craft you encounter endowed with intelligence, emotions and politics of their own, but they can also act on impulse - and, unlike the original, they are not above attacking each other as well as you. We could be in for a new generation of 'Elitists'.



CALL FOR SOFTWARE

IF YOU are a software publisher, do you know that Acorn keeps an database of available software for the BBC and Archimedes machines?

If you would like your software to be considered for inclusion on the database, please contact Sue Wall at Acorn Computers on (0223) 245200 to obtain further information.

IDE Hard Disc Upgrades

for the Archimedes & A3000

A revolution in hard disc expansion

What is IDE?

IDE (Integrated Drive Electronics) is the latest interface standard for connecting hard disc drives to personal computers. Unlike previous interfaces it incorporates much of the circuitry on to the drive itself, greatly simplifying the interface electronics.

How fast is IDE?


The IDE interface uses a full sixteen bit data bus that allows very high transfer rates between the drive and computer. This coupled with cache memory on the drive itself provides for an Archimedes hard disc system that is typically 50% faster than the standard Acom ST506 hard disc interface.

What drive options are available?

Archimedes 310, 440, 400/1 and 540.


Drive sizes currently available are 42, 89 and 105 Mbyte with a typical access time of 28ms for the 42Mb models and less than 20ms for the others.

These 3.5" drives are available as either internal or external units, and use our high speed 16 bit IDE interface card that fits in your podule backplane. External drives are attractively boxed with their own internal power supply and fan. You may even use both an internal and external drive from the same interface if required.



A3000

The external drives above are also suitable for the A3000, used in conjunction with the 16 bit interface card that fits in the A3000 podule stot. We are also able to offer internal IDE drives for the A3000 that fit into the internal podule slot. These special 2.5" dirves are available in 20 and 42 Mbyte formats and have access times of 23ms.



Will my existing software work with IDE?

The careful design of RISC OS and IDEFS, our IDE filing system, ensures that all RISC OS compliant software will function perfectly with IDE drives. Some older software may need minor changes, but these are documented in the user guide. There are no hidden catches!

Can I add additional drives at a later date?

The IDE interface can support two hard disc drives. Typically, one of these would be fitted internally, and the second unit connected externally via the expansion connector provided on each interface card.

What does the future hold?

IDE is a relatively new interface standard, but has already gained massive support. The next few months will see drives up to 400Mbyte, with larger capacities, and devices such as tape-streamers following very soon. The future for IDE is very bright indeed

Quality

You may have total confidence in our products. Only the best drives from recognised manufacturers are used, Conner, Seagate, NEC etc. All drive kits are supplied with full fitting instructions and a user guide to ensure that you will have no problems at all. Our interface conforms fully with Acorn's IDEFS specification.

Description	Intern Stock Code	al Price	Exteri Stock Code	nal Price	All prices include IDE
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		1260.00			High Speed Interface.
Archimedes 42 Mb	5251	£269.00	5261	£359.00	All prince and Fre VAT
Archimedes 89 Mb	5252	£389.00	5262	£479.00	All prices are Ex VAT
Archimedes 105 Mb	5253	£499.00	5263	£589.00	Available from your local
A3000 20 Mb	5270	£375.00	N/A		dealer, or directly from
A3000 42 Mb	5271	£569.00	5281	£369.00	Beebug (please add £9
A3000 89 Mb	N/A		5282	£489.00	carriage).
A3000 105 Mb	N/A		5283	£599.00	



Please write or phone for our New A4, 72 page full colour Product Guide.

117 Hatfield Road, St. Albans, Hertfordshire AL1 4JS Tel. 0727 40303, Fax. 0727 860263

This advertisement was produced entirely with Ovation DTP from BEEBUG



UPGRADE PROBLEMS WITH NEW ACORN PC EMULATOR

THE ENTHUSIASM which greeted last month's release of Acorn's long-awaited new multi-tasking Risc OS PC Emulator could prove to be short lived for many users of the previous emulator.

Supplies of the new emulator package were still in short supply at the time of going to press and Acorn also revealed that not all PCE users will not necessarily be equal.

Obstacles lie in the way of those wishing to take advantage of Acorn's £29 upgrade offer. Trips to your local Acorn dealer may end in disappointment - Acorn is handling the upgrade scheme for existing PCE users exclusively from its Cambridge offices.

Acorn has been happy to promise supplies of the new PCE software for users of the old PCE who are registered as having bought the stand-alone package, which was supplied with Microsoft MS-Dos.

Unfortunately, customers who bought the Archimedes Learning Curve were supplied with a Digital Research DR-Dos PCE package and Acorn has to currently turn away users who wanting to upgrade. To confuse matters even further, some dealers have been splitting up Learning Curve packs and selling the DR-Dos PCE package separately – something which Acorn doesnot allow because of its restricted DR-Dos licensing agreement with Digital Research. Acorn says it will take tough action with any dealers caught splitting Learning Curve packs, although the practice appears to have largely ceased since a warning was issued by Acorn last year.

Why is Acorn discriminating between MS-Dos and DR-Dos? The explanation is that Quality Assurance (QA) testing had only been completed for the PCE when used with MS-Dos. Indeed, the complete new PCE package is supplied exclusively with MS-Dos at present, although the £29 upgrade only includes the Risc OS PCE and does not include any Dos.

Acorn clearly does not wish to take a risk in supplying its new PCE to all-comers. Whether its policy to rush out the MS-Dos-passed PCE before the DR-Dos vetting had been completed was right or wrong will surely be debated for some time.

Until Acorn is confident with the DR-Dos version, thousands of its customers must weigh up whether they should wait or shell-out an extra £75 for the full package, including MS-Dos. Meanwhile, the message from Acorn is - be patient.

EDUCATION DIRECTORY READY

THE UPDATED edition of the Education Directory, listing over 1200 educational software titles available for the A3000/Archimedes range, has just been launched by Acorn.

At 230 pages in length, the second edition features many new titles, giving information on the programs, together with price and software house details. A titles' listing takes up 10 pages and there is also a 35-page section devoted to listing all the products in categories, both under educational subjects and by generic type.

Included are over 130 maths-based programs, 70 modern languages titles and over 70 different word processing and desktop publishing packages, as well as around 100 items of interest to the special needs sector.

Acorn's education business manager, Chris Humphries, said: 'For this latest edition we have updated the database of available programs and, following the useful feedback from our customers, we have made a number of improvements in the layout to make it even easier to use'.

The directory costs £4.95 and is available from Acorn dealers. For further information contact Acorn Computers on (0223) 245200.

NEW IRLAM SCANNER

IRLAM Instruments has introduce a professional colour scanning system for Archimedes.

The Image Professional will include an A4 flatbed colour scanner, a podule and software. The scanner is capable of scanning up to 300dpi in monochrome, 256 grey scales or full colour. A full colour scan is said to take around four minutes and, because the data is processed and compressed during scanning, the sprite will be ready to save immediately.

The software will support a number of file formats, including 24-bit TIFF files and Irlam's own 24-bit file.

The software also has colour processing routines built in and will allow gamma correction. A further package will allow image processing and colour changes.

Contact Irlam Instruments on (0895) 811401.

ARCS KEEP ON TRUCKIN'

VISITORS to the BBC Acorn User Show in October will not fail to miss a rather large and dominant pantechnicon parked out in front of the Wembley Conference Centre. The vehicle in question (pictured below) is the latest addition to Acorn's 'range' and will be filled to the gunwales with products.

Working in conjunction with dealers, Acorn is currently putting the final touches to plans for a massive sales programme at the show, with specially trained customer care staff, low-rate finance schemes and other incentives.

The mega-mobile warehouse will be a cornerstone of the operation, ready to satisfy demand from the thousands of visitors expected to attend the show.

Watch out for more details in next month's issue.



GOODBYE!

It is with sadness that we note the passing on of BAU production editor Pauline McLemon.

From obscure beginnings as temporary editorial secretary, such were Pauline's talents that she rapidly rose to a position of not inconsiderable power. She worked under all the great editors - Tony Quink, Graham Ball, Jeff Baines and, latterly,

However, although as you can see, it has lost a prodcution editro, BAU has gained an Attic Acorn correspondent.

She never missed a deadline but we will miss her.



ACORN SUPPORTS SCHEME FOR YOUNG ATHLETES

ACORN has agreed to sponsor the Chafford Hundred Athletic Club, whose patron is star javelin thrower, Fatima Whitbread. The club, based in Thurrock, Essex, was set up to support and promote young up and coming British athletes, especially those who may have come from disadvantaged backgrounds.

The deal, said to be worth a six figure sum over the twoyear sponsorship period, will guarantee the involvement of famous names from the world of athletics.

Stars including Linford Christie, Colin Jackson, Steve Backley, John Regis, as well as Fatima Whitbread herself, will be making personal appearances at various Acorn events. The first major event will be the BBC Acorn User show in October.

Acorn's background in supplying education and the Chafford Hundred cause appear to fit well together.



Fatima Whitbread commented: 'The technical expertise of Acorn, coupled with details of our training activities, create a combined programme that is both interesting and educationally stimulating for the country's up and coming young athletes.' She also cited Acorn's track record in special needs education.

Acorn's marketing director, Mike O'Riordan, said: 'We have a common aim – to help children attain their full potential in education and sport.

'We are therefore delighted to form this partnership with the Chafford Hundred athletes and look forward to working closely with them over the coming months.'

NEWS IN BRIEF

• IF YOU are thinking of attending the BBC Acorn User Show, due to take place at the Wembley Conference Centre from October 11 to 13, then why not save money by applying for tickets now?

Prices are £5 for adults, £3 for under 16s (under fives are free) and £13 for family tickets (two adults and two children). Tickets will be available on the door at £6, £4 and £16 respectively.

Applications for advance tickets and further information should be sent to: Safesell Exhibitions Ltd, Market House, Cross Road, Tadworth, Surrey KT20 5SR.

- CALLING all budding software programmers. A new software house, called Papyrus Software, is planning to develop new games for the Archimedes and wants to hear from readers who would like to earn money from their talent. Contact Sholto Fisher, Papyrus Software, Craghead Cottages, Clappersgate, Ambleside LA22 9NA.
- A HIGH Density disc interface for the Archimedes is being planned by Arxe Systems. The product will comprise of a card which will hold the new disc controller system and a 2Mb high density disc drive.

The system has been designed to replace the normal ADFS system for floppies, and is provisionally called QuadFS. The company is looking to include additional functionality and would welcome suggestions from readers.

Contact Arxe Systems Ltd, Dept A2, PO Box 898, London E7 9RG. Tel: 081-534 1198.

● DT SOFTWARE has announced a two new image scanners for the Archimedes. Based around either the Epson GT-4000 or GT-6000 scanners, with a custom high-speed parallel interface to transfer images quickly into the machine, the scanners offer: 400dpi or 600dpi; mono scanning up to 256 levels of grey; selectable dropout colour; colour scanning in 3-24bpp; dithering for the modes with few colours and full Risc OS compliant software.

The prices are £1299 (GT-4000) and £1699 (GT-6000). Contact DT Software, Freepost, Cambridge CB3 7BR. Tel: (0223) 841099.

● LOOKING for new software? Then see our Software Showcase which starts on page 125.

ECONET TESTER

HAVING problems finding and rectifying faults on your Econet network? Then Alsystems could provide you with a First Line of Attack, or 'FLAT', test box.

Designed for the absolute beginner, the FLAT box features include:

- A 'drop lead' tester to detect cable breaks and short circuits, as well as cross-over connections
- Multimeter sockets which allow one-handed operation when measuring cable resistances.
- LEDs which permit monitoring of both clock and data signals for faults.
- A Filestore internal clock test facility.

The FLAT box costs £75 plus £2.35 p&p and is available from Alsystems, Tel: (0420) 87213.

NEWSHOUNDS ON TRAIL

SCHOOL may be over for the summer, but pupils from one Cambridge school will be gearing up for a hectic new term of activity – and making news at the same time. Pupils from St Bede's School in Cambridge are keen fans of desktop publishing and produce various newsletters, posters and other documents using ESM's Desktop Folio DTP package.

Pupils from the school will be acting as 'newshounds' at the BBC Acorn User in October, producing a show newsletter full of news and gossip from the show. So watch if you are going to the show – they could be on your trail!





Introducing the new Star LC-20.

Pedigree counts.

The new Star LC-20 is the direct descendant of the LC-10. A printer whose critical acclaim was only exceeded by its popularity with its users.

The LC-20 continues the family tradition as a monochrome 9-pin printer, ideal for home users, small businesses, education and departments within major organisations.

Its solid looks tell you that this is a printer strong enough for the toughest applications.

But the LC-20 also offers you a better performance. Not only is it faster than the LC-10, you'll also find it quieter.

Its features are everything you've come to expect from Star. But the most distinctly traditional thing about the LC-20 is its price. So easy on the pocket, you just won't believe how good it is.

But then the LC-20 does come from a good family.

Star – making printers for people not machines.



A division of Star Micronics Co., Ltd., Japan

Star Micronics U.K. Limited, Star House, Peregrine Business Park, Gomm Rd., High Wycombe, Bucks. HP13 7DL. Tel: (0494) 471111. Fax: (0494) 473333.

Name —		_
Company —		_
Address		
Postcode —	Tel:	


_de IIMSO

HMSO preferred. For information, ring (0603) 695256

Specifications: 9 pins • print speed - 45 cps at 12 cpi (NLQ), 180 cps at 12 cpi (draft elite) • 8 NLQ fonts (including italics) - Courier, Sanserif, Orator-1, Orator-2 + draft • 4kb print buffer • push tractor feed/short form tear off • paper parking.

EDUCATION

HOME MULTISTORE The ultimate in database technology. A powerful



database for the business or serious home user. MultiStore is a multi-tasking relational database which allows many database files to be opened at one time. Files may be linked so that relationships between files are automatically tracked. Rapid searches by any criteria, including 'sounds like' facility. Key fields for instant search, indices to allow file browsing in more than one order without sorting. Fast sort facility by single field or complex expression. Comprehensive reporting facilities allow any report, including totalled lists of fields, labels with multi-font capability, line trapping, justification, paging, multi-set stationery and even completely relational reports. Data can easily be exported to other RISC OS

BUSINE


packages. MultiStore is a professional package and probably the most comprehensive database available today. £305.50 inc V.A.T.



FLEXIFILE The perfect database for education and small business users. FlexiFile is a new powerful multi-tasking database with friendly screen displays. Multiple files may be open at the same time with relational linking between any two files. FlexiFile allows fast sorts to be carried out and with its soundex searching allows even mis-spelt items to be found. Mathematics can be performed using the macros while indices allow you to browse the records in more than one order without performing sorts. FlexiFile lives

up to its name giving the user full flexibility with ease of use. £153.22 inc V.A.T.

SYSTEM DELTAPLUS The database for the serious home user or enthusiast. System DeltaPlus is a comprehensive database giving you power coupled with ease of use. Easy to use video style controls and the ability to define your own card layouts make this database suitable for all types of data entry. Searches can be performed by simply selecting from within windows or by multiple criteria. Reports can be produced together with labels up to four across with blank line strip. With comprehensive maths, sorts and searches System DeltaPlus is hard to beat. System DeltaPlus may be programmed if required allowing you to customise the package or write your own applications. £81.69 inc V.A.T.





GRAPHBOX Data can be imported from the Minerva range of databases to GraphBox and stunning charts produced.

With twenty different charts and graphs you will always be able to present your data to its best. GraphBox also imports data from other RISC OS packages. With a 'Hot Link' to Pipedream 3 which allows for automatic updating of graphs from data produced and the ability to export charts as draw files. Graph Box is the answer you have been looking for.

Graphbox is not a database, but can be used with any of the above programs for reproduction of charts and graphs.

£81.69 inc V.A.T.





MINERVA HOUSE, BARING CRESCENT, EXETER, DEVON EX1 1TL TEL: 0392 437756 FAX: 0392 421762





MORE MICROS IN SCHOOLS

A DES SURVEY published last month showed an increase in the number of computers in schools, and in IT expenditure.

Carried out in 1990 on a representative sample of schools, the aim was to calculate the current level of provision for IT in education, and to determine its contribution across the curriculum.

There were on average four micros per primary school, and 41 micros per secondary school, compared with two and a half and 23 respectively in 1988. The pupil:micro ratio has in turn been reduced to 40:1 in primary schools and 18:1 in secondary schools.

The most commonly found microcomputers in schools were made by Acorn. This information is confirmed by an independent market research survey which found Acorn machines in nine out of every 10 primary and secondary schools. Moreover, 72 percent of LEAs recommend Acorn computers for school use, with 74 percent of schools actually buying Acorn products in the second half of 1990.


School spending on IT has doubled since 1988, with over 60 percent of the money spent on primary schools, and 81 percent on secondary schools, coming from public funds.

For most schools the LEA was the main source of technical support, as well as the most frequent source of software. The percentage of staff attending initial awareness training days since 1988 has also increased. However only 50 percent of staff across the curriculum felt confident in using IT with pupils. For more information ring 071-934 9140.

SCIENCE CHALLENGE

A new series of Science Challenge will be broadcast on BBC 2 from 17 September, writes David Watkins, BBC Education Officer.

The ten 20-minute programmes cover science, technology and IT at key stage 2. Each week four children are set a science-related challenge,



MICROCOMPUTERS IN SECONDARY SCHOOLS

such as investigating the principles of sound and light. Two of the children then go to an island to explore the problem, the other two remaining in headquarters to research information from books, pictures and a hypermedia database stored on computer. The work of programmer Paul Vigay enables the children to access and analyse the data - maps, digitised images, video sequences, and text - in a Wimp environment.

The audiovisual link between the island and HO is provided by computer system, using a Hawk V9 expansion card to display real-time pictures. The software could have been run on an A3000, but because of studio requirements an R140 fitted with an ARM3 upgrade and genlock was used instead. Moreover, as standard Risc OS icons are too small for classroom viewing, an alternative desktop was used.

On 18 September there is a teachers' programme, to show how the series can be used to generate ideas and stimulate classroom activities. It features a number of schools working on science projects related to topics raised in the series, focusing particularly on classroom management.

The programme will be broadcast on Tuesdays at 11.35 am so don't forget to set your video. To order the teachers' notes and a pupils' book, ring 081-746 1111 or write to BBC Education Information, London W5 2PA. Schools programme information is also available on the Neris database, Tel: (0525) 290364.

MULTIPLE SOLUTION

Oak Solutions has an answer for teachers facing the problem of delivering large Archimedes applications to multiple machines via Econet.

A ClassRom, attached to each computer on the network, provides a convenient means of storing applications locally, leaving the file server free to do what it does best - serve users with files.

ClassRom resembles a hard disc in that it installs two icons on the icon bar, but one of these is a read only area where applications are stored, and the other is a read/write area for the user's temporary data. A Risc Os compliant manager's tool enables the teacher to update either area on a Class-Rom, and then to use Econet to transmit a copy to other ClassRoms on the network.

The hardware does not need a dedicated master machine, and so leaves all the computers free for use. Prices start at £315 for a 20Mb ClassRom. For more details contact Oak Solutions at Cross Park House, Rawdon, Leeds LS19 6HA. Tel: (0532) 502615.

Sharon Halpern

NEWS IN BRIEF

 QUESTION MARK Computing has cut the price of its school version of Question Mark. The program, which computerises tests and exams, can be used on the Archimedes with a PC Emulator. It will enable teachers to save time as the computer will mark the input answers.

The new price for UK schools is £98. For more details contact QMC at 41b Brecknock Road, London N7 OBT. Tel: 071-284 3999.

■ WRITE TO SPELL is a resource pack from Lame Duck Publishing, detailing a scheme to teach handwriting and spelling.

The teachers' notes are supported by two programs. Big Print is a simple wordprocessor with a large text style for children to copy, while Write to Spell is a flexible database that will hold letter strings and produce individually tailored spelling sheets. Record keeping sheets are also included, in line with National Curriculum requirements.

The pack costs £16 from Lame Duck Publishing, 71 South Road, Portishead, Bristol BS20 9DY.

● IDENTIFICATION, Interrogation and Field Work are the three sections that make up Hedgerow, a software package to help pupils at key stages 2, 3 and 4 explore the vegetation in their immediate environment. The accompanying activity pack contains teachers' notes, worksheets and photocopiable masters.

Available for BBC B and Master computers the software costs £16.75, and the activity pack £7.75. For more details contact Mercury Educational Products, 8-10 Lower James Street, London W1R 3PL. Tel:071-287 5060.

EMR'S Computer Music Learning Centre offers an opportunity for teachers to gain practical experience of its music software and hardware before using them in a classroom environment.

A range of tailored courses are available, focusing on hands-on teaching of Studio 24 Plus, the MicroStudio program and the Arpeggio Music System. The centre caters for classes of up to six - this can be six teachers or five pupils accompanied by an adult.

For more information contact EMR CMLC at Suite 2, 50 Hamlet Court Road, Westcliff-on-Sea, Essex SS0 7LX. Tel: (0702) 348406.

Turbocharge your Network

with



Since completing development work on Econet Level 4 for Acorn, our Network Development team has devoted its attentions to the remaining problems concerning the use of Archimedes on Econet, namely, the delivery of large applications quickly into machines, efficient network printing and effective application management in the classroom.

Our solution, CLASSROM, includes a local high speed applications server on each machine for maximum performance and versatility. It will be available from September, but to whet your appetite, here are just a few of the outstanding features of our new system:

- ☐ Full Network facilities not simply a shared hard disc system.
- ☐ Utilises your existing Econet cabling, file servers and interfaces, AND leaves the A3000 internal expansion bus free for User/Analogue ports etc.
- ☐ Full security system to protect applications from being tampered with.

- ☐ In recent tests we loaded !Impression simultaneously into 10 machines in only 5 seconds.
- Does not tie up an Archimedes as a dedicated master machine.
- ☐ No shared storage device which would affect the whole system if it failed.
- ☐ Allows remote starting of applications from a master machine to ease setup at the start of lessons.
- ☐ Substantially better performance than Ethernet or shared hard disc systems.
- Minimum available application delivery bandwidth of over 6 Megabytes/second on a 10 station network - a figure that INCREASES with the addition of extra stations.
- Allows machines to be remotely configured, reset and tidied up at the end of each lesson.

If you are interested in Archimedes on networks, do not miss this exciting solution to your problems.

Network Printing to Laser Direct

Now, at last, it is possible to use Computer Concepts' Laser Direct printers across Econet. Our new ClassPrintLD software package allows the Laser Direct printer to be accessed via any Archimedes on the network by providing a new printer driver for each machine. All print requests are then sent via the network, rather than directly to the printer. The machine connected to the printer runs a printer spooler which receives the data from each machine, stores it locally, and then prints it in the background, when the printer is free. The big difference between this and conventional network printing techniques is that the printer driver compresses the information before sending over the network. For a typical DTP page (such as this advertisement) compression ratios of 8 to 1 can be achieved. Messages such as 'Paper tray empty' and 'Toner out' are sent back to each user across the network.

ClassPrintLD network licence

£75.00 (Available Sept 1991)

Hard Disc & Network Backup

For professional backup of data under Risc OS, Oak Solutions' tape backup systems provide the ideal answer to all your problems. All our tape backup systems include !OakTape, our comprehensive and widely acclaimed Risc OS backup software, now in version 2 form. Backups are done on a file-by-file basis with versatile control over backup criteria. Automatic backups may be triggered at pre-determined times, and printouts of tape contents can be automatically generated. Restoring from tape is simple and intuitive. Files and directories can simply be dragged from a tree viewer, or directory viewers, either to disc, network or even directly into an application! Our backup systems are ideal for use with Econet, and can back up

ALL types of file servers. Our wide range of tape backup systems starts at under £600. Please telephone to discuss your requirements.





CONTROLLING YOUR OWN

As revealed in previous columns the BBC is an ideal computer to control a BB, especially as you can now pick up second-hand BBCs for as little as £50. Add a hard disc and a modem and you are ready to start your own BB.

There is now a new host system for the BBC available. Joel Rowbottom's JoelBBS has been written to help fill a gap in the BBC software market, providing a cheap and comprehensive bulletin board host system for the BBC.

For £25 JoelBBS offers full support of viewdata and true Ansi. At this price it should get the competition seriously worried. The file transfer section of JoelBBS has been closely modelled on Hugo's ArcBBS, and provides full support of XModem, XModem-1k, YModem and CET.

These routines were written by fellow comms enthusiast Gareth Babb and are supplied on Rom for speed and memory. JoelBBS supports over 50 different frame variables for viewdata access, together with code to enable you to run your own online auctions, world clock and online frame editor. Full message facilities, downloading and frame view capabilities are all included.

The scrolling system will also display ArcBBS menus and textfiles. It even takes into account the enhancements added by Ansi, and allows the user to choose their terminal from VT52 or VT100, Again full menu variables are supported, and full file transfer and message-conferencing is catered for. You can link into external programs, and a number of enhancements will be added over the next few months

JoelBBS will run on any BBC B or Master 128 but it does require a minimum of 16K of sideways Ram to hold the Rom image, and a Winchester disc, minimum of 5Mb. However do shop around as hard discs can be picked up surprisingly cheaply at compu-



CHALLENGING DOWNLOADS

ter shows and amateur radio rallies around the country.

A cheaper alternative to JoelBBS, featuring a scrolling environment but without the file transfer protocols and message systems, will be available for £10 - which is ideal for use in schools.

To find out more about JoelBBS contact Mad Rabbit Systems at 22 Oakwood Grove, Near Wakefield, West Yorkshire, or dial their viewdata service on 051-339 9166.

THE CHALLENGE

This month's bulletin board is called The Challenger. It is run by Richard Whitehand and Birmingham. located in Richard claims that it is one of the fastest viewdata boards around, and as it runs from an Opus Challenger Ram disc this claim may not be far wrong.

It has numerous computer specific areas, including coverage for Archimedes and BBC owners, as well as areas for PC, Commodore and Atari users, so you can see what the competition is up to. Large selections of downloads are available for both the Arc and the Beeb, under headings such as Ample files, games and

In addition numerous message areas allow you to swap views and comments with other users, as well as to place For Sale and Wanted adverts. There are also some nicely drawn viewdata frames.

The system as a whole is

easy to find your way around, and is simple to use. Challenger BBS is on 021-445 3919 and is open 24 hours a day.

TOP OF THE RANGE

Miracom, famed for its WS and Courier range of modems, has produced two new models to add to its Courier range. The 2400Plus offers v22bis (2400/2400) and the 14.4Plus offers everything up to v32bis. Both include MNP4+5 protocols, together with v42/ v42bis error correction and compression. V25bis commands are also supported. The models cost £895 and £495 respectively. For more information contact Miracom on (0473) 233888.

USING THE PCE

A number of people have asked if PC comms software can be used under the PC Emulator, and the answer is yes. Any IBM AT modem cable should do. However, in case you can't find a lead I have listed the appropriate wiring in the table below.

Paul Vigay

Arc 9-way	Modem 25-way		
1(DCD)	8(DCD)		
2(RxD)	3(RxD)		
3(TxD)	2(TxD)		
4(DTR)	20(DTR)		
5(Ground)	7(Ground)		
6(DSR)	6(DSR)		
7(RTS)	4(RTS)		
8(CTS)	5(CTS)		
9(RI)	22(RI)		

NEWS IN BRIEF

- WITH MANY users now using Mercury, the following tip may help ArcTerm7 users to implement Mercury codes into their dial strings. Select Prefix from the options menu and choose a prefix. Then enter the code as follows: 131, 123456 7890, 131 will get into Mercury's network, and a comma makes the modem wait for a Mercury line. The following six digits and four digits are part one and two respectively of your Mercury number. Press RETURN to enter this data. Then all you have to do is modify your dialstore entry to use the required prefix.
- DARCWORLD BB has a new fast modem so that it can be accessed at all speeds up to 9600 (v32) with MNP5. As a consequence 12/75 (v32) is no longer supported. Darc-World BB is on (0867) 577724 and runs on Hugo's ArcBB.
- A NEW BB, Architype, situated in Jersey, is the only Arc based BB in the Channel Islands. There are not that many files and messages yet, so log on and say hello on (0534) 54032, scrolling 8N1.

To attract users the sysop is giving the first 30 new users special privileges, such as a greater upload/download ratio.

- A NEW version of David Pilling's Risc OS Terminals Plus disc is available for £17.97, £11.98 if you upgrade from older versions. For this you get Kermit and Zmodem transfers, with an accurate VT220 emulator, Viewdata and Ansi are also catered for. Contact David Pilling at PO Box 22, Thornton Cleveleys, Blackpool FY5 1LR.
- THE LATEST version of Anthony Frost's ReaderS utility is now available. Tentatively called version 1,005, there are a number of bonus utilities on the disc. You can browse through and prepare offline replies to BB messages and Canaries, and it will add a random fortune cookie to your signature line. As ReaderS is Shareware, the RNLI and Cornwall Air Ambulance service will benefit from each sale. So far £180 has been raised. It costs £10 from Anthony Frost at 10 Whiterocks Park, St. Anns Chapel, Gunnislake, Cornwall PL18 9EF.
- Procrastinet BB has closed due to unforseen circumstances. However James Coates, the sysop, is setting up a new system on a new number. Watch this space for more information.

The Complete Upgrade Solution



















- Uses only eight RAM devices
- User upgradeable from 1 to 4 Mb
- Four layer printed circuit board
- Low power consumption
- Available without RAM devices

 Bare card £35 2nd Mb £56 4th Mb £159
- Includes MEMC1a upgrade
- Large capacity OS ROM sockets
- No soldering required
- Four layer printed circuit boards
- Courier collection of your machine 2nd Mb \$225 4th Mb \$299
- 400 series RAM upgrade kits
- Supplied with full fitting instructions
- 410/1 to 420/1 requires 1Mb
- 420/1 to 440/1 requires 2Mb
- 410/1 to 440/1 requires 3Mb 1Mb - £35 2Mb - £65 3Mb - £99
- Uses only eight RAM devices
- Suitable for A440, A400/1 & R140
- Fully RISC OS compatible
- Four layer printed circuit boards
- Courier collection of your machine 8 Mb upgrade - £649
- New series Aleph One ARM3
- 3 to 4 times performance increase
- Surface mount technology
- Four layer printed circuit board
- Courier collection of your machine
 ARM 3 upgrade £399
- Increases resolution with all Multiscan monitors
- Doubles desktop work area
- Custom modes for Taxan and Eizo monitors
- Suitable for all Archimedes computers
- Free with any multiscan monitor from Atomwide Atomwide VIDC Enhancer – \$29
- Syquest removable disk systems
- Including one cartridge, drive unit and all cables
- 42Mb removable cartridges
- High-flow fan fitted for improved cooling
- Please phone for prices on other SCSI related products
- Atomwide Syquest drive unit £470 42Mb disks £64
- All products are cross-compatible
- Combination deals available on all products
- Typical combination A310 4 Mb and ARM3 £675
- Dealer enquires welcome
- Phone for full details on all products
- All prices exclude VAT at 17.5% but include delivery



ATOMWIDE





SAMPLER MAKES WAVES

HYBRID TECHNOLOGY has released ArcRecorder, a new sound recorder for the Archimedes that provides full eightbit sampling. It uses an eightbit converter, although another four bits are used to provide automatic level control.

Roughly the size of a dongle, it plugs into the printer port, although it does have a through socket so that you can still use your printer. The package has been designed for ease of use, and automatically performs many of the tiresome operations, such as removing leading silence, that are done manually on other samplers.

The number of controls is kept to a minimum, and the program operates in a continuous state of recording. It isolates each sound as it is recorded, and samples can be saved and then converted into relocatable modules to use in any Arc program which supports them.

It's likely that a full edit package, incorporating many of the simple-to-use features, will be developed to allow users to tweak their samples.


ArcRecorder is not aimed primarily at the musician but at all users who wish to experiment with sound. It should therefore find a home in education, for sound experiments, and Hybrid hopes that third party developers will use it for programs such as voice recognition and voice mail.

The package, including a microphone and desktop stand, costs £29.95 plus p&p. It is due for release later this year. For more information contact Hybrid Technology, 88 Butt Lane, Milton, Cambridge, CB4 6DG, Tel: 0223 861522.

Oak Solutions has now also released a low-cost eight bit sampler called ArcRecorder. See page seven to resolve the confusion.

INSPIRATIONAL

As I revealed in July's column, Inspiration has been updated to version 1.03. The version reviewed in March BAU was 1.12, so presumably these



RECORDING SOUNDS WITH HYBRID'S ARCRECORDER

numbers have been downscaled. If you buy it make sure that you get the latest version.

The good news is that most of the bugs have been fixed, leaving a more stable program. But it can still fall over - I tripped it up in the toolbox and the editor - though this is usable, which the earlier version wasn't. The transport and timing functions have been improved, and there are some sample tools to try, such as velocity increase, after-touch delete, velocity invert, and fade out.

It runs on any Arc without the need for the laborious configuration program, but though it can run in 1Mb of Ram this is not really enough - 2Mb is the real minimum.

Inspiration now saves Midi files, its natural file format, with the correct filetype. If you have some early version files you can convert them by altering the filetype from the desktop environment:

*settype <filename> fd4

You still can't edit the event list directly, and the documentation hasn't been updated. There is a rumour of a tutorial, although this rumour has been around for nine months!

Files still can't be saved in Maestro format, although this option is probably redundant now. It allowed you to view the file in music notation form but not to print it out, whereas

Rhapsody does both, and can also load files in Midi format.

The update is free to registered users, and a demo disc is available if you send a formatted disc and p&p. For more details contact Inspiration's Help Line which is being run by Sound Proposition, 44 Udney Park Road, Teddington, Middlesex, TW11 9BG. Tel: (0273) 725536.

ANOTHER LANDSCAPE

Another Landscape by John Bartlett is an Ample album Containing release. pieces, including Rider in the Storm, Dawn, and Dusk, it tells a simple story. Make up your own mind, but it seems to me that the underlying concept is not unlike Beethoven's Pastoral Symphony.

Rider in the Storm contains some of the best storm sounds I've heard on the Music 5000, and the other pieces invoke their own atmosphere. Each note and beat has been lovingly chosen, and placed for maximum effect.

The only thing I don't like is that the program automatically looks to drive 0 for the disc which is where I, like most people, keep my system disc.

It costs £3.95 from J B Software, 20 Crawley Avenue, Wellingborough, Northants NN8 3YH. Tel: (0933)675392.

Ian Waugh

NEWS IN BRIEF

HYBRID TECHNOLOGY has now released the Music 6000, and I have a review instrument on my desk. With its flexible goose neck and ultrasonic sensor it's reminiscent of the Martians in the War of the Worlds! Originally designed for users with special needs it's also absolutely amazing fun!

The ultrasonic sensor mounted on the top detects movement and converts it into sound. At its simplest it can play an upwards arpeggio when you walk away from it and a downwards one when you walk towards it. You can even use it to do Jean-Michel Jarre laser harp impressions!

More details in Acorn User soon. To contact Hybrid see main news. PANDA IS having a sale, offering three for the price of two on its full range of Panda Music discs. That's £6 for one, or three for £12. There are 16 discs for the Music 5000, three for the Music 500 and three for the Island Logic Music System. The offer lasts until Christmas 1991. For a list of all the tracks on the albums send an SAE to Panda Discs, Four Seasons, Tinkers Lane, Brewood, Stafford, ST19 9DE.

Panda Discs was launched to make Ample music available to a wider public. It's an offshoot of Ample DCT, a Viewdata BBS full of Ample programs, hints and tips. Log onto it on (0384) 239944 - it's well worth a look.

 AS WELL AS providing support for Inspiration, Sound Proposition is developing support modules, including a Track Save routine and an Arpeggiator. For more details see the address in the main news. ALPINE Software has released UltraSonic, a sound program

aimed at games and demo writers. It runs on the Arc/A3000 and is fully Risc Os compatible and multitasking. It can handle four channels of stereo sound and support 32 instrument sounds.

The pack includes a program to convert samples from various formats including Armadeus, Multipod and SoundTracker, and there is a PD playback module to blend sound effects with background music. Documentation is included to show you how to produce music from Basic. It costs £30 from Alpine Software, PO Box 25, Portadown, Craigavon BT63 5UT. Tel: (0762) 342510.

CORNUSER

FREE 3.5in DISC!

You can't afford to miss next month's issue, which comes complete with a free cover-mounted demonstration disc of ESM's Desktop Folio educational DTP package. And it won't cost you any more than the normal cover price!

BACK TO SCHOOL SPECIAL

ORGANISING THE CLASSROOM

Chris Drage looks at how you can use computers effectively to manage classroom activity

SCIENCE CHALLENGE

We look behind the scenes of this popular education programme to find out how the Arc is being applied

> Watch out for the October issue of BAU - available September 9 1991

PLUS

INNOVATION

Give structure to your documents and organise your thoughts with our ideas processor for the A3000/Arc

STEPPING UP

Following on from our successful A3000. First Steps series, we continue our review of useful applications with a look at the Genesis multimedia package

SHOW PREVIEW

This year's BBC Acorn User Show offers some exciting prospects for Arc and Beeb users. Read all about the exciting happenings at the show in our exclusive preview

REGULARS

- All the latest news and views from the world of Acorn
- Our ★INFO helpful advice and ideas section covering A3000, Archimedes and Beeb
- Your letters and problems
- Programs galore on the yellow pages and much more

To be sure of the coupon hand it to you page 27


DEAR NEWSAGENT,	PLEASE ORDER	MY REGULAR COPY	OF BBC ACORN USE
DEAN NEWSAGENI,	FLEASE ONDER	WIT REGULAR COFT	OF BBC ACORN USE

YOUR NAME

ADDRESS

BBC Acorn User is published by Redwood Publishing, 20-26 Brunswick Place, London N1 6DJ. Distributed by BBC Frontline, Park House, 117 Park Road, Peterborough.









Acorn The choice of experience APPROVED DEALER

WE'VE MOVED!

Opening on 9th September, our new premises will enable us to provide you with better training and showroom facilities.

47 WINCHESTER ROAD, FOUR MARKS, HANTS, GU345HG.

TELEPHONE 0420 561111





RISC OS Euclid is the best multi-tasking 3D graphics and animation system for the Archimedes. It is effectively a 3D version of Draw.


Mogul makes full use of **Euclid**'s unique hierarchical data structure to generate animations of 3D objects with a film by calculating articulated motion and simultaneous camera motion.

ArcLight is a multi-tasking ray-tracer which will generate a realistic Euclid picture, or a complete Mogul film, while you are free to get on with other work.










Tween produces films from Draw files. It uses techniques similar to Mogul and generates Euclid £70 intermediate frames from a set of key positions.


Splice allows you to edit films produced by Mogul or Tween. You can even produce hand-drawn cartoons by converting sprites from any source.




ArcLight £50 Mogul £20 Splice £30 Tween £30 (inc.VAT)

> Ace Computing 27 Victoria Road. Cambridge, **CB4 3BW.**

Fax: (0223) 69180







There's nothing new in our HardCard

Quality, Reliability and Performance are aspects of all our products and in the HardCard, the latest addition to the HCCS range that's nothing new.

The HardCard is innovative and boasts a unique design like all HCCS products. Nothing new there.

The HardCard45 and HardCard100 offer an outstanding performance for a price which sets the standards. Something you have come to expect from HCCS.

The HardCards are individually tested and formatted before despatch. We've been doing that for years.

Or is there...

The HardCard is simply a plug in and go product: you don't even have to remove the lid of the computer. A true userfriendly device.

The HardCard is almost the same size as a podule expansion case making it very compact, to say nothing of not having messy signal cables and bulky separate Hard Drive cases cluttering up the desk. Now there's something new.

The HardCard has been specifically manufactured for your BBC A3000, professionally designed and easy to use. Quite a pleasant surprise.

The HardCard100 gives 100Mb after formatting and has an access time of 9mS. That's not a misprint, 9 milli-seconds.

The HardCard comes blank and free from gimmick software. You're only paying for the drive.

The HardCard45 gives the user access to 45 mega-bytes of storage after formatting for only £349.00. Outstanding.



- Q How can HCCS bring out advanced products before the competition?
- **A** Because we employ some of Britain's best engineers for Research and Design.
- **Q** The product looks good and the price is right but is it expandable?
- A Yes, the HardCards come with an expansion connector on which you can have up to six drives up to 500Mb each.
- Q Being so compact will the HardCard overheat?
- A All the HardCards have an integral miniature fan, keeping it cool even in the hottest environment.

HardCard45 19ms £349.00

HardCard100 9ms

£699.00

Carriage FREE. Prices exclusive of VAT. E&OE.



£15 STAR LETTER

I am prompted by the note in the Acorn Customer Hotline (BBC Acorn User July 1991) about using the PC Emulator for Open University courses, to reassure any other Archimedes or A3000 owners (or prospective purchaser) who may be thinking of taking an OU course.

I have been using the emulator this year for an OU course, and have found it perfectly satisfactory so far. However disc accessing operations seem to be slow and disc formatting is painfully so. It takes over three minutes to format and verify a Dos disc, and over 6 minutes for a P-system disc as used on my course, Fundamentals of Computing -M205. Fortunately the course does provide ready formatted discs!

> **Alan Beasly** Bexhill-on-Sea

A reason why your disc drive may seem slow is that you are using an old version of the PC Emulator. The latest versions now take account of the Step configuration of the floppy drive, which denotes how many milliseconds the disc takes to access the next track. For the internal drive this can be set to 3, by typing *Configure Step 3, which is the fastest. An external drive may need a slower speed. You can set this up separately. See *Configure Discs, and *Configure Step in your user guide for more details.

LOADSAPROGS

I was surprised by the letter in the August 1991 edition of BBC Acorn User from S J Elliot expressing concern over the lack of software for the Archimedes and A3000 computers.

Undoubtedly this was the position twelve to eighteen months ago, but the position has changed dramatically since that time. As my sphere of concern is with education, I will focus on this area, but similar statements apply to other areas as well.

The second edition of our Education Directory released

last week lists over 1,200 educational software titles specifically available for the A3000 and Archimedes range of com-Comparison puters. with similar directories for other manufacturers, including Apple, Commodore and MS-Dos computers clearly shows that the software available for Acorn systems is more than comparable with both the range and quality of software for other systems.

At 230 pages in length, and with over 130 Maths-based programs, 70 modern languages titles, and over 70 differwordprocessing desktop publishing programs out of the hundreds of listed titles, this directory testifies to the extraordinary productivity of the more than 300 UK software houses that produce titles the A3000 for Archimedes.

S J Elliot also expresses concern that there is insufficient new and innovative software under development for Risc OS systems. I would first point out that of the twelve annual Educational Technology awards made at the BETT shows in January 1990 and January 1991, eleven of the twelve awards were made to packages for Acorn computers, with only one going to a package only available for MS-Dos computers. No awards were made to software packages for other manufacturers systems.

Major new innovative developments continue, with at least fifteen new or about to be released packages on show at the Access IT conference for teachers at the beginning of July. And the majority of the new developments by these software houses will be available either only or first on Acorn Risc Os computers.

On the question of games, there are now more than 130 games available for both the A3000 and Archimedes, with major software publishers such as Domark, Virgin, Fourth Dimension, Minerva and Alien Images, all launching new 32bit titles for Acorn computers in 1991.

I can only assume that S J Elliot has not been able to obtain a copy of the first edition of our Education Directory, which sold out of its 10,000 initial print run in just over four months.

Finally, if there are any major areas of new software development which S J Elliot believes should be available for Acorn systems, we would welcome hearing about these directly, so that we can feed such ideas into our developers for their consideration. It is quite likely that many of the suggested ideas will already be under development for Risc Os.

> **Chris Humphries** Acorn

ACORN DOWN UNDER?

We have recently purchased 10 A3000's and have linked these with the existing 20 BBC Model B machines in a network providing a total of 30 stations. Unfortunately the Australian software market doesn't support the Acorn machines as well as it should and many old BBC retailers have fallen by the wayside.

Consequently I am searching for assistance from High School teachers and enthusiasts alike to supply some inexpensive software for both computers. After just spending \$25,000 on computer upgrades in the hardware department it leaves us with a small budget for software. The areas of particular interest are science and maths, simulations, music, adventures and teacher created software.

A final point: are there any schools in the UK that would like to be linked through either disc/postage or modem to our school in Australia?

Patrick Carswell Chanel College 11 Patterson Street Gladstone QLD 4680 Australia

We are sure there are many teachers out there who have been in the same situation. Maybe you have some suggestions for Patrick? We are also sure there are many software houses that wish to bombard Patrick with information sheets about their products, to show that Australia isn't that far away after all.

Look out next month for a special article on how to organise your classroom, and budget your school's computer spending.

TANDY TROUBLE

I am writing in response to the letter from R Howitt of Windsor published in the July issue.

I have a Tandy DMP200 operating successfully with a BBC Model B. I found I had to make up a special printer lead, as it seems the DMP200 is not quite Epson compatible.

The problem lies with the acknowledge line. This is normally pin 10 on the 36 way Centronics connector and is wired to pin 19 on the BBC's 26 way connector. By tracing the internal circuitry of the printer, and some experimentation, I decided that the signal is the logical inverse of what the BBC requires. Pin 11 has the correct polarity though.

The solution is to wire pin 19 at the BBC end to pin 11 at the printer end, leaving pin 10 unconnected. I used a solder terminal type of centronics plug and made all the other connections as shown on p406 of the BBC Micro user guide. It should be fairly straight forward though to fix up your old lead with a razor blade.

I don't know whether the same is true of other Tandy printers. Is it a cunning stratagem of Tandy to force owners of Tandy computers to buy Tandy printers?

Robert Stockton Didcot

LINE UP

Contrary to both the supplied user guide and optional programmers manual, the Canon BJ10e printer does appear to support the ESC "]" reverse linefeed command.

Sending VDU 1,27,1,93 in either IBM X24E or Canon BJ130 emulation mode will reverse feed the paper by the currently selected linefeed pitch. It goes backwards the same amount that it goes forwards on receipt of a linefeed.

Paul Corke Harleston

Wimp Programmer's **Toolkit**

Twelve powerful multi-tasking utilities - an essential aid to any programmer



£19.95

inc VAT

- Spyglass displays the contents of memory allocated to any task currently running.
- Wimp Debugger allows you to debug Wimp-based
- programs while testing and running them.

 Template Editor the latest version of Acom's FormEd for designing windows and icons.
- Template File Browser allows you to view the contents of a template file.

 Application Shell Generator utility for creating
- application directories, Obey files and their sprites.

 Menu Editor create and edit Wimp menu
- structures for use in your own programs.

 WimpAid allows pointer, window and icon
- parameters to be dynamically displayed on screen.
- Iconbar Shell Generator allows you to build simple multi-tasking programs very easily, by creating a shell.
- Desktop File Loader allows you to load a program from the Desktop, rather than run it.
- Icon Flag Generator calculates the value of icon flags without recourse to binary arithmetic.
- EasyWimp provides a ready-made Wimp application shell to be used for creation of singlewindow applications.
- Wimp Message Monitor provides a means of monitoring the Wimp polling system.

A multi-tasking customisable magazine database

ArcScan III £18.95

Contains the following Databases:

RISC User Volumes 1, 2 and 3

BEEBUG Volumes 1 - 9

- Index to RISC OS Programmer's Reference Manual
 Index to ANSI C Manual (Release 3)

- Index to BBC Basic Guide
 Index to RISC OS User Guide

ArcScan III features:

- · flexible keyboard search on any entry
- dynamic memory management, returning unused
- memory to the Wimp dedicated ARM code routines enabling
- improved search logic choice of 3 logical operators: OR, AND and NOT
 fast scrolling Wimp window displaying finds
 detailed manual and extensive on-screen help

- new extended wildcard option
- fully user customisable

Editor Indiana espera.

£9.95 inc VAT

inc VAT

ArcScan Library Disc

Offers an index for Acorn User and Micro User magazines from January 1987 to date. The Library Disc will be regularly updated to include the latest issues, and upgrades will be available for £4.45.

A selection of 12 multi-tasking


Desktop **Applications**

£14.90

- DataSheet data presentation package for creating annotated graphs
- Calc_570 - an implementation of a scientific calculator.
- CharDes character designer for creating new system fonts.
- Diary a Desktop diary and calendar. **B_to_T** allows Basic programs to be edited without leaving the Desktop.
- FileFind performs a hierarchical search for a given
- File, application or directory.

 SetType change the filetype of any file by dragging it to the icon bar.

 HotKeys allows single key presses to perform a
- wide range of functions.



NotePad provides for up to eight pages of

£14.90

inc VAT

Dustbin - sits on the icon bar and allows files to be deleted by simply dragging them to its icon

Outstanding Value

£14.90

7 Original Archimedes Games in

ArcOmnibus

Amaze a graphically superb sliding block game with a difference. Cribbage

an excellent implementation of the well known card game. Moric -

Moric a colourful 'ladders and levels' game.
Ogre's Lair - a highly entertaining arcade type game, providing hours of tun

fun.
Pick a Pair - a colourful game testing your skills of observation and

- BalloonMan burst the balloon a Pacman style
- Dominoes a Desktop version of the classic game of dominoes.



Handling for All

by David Spencer and Mike Williams

File Handling for All is a comprehensive book which covers all the requirements of data storage and processing by computer, using the popular BBC Basic programming language for the examples. It is aimed at anybody interested in File Handling and Databases, whether beginners or more advanced users, and will appeal to all who want to learn more of this important subject.

The book starts with an introduction to the rudiments of file handling, and in the following chapters develops an in-depth look at the different types of files e.g. serial files, indexed files, direct access files, and searching and sorting. A separate chapter is devoted to hierarchical and relational database design, and the book concludes with practical advice on developing file handling programs.

The associated disc (£4.75) contains complete working programs based on the routines described in the book and a copy of Filer, a full-feature Database program.

Desktop PC Disc Reader, Background Text Printer. 3 Exciting Outline Fonts in

MARC THREE DISC

plus:

- · Sticky BackDrop - places icons anywhere on the
- desktop **Application Shell** Generator for
- creating application directories, sprites and !Run files.



- Wimp Front End for the Basic Editor
- Watchdog Anti-Virus protect your hard and floppy discs from viruses
- Keystrip Generator (both 9- and 24- pin matrix printer versions)

 Encode - a file encryption utility
 CMOS RAM Manager

- Ovation Clip-art from Beebug's highly successful DTP package Ovation
- Amaze a graphically superb and entertaining game
- Some of the best Maestro music files
- Advanced Desktop Presentation Creator screen display with a choice of different fades
- Palette Files for Colour Printers
- A complete set of **ArcScan** index data for RISC User Magazine Volume 3

BEEBUG

Limited

117 Hatfield Road, St. Albans, Herts AL1 4JS Telephone: (0727) 40303 Fax: (0727) 860263

Order form			1
Wimp Programmer's Toolkit	£19.95	Stock Code PWPTa	(a
Arcscan III	£18.95	Stock Code PAS3a	1
Arcscan Library Disc	£ 9.95	Stock Code PAL1a	
Desktop Applications	£14.90	Stock Code PDA1a	
mArc Three Disc	£14.90	Stock Code 1406a	C
ArcOmnibus Games Disc	£14.90	Stock Code PAOMa	N

File Handling for All book £ 9.95 Stock Code BKO2b

Disc supporting the book £ 4.75 Stock Code BKO3a Please add p&p: a: £1-UK, £2-Europe and £2.60 elsewhere; b: £2-UK, £3-Europe and £5.50 elsewhere

	se debit n	Ty ric	T	/ V	Isa a	T		10.	-	\top	$\overline{}$	\Box
Card	Expiry Da	ite					_ Si	gnati	ire _			
Nam	e				I	une.						
Addr	ess											

RIJSE SHOW

WEMBLEY CONFERENCE CENTRE - LONDON - 11th to 13th OCTOBER 1991

THE SHOW FOR ALL ACORN USERS

ARCHIMEDES - A3000 - BBC - MASTER - ELECTRON

DON'T MISS *

- **OVER 60 LEADING EXHIBITORS**
- LATEST SOFTWARE & HARDWARE * FABULOUS GAMES ARCADE
- ACORN COMPUTERS FEATURE STAND * CELEBRITY VISITS
- COMPUTER PROBLEM 'CLINICS'
- * SCHOOLS PROJECTS
- * INFORMATIVE & ENTERTAINING FEATURES
- * BBC ACORN USER MAGAZINE EDITOR'S OFFICE
 - * MUCH MUCH MORE *

ADVANCE DISCOUNT TICKET APPLICATION BBC ACORN USER SHOW '91 TICKETS AT DOOR - ADULTS £6.00 - UNDER 16's £4.00 - FAMILY TICKETS £16.00 - UNDER 5's FREE **ADULTS** £5.00 NAME £3.00 UNDER 16's FAMILY TICKETS £13.00 (2 Adults & 2 Children) POSTCODE PLEASE SEND ME ADULT UNDER 16's FAMILY I ENCLOSE A CHEQUE/POSTAL ORDER FOR £...... (MADE OUT TO SAFESELL EXHIBITIONS LTD) SEND THIS FORM TO: SAFESELL EXHIBITIONS LTD. MARKET HOUSE, CROSS ROAD. TADWORTH, SURREY, KT20 5SR. SHOW INFORMATION WILL BE SENT WITH TICKETS.



When I press function key F12 from the Desktop in order to access the command line interpreter (CLI) I am a little confused as to the best way to return to the Desktop. Typing *DESKTOP does not do the trick. all I get is a blank window on the screen. What is the correct way to get back to the Desktop please?

Alan Watt Nottingham

The quickest way to return to the desktop from the command line interpreter is to simply press RETURN at the star (*) prompt. This will take you straight back into the Desktop. Typing *DESKTOP will return you to the desktop, but will need an extra press of the RETURN key. This is because the *DESKTOP command expects you to put another command after it.

Q I keep reading and hearing about SID. I know it is nothing to do with the privatisation of British Gas but something to do with information about the BBC range of computers. Can you tell me more? I have an Archimedes, a modem and comms software.

A SID stands for Support Information Database. SID is an on-line database available on its own dedicated telephone line or through a gateway from Prestel. Anyone with a modem and appropriate communications software can access SID. You can dial up SID straight away on

UESTIONS **ANSWERS**

(0223) 243642. The database is in viewdata format on standard V23 protocol (1200/ 75 baud, 7 bits, even parity, 1 stop bit). As you would expect, all material on the system is exclusively for users of Acorn micros. It is a good place to look for PD software.

I have been recently purchased a second-hand modem to use with my BBC Model B computer. As you may expect, the modem had no instruction manual and the chap in the shop was unable to give me any real operating instructions other than 'I expect you just connect it up to a computer and it will go!' I'm convinced I have a bargain but the only information I really have is that the modem is manufactured by GEC Information Systems. What help can you offer?

John Yeaman Dundee

GEC has made a num-A ber of modems suitable for the BBC micro over the last six years, some of which have been badged by other companies. One of their popular own make modems was the DataChat 1223 which had quite a following with BBC users.

It is a good idea for you to contact GEC Telecommunications Ltd at PO Box 53, Coventry, CV3 1HJ giving them the fullest details of the modem. If possible sketch the front panel and check if there are any references on the printed circuit board you can quote.

As an introductory text you may find The Communication Guide to the BBC Micro: The Hacker's Handbook by Geoff Wheelwright and Ian Scales, published by Longman, ISBN 0-582-91614-3 an ideal book to get you going.

Q I am more used to desk top publishing on Apple Macs and IBM PC machines than I am on the Archimedes. I have now been using the Archimedes for a month for a freelance publishing task and I am already convinced that packages like Impression are tremendously powerful.

However I do get a little bit confused over the use of different names for outline fonts rather than their Postscript ones. Can you provide a list of their equivalents.

Tom Senior Poole

The Font Electric A The Electric Folia Foundry publishes an extensive list of the Postscript equivalent names of their fonts. This can be obtained from EFF, Bridge House, 18 Brockenhurst Road, Ascot, SL5 9DL.

Here is a brief list of Acorn, Computer Concepts and Beebug outline fonts and their Postscript equivalents.

Corpus Courier Trinity Times Homerton Helvetica Newhall NewCentury Schoolbook Selwyn Zapf Dingbats AvantGarde AvantG Pembroke Palatino Vogue AvantGarde Paladin Palatino SwissB Helvetica SymbolB Symbol

Q I know the continuous filetypes is very important in the Risc Os environment and I understand it is how Risc Os knows what to do with a file when you double click on its icon.

I am familiar with what the manual has to say about setting filetypes but I am convinced that there must be an easier way. Is there?

Bill Pringle Street

If you have a particular problem with an Acorn micro, commercial software or a program you are trying to write yourself, then BBC Acorn User might be able to help. The BAU Post A Problem service guarantees to give you a personal answer to your problem within 10 working days - and for just £4.

Write out your problem with as much detail as possible and, if a program is involved, include a disc or cassette. Fill in the coupon and send it and your problem along with a cheque or postal order for £4 (including VAT) made out to Redwood Publishing. If you require recorded delivery, please add the cost of this.

Please note that debugging readers' own programs or those from other magazines is a complex task and we cannot guarantee to give a full solution. Unless the problem can be spotted quickly, the Post A Problem service will only be able to make general comments. The Post A Problem service will answer the problem and return all corresponding material received within 10 working days of receipt. If we fail to match this promise then your cheque or postal order will be returned - you just can't lose!

	20-26 Brunswick Place, London, N1 6DJ
Name	
• 11	

RRC Acorn User Reader Service

Daytime phone number..... I enclose a cheque/postal order for £4 made out to Redwood Publishing and an SAE with my problem.

Office use only: Date in.........Date Out.......Reference.......

What you obviously A need is a small utility program that enables you to set filetypes from the desktop. One such program called Filetypes, is available on Beebug's PD software library disc 28.

Once loaded on the icon bar you click Menu over Filetypes's icon and enter a file type number or name. An icon representing the file type will appear on the icon bar and if you drag a file to one of these icons, its file type will be set to that of the icon.

If you drag a file to Filetypes itself, then its file type will be used to create a filet-

Q I am considering selling my unexpanded BBC micro Model B. I believe it is an Issue 1 board and it still has the original operating system 0.1 and Basic 1 installed. I would be interested if you could give me your opinion as to its value.

> O F Suleman Manchester

A It is not easy to give a value for your machine without examining it. However some points about your machine in comparison to the normal machines offered for sale are well worth considering.

Your system has not been upgraded to the standard operating system which is now version 1.2. It also still has the original BBC Basic. The standard language is now Basic 2 for BBC model B machines.

The final issue of the BBC Model B was Issue 7. Your machine is also without the circuitry for disc operation and does not have the DFS chip installed.

After examining the second-hand section of a number of magazines I have established that a reasonable condition BBC model B with an issue 4 board and DFS installed should fetch about £150. On the other hand a good condition BBC Model B with an issue 7 board and DFS would be worth anywhere from £180 to £200.

I really thought wordprocessing was going to be the answer to all my letter and report writing problems. I am finding that with the BBC micro, an Epson FX printer and the View wordprocessor program I am encountering more problems that I can reasonably cope with.

For a start I just cannot get bold printing and I cannot get the underlining to work. I know the printer can perform these things but my computer and its current wordprocessor can't or won't!

> M C Whiteroft Bath

To obtain special effects like bold and underline with the View wordprocessor you need to have loaded a special program called a printer driver.

The official Acornsoft driver can be obtained from any Acorn dealer and it does include an easy to follow manual.

Over the years BBC Acorn User has published a large number of suitable printer drivers, one of which will meet your needs.

I'm looking for a piece of of tware that will enable me to create font effects like text in circles. I want to use them when undertaking DTP work on the A3000. Is there a package that does this automatically?

> Paul Spencer Bearwood

The best font effect pro-A gram on the A3000 is probably FontFX published by DataStore Software, 6 Chatterton Road, Bromley, Kent, BR2 9QN.

It costs £9.95 and allows text to be scaled, rotated, sloped at a specific angle, and arranged in an arc, circle or column.

It is also possible to use FontFX to add a shadow behind or below the text, add an outline to the letters and choose different colours. Other sources of font effects are Ian Copestake's Drawbender and Poster from 4mation, both of whom advertise regularly in BBC Acorn User.

ACORN CUSTOMER HOTLINE

A number of people who purchased BBC systems many years ago also purchased Epson MX 80/ 100 printers. The following information will enable you to change the PrinterDM application supplied with the Archimedes and BBC A3000 to drive the MX series correctly.

Make a copy of the PrinterDM printer driver application on a new disc. Do this by formatting a blank disc and dragging the PrinterDM application from the window for your applications disc to the window for the new disc. Now load the Edit application. which you will need to alter the settings inside the printer driver application.

Hold down the SHIFT key and double click on the copy of the PrinterDM which will open a window showing the files that form the application. The file PrData is the one that needs to be altered. and this can be dragged to Edit's icon. The PrData file is designed to be readable by both humans and the PrinterDM program and you should be able to locate the settings for various types of printer. There are 13 printer types supplied as standard and we will add a further two by entering the attached text at the end of the settings and before the line 'Page Size Settings'. When you have done so save the PrData file.

You can now start your new PrinterDM by double clicking on its icon. When the driver is loaded click select once on its icon on the icon bar. This opens a small window which displays the current driver setting, and clicking on the printer name will cycle you through all 15 possible printer types, and do so until you reach the MX drivers. You may wish to choose save settings from the menu on the printer drivers icon, so that the driver will automatically start with the MX driver selected. The file is too wide to print here so the end of a line, is denoted by a ¶ character, when you see this character do not type it, but press RETURN.

printer_name: EPSON MX compatible (72 by 72 dpi)¶ printer_number: 13¶

pxres: 72¶ pyres: 72¶

pxres_halftone: 72/4¶

pyres_halftone: 72/4¶ dump_depth: 8 line_prologue: "<27>K"¶ line_epilogue:

"<27>A<0><13><27>A<8><10><2-7>2"; move down 8/72 inch¶ job_epilogue:

printer_name: EPSON MX compatible (144 by 72 dpi)¶ printer_number: 14¶ pxres: 144 ; dots per inch¶ pyres: 72¶ pxres_halftone: 144/8¶ pyres halftone: 72/4¶ dump_depth: 8;8pin¶ line_prologue: "<27>L"¶

line_epilogue: "<27>A<0><13><27>A<8><10><2-7>2"1

job_epilogue: ""¶

We often receive requests for further information from people wishing to design and build interfaces and peripherals for their own use, or as part of a design project. There are many suitable books that can be used in conjunction with such projects.

The two most suitable ports on the BBC B/B+ and Master 128 are the user and analogue ports. There is a discussion of the use of these ports and how to write software that reads and writes to them, in The New Advanced User Guide by Dickens and Holmes published by the Cambridge Microcomputer Centre, Farnell **Electronic Components and RS** Components both list suitable book titles in their catalogues. Specific BBC based titles such as Interfacing with the BBC Micro will probably be of use.

It is possible for the mouse supplied with the Archimedes and A3000 computer systems to be used with the PC Emulator. This requires your Dos disc to contain the file mouse.sys.

It is normal for any Microsoft package to include a mouse driver. If you do not have this file you will have to copy it onto your own Dos disc.

Once you have the file on your Dos disc you will have to amend the config.sys file with the following line:

device=mouse.sys

If you are unsure of how to do this the instructions are on page nine of the PC Emulator booklet.

SAMMI. estake

Credit cards not debited until orders fulfilled Up-to-date stock - no obsolete versions · No carriage charges on UK cash orders RETAIL PRICE LIST

August 1991

ICS, Dept ACU22, 10 Frost drive, WiRR 0

ABBREVIATIONS

in your own currency).	the total price if you can only pay	ance at cost. (Add £10 + 1% of	card we will add airmail and insur-	each. If you are paying by credit	Eurocheques not exceeding £100	bank draft payable in England, or	item if paying by pounds sterling	(elsewhere) for each software	Overseas Add £6 (Europe) or £12	UK if you pay on ordering.	Carriage Free in mainland	£117.50. VAT no. 384 3312 56.	marked vo. E.g., £100 x 1.175 =	except for the zero-rated items	add 171/2% to the total price,	VAT UK customers please
Cia	Ç	Cr	Cha	CC Com	Can	Cal	Bee	Bai Baild	Aut	Arx	Arn	Arm	Apr	Aco	Ace	2001
Clares	Citizen	Circle	Chalksoft	CC ComputerConcepts	Canon	Calligraph	Beebug	Bai Baildon Electronics	Autodesk	Arxe	Arnor	Armadillo	Apricote	Acorn		Sport and the second

in your own currency). Credit cards are welcome. The name and address for delivery of goods must be as known to the credit card company. If you are leaving an order on our answering machine include your telephone number (home will do), the expiry date of your card, and your calculation of the total payment due. Official orders welcome. Payment due in 14 days, layoices	in your own currency), in your own currency), when and address for goods must be as kn good own order on our machine include your machine include your machine include your mumber thome will do date of your card, and lation of the total paym official orders weld intention of the total paym of the include in 14 day ment due in 14 day	are dres on a pomp or o po	adds adds add add add add add add add ad	card and mu card card card and and and and and and and and and an	dit me me ods ods ods ods ods ods ods ods ods	Cree nau goo cree lea ma nu day nu day nu day
--	---	--	--	---	--	---

Mid Midnight Graphics V On special offer!

Site licences	ment charges.	subject to carriage and late pay-	ment due in 14 days. Invoices	Official orders welcome. Pay-
5	5 E	0	æ	9
es	es.	car	5	de
		pein	74	S
ĕ		e	0	5
ase		and	ays	elcc
en		la	_	E
0		6	NO.	
Please enquire if		pay-	oices	Pay-

and are sub	cations are	All products,	no price is shown.	Site licence
ect to ch	offered	prices	hown.	Ties
and are subject to change without	cations are offered in good faith	All products, prices and specifi-		otte ilcences Liegse endnie il

Goods are guaranteed but we do attention immediately, but notice. Your order will receive our sometimes keep sup-

not supply them on approval.

ELECTRON SOFTWARE BBC / MASTER /

Cla CEO	-Schematics Sil £475		a.	Ace				ANSI C Release 3 Aco £124		332	match the best prices.	a quote. We will always try to	If it's not on the list, please ask for	SOFTWANE	SOSTMARE	ARCHIMEDES	- C×10000	extra manual vo 67	'c iconol	ne (extra)	Wordpower ICS £36			- rom in cartridge ICS £25		BET Basic Editor and Toolkit	
	each	- Newhall / Starter / Symbol	Font Pack Aco	- site licence (total)	FontFX Dat	Mit	FLEXIFILE V Min &	res	Financial Accountant Sil	Film-Maker Sil	Euclid 2 Ace	E-Type 4th	EQUASOR V CC	 bought with Irlam scanner 	EluciData (OCR) Irl	tion price	EasiWriter Ico	Tasiword Min	DIF Seeds		_	DTP Graphics 1 (Mono) MicS	Drop Ship 4th	- site licence	der + Fonts	Disc Tree Mit	000000000000000000000000000000000000000

Cla

-				
- EXIIA OU	Paint format	ס	Micro Power	Mich
rendown	Draw format	0	Lon Longman Logotron	LonL
- C Emulato	Fourth Dimension	415	Lingenuity	Lin
	4Mation	4ma	Kador	Kad
Ovation	Wild Vision	%	Irlam Instruments	=
Orien	TechSoft	Tec	lota	lot
Olympics	Superior Software	Sup	IFEL	Ife
Office Tool	Star		lan Copestake	ICS
Numerator C	Spacetech	Spa	Icon Technology	lco
Numerator	Simtron	Sim	Human-Computer	Hum
Numbers and	Silicon Vision	Sil	Graphics Factory	Gra
Note Invader	Serial Port	Ser	EMR	Emr
Nevryon	David Pilling	P	Eizo	Eiz
MUITISTOR	Oak	Oak	Data Store	Dat
MUIDES	Minerva	Min	ComT Computer Tutorial	ComT
Movaword	Mitre	Mit	Colton	Col

ECULASOR V CC E-Type Act Euclid 2 Ace Firm-Maker Financial Accountant Sil First Words and Pictures Cha FLEXIFILE Min FONTEX - site licence (total) Font Pack - Newhall / Starter / Symbol	Desktop Office Desktop Publisher Disc Tree Disc Tree DawBender + Fonts - site licence Drop Ship DTP Graphics 2 (Colour) DTP Graphics 3 (Colour) DTP Graphics 4 (Colour) DTP Graphics 5 (Colour) DTP Graphics 5 (Colour) DTP Graphics 6 (Colour) DTP Graphics 7 (Colour) DTP Graphics 7 (Colour) DTP Graphics 8 (Colour) DTP Graphics 9 (Colour)	Clip Art Set 1 D Clip Art Set 2 D Colour Screen-Mac - Arc/Mac Cable Concept Designer Conqueror Craftshop 1 Craftshop 2 Cross-32 Meta-Assembler DataVision	Artisan II Cla Ataeller Min Autosketch CAD Aut Boogie Buggy 4th Broadcast Loader Aco Business Supplement CC C Development System Bee Charts & Graphs Cont Chess 3D Children's Graphics PP Micp Children's Graphics PP Micp Children's Graphics Ph Extra Missions Chocks Away 4th - Extra Missions Cin Art P
Acco Min Acco Acco Acco Acco Acco Acco Acco Acc	Min Aco Mit ICS ICS II MicS II MicS II II II II Scanner	Mid	Min Aut
£39 £15 £46 £75 £100 £100 £100 £100 £100 £100	E138 E138 E138 E139 E15 E15 E15 E138 E138 E138 E138 E138 E138 E138 E138	627 6175 6175	£44 £67 £69 £63 £63 £45 £77 £116 £118 £118
Landmarks - Egypt / Rain Forest / S World War / Victorians Letters and Pictures LEVEL 4 FILESERVER Logo Mappie Maps and Landscapes 1 Maps and Landscapes 2 Mark Master Master Break Moguil	- extra hardware key for sites £15 - extra manual for sites IMPRESSION JUNIOR V CC £68 - site licence - extra manual for sites V07 Inertia Interdictor 2 Cla £26 Investigator 2 Ama £26 Injesaw Keyboard Player Cha £17 Knowledge Organiser Cla £46	npanion le P le P oers der stronic Lib ider) V 2.1 V rsion	(Paladin, Swi Vogue) Vogue) Barde / Bookm Belelease 2 ysis Ut Design/Teach
Secon Cha	or site CC CC CC CC CC CC Ath CCla Ser Ama	n Bee Bee MicS 4th Sup Cha Cha Lon Library	ss B. Bee Bee CC an / each Aco Arm Min Min Sil Sil Sil
£160 £160 £55 £48 £19 £19 £19 £19	\$68 \$68 \$6435 \$626 \$15 \$15 \$15 \$15 \$15 \$15 \$15 \$15 \$15 \$15	£125 £125 £136 £15 £15 £16 £19 £19 £109 £125 £125	£43 £29 £60 £52 £114 £99 £92 £61
Show Sigma Snipp SolidC SolidS SolidT Speed Speed Speellin Super Super Super	Rever Rhaps RiscB RiscF RisCC RisC RisC RisC RisC Schoo	Profes Protey Puncn Puncn Puncn Punch Punch Real Real Real Real Rende	Poster Prehis Prehis Premis Preser Preser Printe Printe Printe Printe Printe

	617	Cha Cha	cman 1 and 2
Archime	£114	Arn	
Swift 24	£353	Oak	fessional PDT CAD
LC24-10	£72	Cla	Artisan
LBP-44	£13		Epson / Star colour
8 ppm 6	1	Bee	ter Driver, RISC OS
LASER	r £13	colour	Epson / Star / Citizen
Laser Di	120	200	Serilei II
Laser Di	536	5	Senter Story
Bubble	161	<u> </u>	sentation System
Riphia	£25	S	WordProc
annue -	€25	Cir	DataBase
ArcLase	£71	9	mier
	£16	MicS	historic Animals A
	£19	4th	verband
I SI VVC	£75	4ma	ter
1	£17	Cha	te
Larch	£108		EDREAM 3 V
10000	£23	Apr	sonal Accounts
World W	£16	Lon	Extra Outline Fonts
A COLO CO	£49	Lon	down
Words a	695	Aco	Emulator 1.6
AMimp	583	Вее	tion
1	£85	Spa	Pry
- Arc/l	£15	4:5	npics
View	£276	IIS	fice Tools
Utility Di	ā	Lon	nerator Chaos
Ctility	665	9	nerator
- site	£17	Cha	nbers and Pictures
Windo	£17	Cha	e Invaders
TWO (Ta	£15	4th	evryon
Tween	£195	Min	tistore version II
Tracer	£28	Arx	iFS
Touch Ty	£17	Cha	raword
Tools Gr	234	-632 1	32 3434 Tel: 051-6
1			

Real McCoy Real McCoy Real McCoy Realime Solids Modeller Render Bender Repton 3 Reversals Reversals		Puncman 1 and 2 Puncman 3 and 4 Puncman 5 to 7	Professional PDT CAD Protext	Star Star er, R	ter Story	Base	Powerband Prehistoric Animals A Premier	Pirate Poster		Office Tools Olympics Orrery Ovation	Nevryon Note Invaders Numbers and Pictures Numerator Numerator Chaos	MultiFS Multistore version II
Cha Sup	ICS	Cha Cha	An Oak	Ace colour Bee	555	555	CF Mics	1 S S E	Lon Aco	Sil 4th Spa Bee	Cha Cha Cha	Min
£24 £24 £138 £138 £58 £15	£10		£72 £72 £114	2 5	£145 £36	£25 £25		7108	£49 £16	£276 £15 £85 £85	£15 £17 £17 £65 £18	£28 £195
		18/0	unil m			91155						

Archimedes p	£17	Cha	and 2
New Canon II	£114	Arn	
SWITT 24 COIO	£353	Oak	PDT CAD
LC24-10 32K	£72	Cla	
LD7-4 4 DD111	£13		star colour
a ppm buu ap		Bee	r, RISC OS
LASEN DIKE	If £13	colour	star / Citizen
Laser Direct L		Ace	r, RISC OS
Laser Direct C	£36	5	
ra ler eldana	£145	5	γro
Bubble Jet BJ	£61	IIS	System
- Sheet feet	£25	S.	C
Bubble Jet BJ	£25	Cir	0
ArcLaser		Cr	
77		Mics	nimals Þ
00	£19	4th	
I ST VVOID FIL	£75	4ma	
1	£17	Cha	
Larch	£108		M3 V
1	£23	Apr	counts
World Wildlife	£16	Lon	tline Fonts
AAOUG GEOGLO	£49	Lon	
World Coors	695	Aco	or 1.6
Mords and Die	-	0	
Wimp Game	685	Bee	
- Arc/Mac C	585	200	
View»Mac 3	515	4	v
Utility DISC 2	250	2	
Cullity Disc 1	£18	ב פ	haos
- Site licence	E17	Cha	Pictures
Window Org	£17	Cha	S
TWO (Task an	£15	4th	
Tween	1100	4	330111
Tracker	5105	X	ision I
	£17	Cha	
Touch Type		1	
	101	1	100

Before Manual	BISC OS Brogrammer's	RISC OS Companion Vol 1	RiscForth Compiler	RiscBASIC Compiler	Rhapsody 2	Reversals	Revelation	Repton 3	Render Bender	Realtime Solids Modeller Sil	Real McCoy 2	Real McCoy	- site licence	Quickey
2	Oak	-	Sil	Si	Cla	Cha	Lon	Sup	Cla	SI	4th	415		ICS
000 VO 600	£49		£112	£112	£45	£17	£64	£15	658	£138	£24	£24	£45	610
_		-	_	_	-	_	-	_	_	-		_	-	-

-	£30	Sil	per-Plot
Cor	£15	Sup	perior Golf
Z	£24	Sil	per-Dump
	£149	Emr	dio 24 Plus
	£24	Ace	ice
	613	Cha	elling - week by week
Sca	£15	Sup	ech!
	65	Pil	ark .
Sca	€276	Sil	idTools
1	£109	Sil	dsRender
Sca	£109	Sil	dCAD
i-Sc	£26	4ma	ppet
-Sc	£53	N 5	ma Sheet
lma	£125	CC	owPage
	£139	Sil	areHolder
На	£499	Emr	ore PMS
m	669	N 5	nool Administrator
Arc	£91	Cla	CHEMA V
s	£75	IIS	oclogo
907	V0 £11	Aco V	C OS Style Guide
906	Aco VO 580	1000	eference Manual

1 st Word Plus	Zarch	World Wildlife P	world Geography Maps	Words and Pictures	Wimp Game	- Arc/Mac Cable	View»Mac 3	Utility Disc 2	Utility Disc 1	- site licence	Window Organiser)	TWO (Task and	Tween	Tracker	Tracer	Touch Type	Tools Graphics D	Toolkit Plus	Timewatch	Timetabler	System Delta Plus II
Aco	Sup	MicS	MicS	Cha	4th		Hum	Dat	Dat		CS		Ace	Ser	Mid	lot	MicS	Cla	Z	Z 5	Min
£65	£15		£24	£17	£15	£24	£65	£13	£13	660	£19		£23	£38	£46	£41		£37	£23	£575	€54

	Archimedes parallel printer cable £8	New Canon Toner cartridge	Swift 24 Colour	LC24-10 32k ram card	LBP-4 4 ppm	8 ppm 600 dpi incl toner CC £1280	LASER DIRECT LBP-8	Laser Direct LBP-4 Card	Laser Direct Qume	Bubble Jet BJ-330	Bubble Jet BJ-300	- Sheet feeder	Bubble Jet BJ-10e	ArcLaser	PRINTERS
The state of the s	nter ca	idge	Cit	Sta	Can	CC £	8 5	CC	CC	Can	Can		Can	Cal	S
1	ble £8	£65	£225	193	£750	1280		£323	688g	£469	£399	£54	£276	£906	
			10												

3	<		;
200		OR	-
2		RG	2
		Ä	ACTION A
		ANISE	:
		S	ŕ
	_	m	
	CS	D	C
<			:
5	NO E		0

Fitting extr	MEMORY	- quantity of 4
Fitting extra unless stated † Fitting is straightforward	MEMORY, ARM3 ETC	ICS V0£10

STOP SOUTON	4-slot 4-layer Backplane Ife	ARM3 #	A310 4Mb †	A3000 4Mb †	A3000 2Mb †	# Fitting requires expertise	t Fitting is straightforward	Litting extra diress stated
1	e Ife		Ife	Ife	lfe	experti.	tforwa	S Sidie
,	£57	£400	£298	£243	693	Se	rd	C
					_	-		

T	3	INTERACTIVE MIII TIMEDIA	9 9
	mal)	- A3000 version (internal)	9 4
	CC	Scan-Light Junior 256	5
	(len	 A3000 version (internal) 	5
	CC	Scan-Light Junior	01
	eder	 as above + Sheet Feeder 	9
	CC	Scan-Light A4	9
	Ξ	i-Scan 400	01
	Ξ	i-Scan 200	ω
	=	Image (colour)	5
		- A3000 version	9
	M	Hawk V9	-
	Cla	Epson GT-4000	_
		ArcScanner including	7
	H	SCANNERS, DIGITISERS	, ci
	Eiz	9070S	0
	Eiz	9060S	_

Zarch	World Wildlife A	World Geography Maps	Words and Pictures	Wimp Game	- Arc/Mac Cable	View»Mac 3	Utility Disc 2	Utility Disc 1	- site licence	Window Organiser)	TWO (Task and	Tween	Tracker	Tracer	Touch Type	Tools Graphics D	Toolkit Plus	Timewatch	Timetabler	System Delta Plus II
Sup	MicS	MicS	Cha	4th		Hum	Dat	Dat		CS		Ace	Ser	Mid	lot	MicS	Cla	M	M	Min
£15		£24	£17	£15	£24	£65	£13	£13	660	£19		£23	£38	£46	£41		£37	£23	£575	£54

medes parallel printer cable £8	ner cartrid	24 Colour Cit	-10 32k ram card Sta	4 ppm Can	n 600 dpi incl toner CC £1280	ER DIRECT LBP-8	Direct LBP-4 Card CC	Direct Qume CC	e Jet BJ-330 Can	e Jet BJ-300 Can	neet feeder	e Jet BJ-10e Can	ser Cal	PRINTERS	
able £8	665	£225	£61	£750	£1280	`	£323	6856	£469	£399	654	£276	£906		
Fittin	IDEA		500	DEA	A300	IDEA	500	5 0	500	IDFA	IDEA	cas	nai	(May	4

Arckey - quantity of 4	FUNCTION KEY STRIP ORGANISER
ICS V0 £3	Y STRIP ER
Disc	A3000 (Extern

4-slot 4-layer Backplane Ife	ARM3 #	A310 4Mb †	A3000 4Mb †	A3000 2Mb †	# Fitting requires expertise	t Fitting is straightforward	Fitting extra unless stated
ane Ife		Ife	Ife	Ife	s experti	ghtforwa	less state
£57	£400	£298	£243	693	se	rd	ď
-						-	

SCANNERS DIGITISERS	9070S	9060S	Clares Micro Mouse	MICE, MONITORS	4-slot 4-layer Backplane Ife	ARM3 #	A310 4Mb †	A3000 4Mb †	A3000 2Mb †	
SIT	Eiz	Eiz	Cla	PO.	Ife		Ife	Ife	fe	
ERS	£640	£450	£26	S	£57	£400	£298	£243	693	

- as above + Sheet Feeder	Scan-Light A4	i-Scan 400	i-Scan 200	Image (colour)	- A3000 version	Hawk V9	Epson GT-4000	ArcScanner including	SCANNERS, DIGITISERS	00.00
Feeder	CC	ī	Ξ	ī		W.	Cla		GITIS	1
	£346	£589	£539	£589	£390	£330	£1660		ERS	Lit 1010

including Encyclonaedia 6499	Commodore CDTV (CCD 1000)	INTERACTIVE MULTIMEDIA	
99		D	

	ics D		ta Plus II
Ser Mid	Cla	Z Z	Min
£41 £46		£575 £23	£54
The num	100	20	7

HARD DISC PRODUCTS

BARCAINS SUMMER

And even lower summer prices for

HARD DISC PRODUCTS Education – please enquire ber at the end of a product name is the capacity in megabytes

WILL REQUIRE. A backplane is optional with the A310 internal upgrade, but the same cradle or external case, sharing the same controller card. An S you do use one it must be a four-layer type. CARD, A FAN (where needed), AND EVERYTHING ELSE YOU **JUR PRICES FOR 'UPGRADES' INCLUDE THE IDEA CONTROLLER** idicates a 21/2 inch wide disc mounted directly on the controller card. down). An L indicates a 1 inch high disc: two of these may be fitted

- /-	
75/40	
0	
~	
0	
2	
-	
O	100
COMPLETE	
-	100
Pri I	
=	
יס	
0	
~	
A	
UPGRADES	
m	
S	
1.050	

SEPARATES

IDEARCIN20S ("hard card")	£475
IDEARCIN40	£269
IDEARCIN40L	£309
IDEARCIN80L	£389
IDEARCIN120L	£549
IDEARCIN200	6839

A300/400/500 external upgrade
(May also be fitted to A3000 exter-
nal expansion slot using a podule
case or racking system)
IDEARCEX40 £395
IDEARCEX40L £449
IDEARCEX80L £499
IDEARCEX120L £699
IDEARCEX200 £935

(For use with your own IDE hard discs; we can only accept respon-

IDEARCIN Archimedes Intern £110

we have tested ourselves) sibility for performance with discs (The best monitor stand) ICPLINTH SPECIAL! & £18

ideA controller cards and

A3000 accessories IDEA120L 120Mb IDEA80L 80Mb Additional hard discs

£309 £459

A3000 fully internal upgrade	
IDEA3IN20	£375
IDEA3IN40	
IDEA3IN60	
Fitting if required	£35

IDEARCEX Archimedes Extern £140
IDEA3EX A3000 External £140
Internal hard disc cradle kit £15
Fan kit (Standard) £10
Case with power supply & fan £125
Fan kit (A3000 Internal) £15
Cable for second hard disc £5

Dies Buffer Board

Fitting if required	- prices as IDEARCEX40 etc + £10	IDEA3EX40 etc	Disc Buffer Board)	sion slot; can combine with PRES
£35	£10			Sab

CS Task & Window Organiser £19 Tel 051-632 1234

Recommended for an easier life Beebug Hard Disc Companion

with the Desktop

Recommended for backing up

£35

All the above are £35 available NOW!

ICS FONTS Seal 'n Type (spill-proof) - Archimedes KEYBOARD COVERS

Wordpower Power Fonts PipeDream PipeDrivers Ist Word Plus First Fonts

A3000

Kad

£14

most printers. For example:	Please ask for details of our range of Symbol Sets and Typefaces for
-----------------------------	--

th mor m know des downlo	sby,	£19 lore lows	Star LC-10 typefaces Black, Caldy, Outline, Pensby Raby, Shadow, Universal PipeDriver Dot 1 For dot matrix printers with n features than PipeDream k what to do with – provides access to resident and dow
-----------------------------------	------	---------------------	--

fonts, ink colours, variable print size and line spacing etc £10 ODDULES

00000000	•		
D.	Bai	£49	
ddule Adaptor	Bai	83	
Ineeded with your first Oddule	Oddul	Ф	
inless you have an I2C socket)	socke	-	

03

From our postbag

bound to go wrong and I would puter fearing something was work as a headteacher. be left with no machine for the faultless service I received weeks - I need it daily for my reluctant to part with my comideA hard disc. I was very when I purchased 4Mb and an I am writing to thank you for

especially using Impression. seems an entirely different and work and my Archimedes However it all went like clock-

S036 91JL19

FREE MONTHLY DISCS

WHEN YOU SUBSCRIBE TO BBC ACORN USER



Every month, *BBC Acorn User* is packed full of useful features and programs for all the Acorn machines. That's why *BAU* is renowned as the leading magazine for Acorn computer users. Now, as an additional service to new subscribers we are offering *FREE* monthly discs with every 12 month subscription to the magazine.

THE MONTHLY DISC

Each monthly disc contains all of the programs listed on the yellow pages in each issue, so you can save yourself the time, frustration and effort of typing them in by subscribing today.

If you purchased each monthly disc separately, it would cost you up to £5.95 per disc. So, with a 12 month subscription to *BAU*, you could receive discs worth over £70 absolutely *FREE!*

WHAT DO I DO?

Simply fill in the coupon below and send it to:

BAU Subscriptions, PO Box 66, Wetherby LS23 7HL. Or ring the credit card hotline number: (0937) 842489

NB: offer applies to UK subscriptions only, for details of overseas subscriptions see order form on page 81.



COMPATIBILITY

The 3.5in disc is compatible with the A3000/Archimedes, BBC model B, BBC Master and Master Compact with 3.5in drive and ADFS.

The 5.25in disc is 40/80-track DFS and is suitable for use with BBC B/B+ and Master computers with a 5.25in, 40 or 80-track drive. So, no matter which Acorn machine you have, you can take advantage of this fabulous offer now.

I would like to subscribe	to BBC Acorn	User for 12 months at the cost of £22.95 and receive
my FREE monthly discs.	(Discs are only	y sent from the beginning of a subscription period).

NAME		SIGNATURE	
ADDRESS			
,			
Disc size required (please tick) -		Renewal	<u> </u>
	☐ 3.5in ☐ 5.25in	Renewal New Subsciption	

Problem: Write a RISC OS desktop application that opens a window when select is clicked on the iconbar icon. The window must contain an icon with a border and the word 'Beep' inside it. The computer should beep when the mouse is clicked over this icon.

The BASIC Way The Easy Way Run Genesis II by double Enter BASIC by typing *BASIC from the command line clicking on its icon Type in the following BASIC program: Drag the new application icon 10REM > (Beep\$Dir>.!Runimage 460w%!44 = w%!4 : REM min y 200N ERROR: ERROREXT ERR, REPORT\$+" at "+STR\$ERL 470w8!48 = w8!8 :REM max x from the Genesis icon bar 480w%!52 = w%!12:REM max v 30DIM block% &100 40DIM sprite_buf% 12 490REM title bar icon flags 500w8:56 = %00101110000000000000000000111001 50DIM icon_buf% 40 menu, into a directory display 60DIM block2% &100 510REM work area button type 70REM initialise the wimp and create the task 520w%!60 = 0 :REM ignore all clicks 80SYS "Wimp_Initialise",200,&4B534154,"!Beep" TO ,task_handle% 530REM sprite area control block pointer 540w8!64 = 1 Drag open a frame in the 90REM create the iconbar icon 100\$sprite_buf% = '!beep' 550REM min window width - x,y 2 byte coords 110icon_buf%10 = -1 560w%!68 = 0 :REM means use title width window 570REM min window height .x,y 2 byte coords 120icon_buf%!4 = 0 130icon_buf%!8 = 0 580w%!70 = 0 140icon buf 8!12 = 80 590REM title data 600\$(w%+72) = "Beep Window" + CHR\$(0) 150icon buf %!16 = 82 Type the word 'Beep' into the 160icon_buf8!20 = &2182 610REM number of icons 170icon_buf%!24 = sprite_buf% Info->Word menu option 630REM bounding box for icon 180icon buf %! 28 = 1 190icon_buf%!32 = LEN("!Beep")+1 640w%!92 = 10 650w8!96 = 150 200SYS "Wimp_CreateIcon",,icon_buf% TO icon_sprite% 660w%!100= 150 210REM make the window Double click on the 'select' icon 670w%!104= %01110000000000000000000000011101 :REM flags 220w% = block% 230REM visible work area 690SYS "Wimp_CreateWindow",, w% TO window_handle% on the new frame's 'Link to' 240w%!0 = 0 :REM min x = 0 250w%!4 = 0 :REM min y = 0 700REPEAT 260w%!8 = 550 :REM max x = 550 710 SYS 'Wimp Poll', block% TO action% dialogue box 720 CASE action% OF 270w%!12 = 256 :REM max y = 256 730 WHEN 2: SYS "Wimp_OpenWindow",,block% 280REM scroll offset 290w%:16 = 0 :REM scroll x = 0 300w%:20 = 0 :REM scroll y = 0 740 WHEN 3: SYS 'Wimp_CloseWindow',, block% 0 :REM scroll y = 0 750 WHEN 6: CASE block%!8 OF Type the word 'Beep' WHEN 4: !block% = window_handle% 310REM handle to open behind 320w8!24 = -1 :REM on top SYS "Wimp_GetWindowState",,block% 770 330REM window flags 780 block%!28 = -1 340w8!28 = %100001110000000000000000000010010 SYS "Wimp OpenWindow", block% 790 Click on OK 350REM set up the colours WHEN 2: CASE block%!12 OF 360w%?32 = 7 :REM title foreground 370w%?33 = 2 :REM title background WHEN -2: SYS "Wimp_CloseDown", task_handle%, "TASK 820 WHEN window_handle%: VDU 7 ENDCASE 380w%?34 = 7 :REM work area foreground 830 Click on the 'Save Page' menu ENDCASE 390w%?35 = 1 :REM work area background 840 850 WHEN 17,18: IF block%!16 = 0 THEN 400w%?36 = 3 :REM scroll bar outer option 410w%?37 = 1 :REM scroll bar inner SYS "Wimp_CloseDown", task_handle%, "TASK" 860 420w%?38 = 12 :REM input focus title bar 870 430w%?39 = 0 :REM reserved - must be 0 440REM work area 450w8!40 = w8!0 :REM min x Create a directory called !Beep Save the program as !Runimage into the directory Create a !Sprites file containing a sprite called !Beep

RISC OS Programming made easy

with

Upgrade price

£52.00 RRP

Genesis II

£130.00 RRP

Script Language Manual

£14.95 (no VAT)

Please add £1.00 to cover P&P. Prices exclude VAT

Telephone for Education and Volume Discount Prices.







Workstation manufacturers choose SCSI for their high speed storage - so should you!

op Press..Stop Press..Stop Press..Stop Pr

In response to those people who have telephoned our technical support line over the last few weeks complaining about SCSI cards not purchased from Oak Solutions, we've decided to make this generous offer. For a limited period only we will accept your existing SCSI card in part exchange for one of our superb 16-bit high speed SCSI interfaces. All you have to pay is £75 plus vat - a saving of £124 from the RRP!

Worra Winnie Range

Internal Drives for 300/400 series		External Drives for 300/400 series and A3000	
20Mb	299.00	20Mb	344.00
45Mb	399.00	45Mb	445.00
80Mb	495.00	80Mb	545.00
100Mb	599.00	100Mb	649.00
200Mb	875.00	200Mb	925.00

High Speed Range

Internal Drives for 300/400 series		External Drives for 300/400 series and A3000	
50Mb	425.00	50Mb	549.00
100Mb	625.00	100Mb	749.00
200Mb	975.00	200Mb	1095.00

Elite Range

External Drives	for 300/400 series		
and A3000			
50Mb	750.00	300Mb	1850.00
100Mb	950.00	680Mb	2500.00
200Mb	1300.00	Mag-Opt	4800.00

Why? Simply because the SCSI (Small Computer Systems Interface) bus was designed specifically to provide a fast and versatile way of expanding your system, not only with hard discs but with a wide range of other peripherals including CD ROMs and Tape streamers.

SCSI hard discs are intelligent devices, with on board RAM and processor, and firmware designed to wring every last ounce of performance from the drive mechanics. They are happy both outside a computer as well as internally, unlike the IDE system which uses the AT bus - designed as an internal expansion bus (much like the Archimedes' podule bus) but not designed to drive lengths of cable external to the computer.

The SCSI system allows up to seven devices to be driven from a single controller card, whereas IDE and ST506 interfaces can only control 2 devices, and these of course are limited to hard discs only.

When you buy an Oak Solutions SCSI hard disc, not only do you get the fastest SCSI interface available for the Archimedes but also a product that has been on the market for over two years and has proved itself to be stable and reliable, and with none of the teething troubles normally associated with new products. You get a product that won't limit your future expansion options. In short you get the peace of mind enjoyed by thousands of other satisfied customers.



Please specify type of computer when ordering. Add £10 to cover P&P. Prices exclude VAT





Telephone for Education Prices

Send for fact sheets on technoSCAN, technoTablet, Multipod & Hard Disk Upgrades

TECHNOMATIC

Techno House 468 Church Lane, London NW9 8UF Tel: 081-205 9558 Fax: 081-205 0190

Mon-Fri: 9.15-5.30. Sat: 10.30-4.00

All prices ex VAT.

Prices are subject to change without notice.

Please add carriage
(a) £8.00 (Courier)
(b) £5.00 (c) £2.50
(d) £2.00
(*) Courier included

Archimedes computers

A3000

A3000 with 2Mb RAM (no monitor) £599
A3000 with 2Mb RAM Acorn Colour £798
A3000 with 2Mb RAM Cub 3000 Monitor £788

LEARNING CURVE PACKAGE

A3000 LC with 2Mb (no monitor)	£699
A3000 LC with 2Mb & Cub 3000	£888
A420/1 LC with 4Mb (no monitor)	£1299
A420/1 LC with 4Mb & Cub 3000	£1488
A420/1 LC with 4Mb & 770+LR	£1666

ARCHIMEDES A410/1

A410/1 (no monitor)	£1099
A410/1 with Cub 3000	£1288
A410/1 with Taxan 770+LR	£1444
410s enhanced to 2Mb + 20M	1b drive

ARCHIMEDES A440/1

A440/1	(no monitor)	£1699
A440/1	with Cub 3000	£1888
A440/1	with Taxan 770+LR	£2044
	Free Pipedream 3 with A440/1	

New A540

ARM3 + 100Mb SCSI fitted with 8Mb RAM (upgradeable to 16Mb)
A540 plus Taxan 795
£3285

Carriage £8/computer £12/system

Special Summer Offers

Free monitor stand with every A3000

The latest printer drivers free with

every Archimedes

technoTablet

Our 12" by 12" working area technoTablet offers a resolution of 1000 lines/in and connects through the serial port of the computer. The tablet can take over virtually all the functions of a mouse simplifying the use of graphics packages.

A four button puck moves over the special surface, its cross-wires allowing simple and accurate transfer of drawings. The optional stylus will make tracings, line drawings etc much easier and more accurate.

The driver software is genuine RISCware and provides commands to turn the tablet on or off, select relative or absolute coordinates, change puck movement sensitivity and scaling.

The package includes the tablet, puck, software and mains power supply, no connections are required to the ARC main board.

technoTablet £199(a)
including Stylus £15(d)
PC mouse drivers

d art package £12(

HP Deskjet 500 £309(a)

What we offer in addition to efficient sales service and professional backup!

We not only offer professional advice when you are purchasing your system but we will also provide friendly assistance afterwards. All our products carry a 12 month full warranty for parts and labour

LEARNING CURVE PACKAGES

ARCHIMEDES

An Archimedes 420/1 with 2 MB RAM
20 MB Hard Disc and
First Word Plus wordprocessor
Genesis database
Acorn Desktop Publisher
PC Emulator and DOS software
Informative video and parental guide
to the National Curriculum

A420/1 LC with Cub 3000 (see price table on left)

A3000

with 1MB ACORN A3000
Tutorial Video
GENESIS Database
PC Emulator
FIRST WORD PLUS Wordprocessor
the parents guide to the national
curriculum

A420/1 LC with Cub 3000 (see price table on left)

technoSCSI Packages for Archimedes

SPEED QUALITY RELIABILITY COMPATIBILITY EXPANSION

We believe that the SCSI standard provides the best way ahead for Archimedes owners as is shown by Acorn's own adoption of it for the A540 and R260. SCSI allows the connection of up to 4 hard discs as well as the possibility of tape streamers, page scanners, CD ROMs as well as other Archimedes computers.

technoSCSI Features:

- ★ SCSI II command set compatibility
- * Acorn compatible software interface
- ★ Single width 16 bit podule for 300/400 series
- ★ Internal 8 bit with User Port for A3000
- ★ Zero wait state 16 bit MEMC controller
- ★ Fast data transfer with software caching
- ★ Continuous transfer rates up to 1.5 MB/S
- ★ OS selectable background transfer and command queueing
- * Full support for SCSI by RISC OS
- ★ Full support by major software houses

- * 7 SCSI devices per technoSCSI card
- ★ Multiple technoSCSI cards allowable
- ★ One technoSCSI card supports up to 4 hard discs per computer
- ★ SCSI hard discs from 40 to 500Mb can be used together
- ★ Complete TESTED packages ready to install
- ★ Optional external termination
- ★ Internal and external sockets on 300/400 series
- ★ Professional packaging for external drives
- ★ Fully screened cable for external drives

technoSCSI Packages for 300/400 series

A single width podule with a choice of internal or external drives. Internal are complete with all fittings and cables. External drives feature compact, professional cases with switched drive select and screened cables.

 technoSCSI card only
 £179(b)

 47Mb internal + card
 £349(a)

 105Mb internal + card
 £549(a)

 External terminator
 £12(d)

 47Mb external + card
 £399(a)

 105Mb external + card
 £599(a)

technoSCSI Packages for A3000

An 8 bit internal technoSCSI card with User Port avoids using up that precious external expansion. External drives are housed in compact, professional cases with switched drive select and screened cables.

technoSCSI card (A3000) **£179(b)**47Mb external + card **£399(a)**

47 Nib external + card 2399(a)

105Mb external + card £599(a)

£599(a) External terminator £12(d)

TEL: 081-205 9558

SPECIAL OFFER
Epromryter for
Master and BBC
£49(b)

TECHNOMATIC

Techno House 468 Church Lane, London NW9 8UF

Tel: 081-205 9558 Fax: 081-205 0190

Mon-Fri: 9.15-5.30. Sat: 10.00-4.30

All prices ex VAT.
Prices are subject to
change without notice.
Please add carriage
(a) £8.00 (Courier)
(b) £5.00 (c) £2.50
(d) £2.00
(*) Courier included

techno-I

The techno-I Real-Time Colour Video Digitiser for Archimedes computers is one of the most advanced video digitisers available, with features usually found only on top-of-the-range models for the IBM PC.

The techno-I card, with RISC OS multitasking software, allows you to grab a picture from a video source (TV, Video recorder, etc.) and convert it into a sprite. This can then be dragged to RISC OS applications such as art or DTP packages.

Unlike simple RGB video digitisers, technol handles colour in 25 bits with 7 bits luminance and 18 bits chrominance. By manipulating the image using hue, saturation and luminance, it mimics the human visual system. The colours are therefore truly WYSIWYG. techno-I will also give true monochrome representation of colour images.

The on-screen viewfinder displays live colour or monochrome in real-time. The viewfinder can be either 1/16 or 1/4 screen area, and can be offset vertically and horizontally under user control.

The frame buffer resolution is up to 512 by 512, with programmable vertical and horizontal resolution. Complex frame manipulation features are built into the hardware including options to grab the current frame or previous frame and grab the last completed frame.

All viewing, video and digitising parameters are software controlled, there are no presets, no setting up, simply connect to a video signal, load the software and digitise!

techno-I features include:

- ★ 25 bits resolution, 7 bits luminance and 18 bits chrominance
- ★ Contrast, colour and brightness set from Desktop
- ★ Image scaling up to 1280 by 1024 in any 256 colour mode
- ★ Selectable or automatic monochrome/colour digitising
- ★ Auto detection of video signal, field frequency and colour
- ★ Single width podule using surface mount technology
- ★ Zero wait state 16 bit MEMC podule
- ★ Low chip count (13 chips) utilising the latest technology
- ★ 40% of chips Brainsoftware custom designed
- ★ Uses a single 5v supply, no extra 12v supply required
- ★ Compatible with international TV standards
- ★ Chrominance comb filter for studio quality CVBS colour
- ★ Colour Transient Improver sharpens edges of coloured objects
- ★ Picture signal improver enhances the luminance content
- ★ Automatic black level and gain control
- ★ Hardware programmable noise filtering
- ★ Supplied with latest ChangeFSI release
- ★ SVHS input upgrade available

techno-I for 300/400, 540, etc techno-I for A3000 £279(b) (Securely boxed for external fitting) SVHS Upgrade £100(d)

techno5CADII

Probably the definitive monochrome scanning package!

The all NEW technoSCAN II package provides full monochrome operation at 400 dpi as well as 8 and 16 level grey scale scanning and provides the following features:

Suitable for all Archimedes micros and integrates fully with the multitasking RISC OS environment.

Advanced memory management system releases memory when not required allowing scanning and DTP in a 1MB computer.

Flexible zoom control allows palettes to be imported, tailored and resaved with more powerful tone and tinting features than most painting packages.

Interactive help and a superb manual. Direct printing with RISC OS drivers.

Saves sprites direct into PAINT and DTP or to disc. Saves sections and palettes into any graphics mode.

At the same low price as the well tested original.

technoSCAN II complete with interface card and manual technoSCAN II for A3000 £175(b) technoSCAN II upgrade for techno SCAN £22.50(c)

RAM UPGRADES

A310 1Mb	£260(*)
A310 3Mb	£320(*)
A3000 1Mb	£56(c)
A3000 3Mb	£149(c)
A410/1 1Mb	£49(c)
A420/1 2Mb	£79(c)
A410/1 3Mb	£129(c)
A440 4Mb	£649(*)

ARM 3

Fitted by us £375(*)

NO PRINTED PICTURE CAN DO IT JUSTICE Send for full details and free demo disc

ARCHIMEDES MONITORS

Cub 3000 14" Med Res RGB £195(a)
Philips CM8833/II Med Res,

stereo sound, 12 months O.S.M. £209(a)

Acorn 14" Med Res, colour

with stereo sound £209(a)

Taxan 770+LR 14" Multisync

Hi Res monitor £365(a)

Taxan 795 Flatscreen Multisync with

Atomwide VIDC enhancer £415(a)

PRINTER & PLOTTER SELECTION

Epson LX400 £118(a)
HP Deskjet 500 £309(a)
HP Laserjet IIIP £729(a)
Laser Direct
Hi Res with Canon LBP4
Roland Plotter DXY1100 £505(a)

ARCHIMEDES MODEM PACK

Miracom WS4000 lead and ARC
Comm Software Modem Pack
£129(b)

A300 & A400 SERIES

Acorn I/O expansion Card	£80(b)	16 bit Parallel I/O card	£195(b)
MIDI Add-on to I/O card	£37(c)	AD C1208 A to D Convertor	£495(b)
MIDI Expansion Card	£66(c)	Dual RS232 Serial card	£195(b)
Wild Vision Chroma Genlock CG2	£215(b)	IEEE Interface	£283(b)
Tracker Ball – new low price	£30(c)	Arc Prototyping board	£35(c)

We carry a full range of Archimedes software and hardware, send for our new catalogue and price list

A3000 UPGRADES

Acorn MIDI/user Port	£49(b)
MultiPod Video Digitiser/	
Sound Sampler	£145(b)
technoSCAN II Hand held Scanner	£175(a)
Wild Vision Chroma Genlock CG1	£215(b)
Tracker Ball – new low price	£30(c)
technoTablet (needs serial upgrade)	£209(a)
Stylus for tablet	£15(d)
Serial Port Upgrade Kit	£19(c)
A3000 monitor stand	£17(b)

A3000 Technical Manual £29(c)

Address.....

PostcodeTel.....Tel

Return to Technomatic Ltd, Techno Huse, 468 Church

Lane, London NW9 8UF

SPECIAL OFFER **Epromryter for** Master and BBC

£49(b)

FECHNOMATI

Techno House 468 Church Lane, London NW9 8UF

Tel: 081-205 9558 Fax: 081-205 0190

Mon-Fri: 9.15-5.30. Sat: 10.00-4.30

All prices ex VAT. Prices are subject to change without notice. Please add carriage (a) £8.00 (Courier) (b) £5.00 (c) £2.50 (d) £2.00 (*) Courier included

MULTIPOD PROFESSIONAL

Professional design and use of latest hardware/software technology have enabled this five function podule to provide the highest quality performance at an economical and realistic price. The five functions are:

FAST-SCAN VIDEO DIGITISER: Offers the highest resolution and number of picture levels of any video digitiser for the Archimedes computers. Capable of digitising in any mode to 640 x 512 pixels with 256 grey levels. Colour can be digitised with a camera and filters providing 24 bit colour resolution. Software operates within Desktop and offers contrast/brightness control, zooming, grey scaling and sprite

SOUND DIGITISER: Samples for sound frequencies from 4KHz to 80Khz can be manipulated, composed and saved. Editing functions include filtering, mixing, overlaying, swapping, cut/paste. Saved sound modules including stereo sound samples can be used in various applications including games or can be exported to other sound packages. Operates within Desktop environment.

SERIAL PORT: A full RS232 implementation of a dual channel comms port. It is IBM compatible using a 25-way D connector. Uses FX and SYS calls.

INSTRUMENTATION/JOYSTICK PORT: A high speed A to D convertor which provides samples at up to 100 KHz for versatile datalogging. As BBC B analogue port, uses the usual ADVAL commands.

ROM SOCKETS: 3 ROM sockets for use through built in BBC B RFS (300/400 only)

Multipod Professional 300/400 series	£105(b)
Multipod Professional A300	£130(b)
Multipod Filter Set	£15(c)
B&W CCTV Camera for Multipod	£200(b)

MULTIPOD BREAKOUT BOX

The Multipod Breakout Box splits up the RGB components of a colour video source and links them into the Multipod's slow scan digitising input. Controlled switching of the Breakout Box is provided from the Multipod using a new RISC OS colour video module.

You can now digitise full colour images direct from your home VCR, (must have perfect freeze frame), or rostrum camera using your Multipod. **Multipod Breakout Box**

SPECIAL SUMMER OFFER

Multipod +Breakout Box for 300/400 £180(b)
Multipod +Breakout Box for A3000 £205(b)

rchimedes SOFTWARE

WORD PROCESSORS

First Word Plus Rel. 2	£65(c)
Pipedream 3	£119(c)
Spell Master	£25(d)
Open master	

SPREADSHEETS

Sigmasheet	£45(c)
Pipedream 3	£119(c)
Schema	£90(c)

UTILITIES

£25(c)
£30(d)
£12(d)
£5(d)
£5(d)
£135(d)
£80(d)
£89(c)
£10(d)
£5(d)
£5(d)
£5(d)
£5(d)
£10(d)
£27(d)
£15(d)
£35(d)
£35(d)

LANGUAGES

ANSI C Rel 3	£129(c)
TWIN	£27(d)
Arch Assembler	£185(b)
RISC BASIC Compiler	£125(c)
RISC FORTH	£125(c)

COMMS PACKAGE

Hearsay	£50(d)
Arc Comm	£25(d)
Arc Comm 2	£54(c)

DESKTOP PUBLISHING

Acorn Desktop Publisher	£110(c)
Ovation	£85(c)
Impression Junior	£79(c)
Impression II	£149(c)
Desktop Folio	£85(c)

£139(a)

DATABASES

Multistore	£199(c)
Knowledge Organiser	£42(c)
System Delta Plus	£57(c)
Progs Ref. Manual for above	£25(d)
Ancestry	£60(c)
Genesis	£79(d)
DataVision	£125(c)
Deltabase	£15(d)

EDUCATIONAL PACKAGES

Craftshop 1	£27(d)
Craftshop 2	£27(d)
Poster	£85(d)
Jigsaw	£27(d)
Jiglet	£27(d)
Snippet	£27(d)
Desktop Folio	£85(c)
Poster	£79c)

EMULATED PACKAGES

View/Viewsheet/	
Viewstore	each £47(d)
Interword/sheet	each £35(d)
Interchart	each £35(d)

ART/GRAPHICS/CAD

AutoSketch 2	£65(c)
ProArtisan	£70(c)
Artisan 2	£45(c)
Arcol	£49(c)
Atelier	£65(c)
Gammaplot	£39(c)
Presenter II	£35(c)
Graph Box	£59(c)
Revelation	£69(c)
TABS	£89(c)

SILICON VISION

SolidCAD	£120(c)
Realtime Graphics	
Language	£86(c)
Super Dump	£22(d)
Super Plot	£29(d)
Solids Render	£120(c)
Robo Logo	£69(c)

MASTER SERIES AND ACCESSORIES

MASTER SERIES

Annual Control of the	DVOM AT TAXABLE MAD
BBC Master 128	£379(a)
Microvitec 1431 Std Res 14"	£169(a)
Philips CM8833 Med Res 14"	£209(a)
Rom Cartridge	£13(d)
32K RAM Cartridge and Utilities	£12(d)
Turbo Module	£115(b)
New Master OS Rom	£39(d)
IEEE Interface	£229(b)
We carry a full range of software and ad	cessories for

We carry a full range of software and accessories to BBC B and Master as well as spares and upgrades. Acorn 1772 DFS kit for BBC B £49(d)

ECONET ACCESSORIES

Econet Starter Kit	£85(b)
Econet Socket Kit	£29(c)
Econet Bridge	£174(b)
Filestore Hard Disc E40S	£799(a)
Econet module	£49(c)
LEVEL 4 FILE SERVER	£189(d)
Econet Bridge	£174(b)
Printer Server Rom	£41(d)
10 Station Lead Set	£34(d)
Master FS Utility Disc	£17.25(d)
Disc Sharer (for ARC)	£135(d)
Printer Spoolr (ARC)	£80(d)
Econet Referral Centre Installat	ion & Consultant

DISC DRIVES

5.25" Single Drives 40/80 switch	able:
TS400 400K/640K	£80(b)
PS400 400K/640K with integral	
mains power supply	£90(b)
5.25" Dual Drives 40/80 switchat	ole:
TD800 800K/1280K	£160(b)
PD800 800K/1280K with	
integral mains power supply	£160(b)

PD800P 800K/1280K with integral mains power supply and monitor stand £179(a)

PD400/PS351 are Compact/Archimedes compatible. PD800/PD352/PD853 are Archimedes

compatible. 3.5" 80T DS Drives

in a 5.25" case.

PS351 3.5 single drive with integral mains power supply in a 5.25" case. £95(b) TD352 Dual 800K/1280K £126(a) PS352 3.5" dual drive with integral mains power supply

techno CAD

for Master 128

technoCAD will meet the needs of most professional applications and it is an ideal tool for teaching CAD in technical schools, CDT £50(c) departments and collages.

NOVACAD **Computer Aided Draughting System for BBC**

Novacad can drive a plotter to produce drawings of highest quality ... Novacad is excellent. It is flexible, genuinely easy to operate without much practice, ... and a pleasure to use. Deebug Dec86

£39(d) NOVACAD T/m version NOVACAD T/m Plotter DG £49(c) £12(d) Plotter Driver Generator

EPROMRYTER

- ★ Highly sophisticated & Advanced Programmer
- ★ All current single rail eproms handled
- ★ State of the Art Programming Algorithms
- The single rail eproms handled by the EpromRyter are:
- 2716 2732 2764 27128 27256 27512 27513 27011 2516 2532 2564 2564 (NMOS & CMOS)
- One time eproms P27XXX, 87CXXX etc.
- Also A suffix eproms such s 27XXXA

for Master & BBC £49(b)

WeServe of Hampshire **Educational Specialist**

Panasonic KXP4420 Laser

512k ram 8 pages per minute 2 years on Site warrantee

£648 + vat

KXP1081	145.00
KXP1180	149.23
KXP1123*	185.65
KXP1124i*	252.63

prices inc. vat cable & paper * 24 pin printers

Philips BM7502

Green Screen monitor with cable £69.00 + vat

Philips CM8833 mk2

Colour Monitor with cable £225.00 (195.65 +vat)

Taxan 775 Multisync Monitor with cable £369.00 + vat

Taxan 795-A Trinitron Multisync + VIDC £419.00 +vat

PRINTER RIBBONS

ex VAT	Inc VAT
LX800 & FX800 Print Ribbon2.29	2.69
LC10 Print Ribbon4.00	4.70
120D Print Ribbon4.00	4.70
Taxan/Canon Ribbon3.22	3.78
Juki 6100 Print Ribbon1.60	1.88

Phone for full range 100 + original & Compatible ribbons - Bulk discounts

UPGRADES/8271

	ex VAT	Inc VAT
27128A 250nS 12.5v	3.00	3.52
8271 controller	38.26	44.95
6264 LP 150nS	3.00	3.53
Acom 8271 DFS	44.26	52.00
Acom 1770 DFS	45.11	53.00
A3 Concept Keyboard	139.00	163.32
Master Keyboard	50.21	59.00
Acom Tracker Ball	38.30	45.00

A410 + 4M + 40M HD£1410.00 (£1200.00 + VAT)

20M Hard Disk £139.83 (£119.00 + VAT)

A420LC + Colour £1492.25 (£1270.00 + VAT)

A540 + Mulitsync £3290.00 (£2800.00 + VAT)

A3000 + 2m RAM £658.00 (£560.00 + VAT)

A3000 LC + 2m RAM £775.50 (£660 + VAT)

Star

LC10	149.00
LC200	199.00
LC2410	188.00
LC24200	244.40
LC24200Col	299.00

prices inc. vat cable & paper

Swift 24

£245 inc vat

Colour kit with printer £24.00

Citizen 120D+

with cable and paper

£128.00 (£108.94 + VAT)

Canon LPB-4 300dpi Laser with cable & paper £639.00 + vat

Canon BI10e

360dpi Ink jet with cable & paper £199.00 +vat

ROMS/SOFTWARE

	ex VAT	Inc VAT
Inter-tword Rom	35.75	42.00
Speil Master Rom	40.00	47.00
View 3 Rom	40.00	47.00
DTP-Acorn	106.38	125.00
Impressions 2	134.47	158.00

Phone for BBC/AS catalogue 100's 100's of titles inc. Educational

A3000 1M Upgrade £57.58 (£49.00 + VAT)

A3000 TV Modulator £39.90 (£33.96 + VAT)

DISKETTES

SONY branded (100% certified error free)

	IIIC VAI
10 3.5" DS/DD 135 tpi	£7.50
50 3.5" DS/DD 135 tpi	
100 3.5" DS/DD 135 tpl	
1k 3.5" DS/DD 135 tpl	

DISKETTES

(lifetime warranty) SONY bulk (100% certified error free)

10 3.5" DS/DD 135 tpi	£5.95
50 3.5" DS/DD 135 tpi	£19.80
100 3.5" DS/DD 135 tpi	£37.95
250 3.5" DS/DD 135 tpl	
1k 3.5" DS/DD 135 tpi	
50 x 3.5" Disk Box with I	
100 x 3.5" Disk Box with	

3M branded

10 3.5" DS/DD 135 tpi	£7.00
10 3.5" DS/HD	£13.00
10 5.25" DS/DD 48 tpl	23
10 5.25" DS/HD	

Phone for our 40 Page Catalogue

EDUCATIONAL & GOVERNMENT ORDERS WELCOME

All products have a 30 day money back & 12 month warranty Prices subject to variation without prior notification Established 6 years. We are closed Saturday afternoons Free parking 2 minutes from M27, junction 11
Postage 94p (80p + VAT) Securicor £7.05 (6.00 + VAT)





Acorn Dept. 40-42 West Street, Portchester PO16 9UW Tel: 0705 325354



BANK MANAGER

Complete and versatile personal accounts program. Consistently acclaimed! 'data entry is a delight...professional...excellent product' Micro User April 86 Standard version: Enter cheques and receipts. Automatic date sequencing. Reconcile statements. Search, amend and delete. Analyze expenditure. Forward cash flow forecast. Budgets. Up to 36 bank accounts online, inter account transfers, 9999 standing orders, 99 analysis headings, over 4,000 postings on an 80tk diskette. Reports to screen or printer. Mix foreign currencies, graphics, password, file recovery, field editing, programmable reports.

Master/Compact version adds ADFS/hard disk support, sideways RAM, 40/80 col

screen reports, and other enhancements.

Archimedes/A3000 adds high speed native mode, RAM disks, wild card analysis enquiries, sort and more. "Impressed...ideal...easy to use' Micro User March 88 Bank Manager (all versions; disk systems only) £25.00

BANK MANAGER BUSINESS UTILITY

For the club accounts or small business user. From the Bank Manager data files print "trial balance" or "P&L reports" via the programmable spreadsheet generator. Business Utility Pack (needs the Bank Manager) £12.00

TYPING TUTOR

Quickly learn to touch type. Over 90 smoothly graded lessons graduate you from the basic home keys to complete keyboard mastery. Word scan or exact key checking, targets may be revised, rhythm metronome, key click, free format options. Recommended for adult education. Typing Tutor £15.00

SPREADSHEET MK V

Low cost, versatile spreadsheet. 26 cols, 900 (Arch/A3000) or 99 (B/Master) rows, many functions and facilities inc programmable report writer and input scripts Spreadsheet MK V disk £15.00

All programs available in B, Master/Compact and Archimedes/A3000 versions. Archimedes/A3000 versions are RISC OS compatible

State type of computer (eg A3000,B,Master) and disk type (eg 31/2" or 51/2" 40 track or 51/2" 80 track). Please add £1 P&P (Overseas £3.50)

CONTEX COMPUTING (Ref AU), 15 Woodlands Close, Cople, Bedford MK44 3UE





Tel: 0234 838347

ArcModem

A brand new 2400 baud pocket sized modem for the Archimedes/A3000

- Fully Haves compatible
- BELL 103/212A
- CCITT V.21/V.22/V.22bls
- Protective cover
- Elegant design in compact size
- Mains or battery powered
- Intelligent power/saving circuit
- Long battery life

Comes complete with drivers for ArcTerm* versions 6 and 7

ArcModem, Mains adapter 9v battery, leads and driver software:

Only £169.00

Arcterm 7 is a fully multitasking comms package. Available from The Serial Port

The RTFM Joystick Interface

The interface allows up to two 9pin Commodore® or Atari® style Joysticks to be connected to your Archimedes/A3000. The interface fits inside your machine, though it does not require a podule slot.

The RTFM Joystick Interface has support from 4th Dimension, Eterna, Krisalis Software, Cygnus Software Engineering, Clares Micro Supplies, Cambridge International Software and Minerva Software.

Over 40 Archimedes games currently work with the Joystick Interface, and you can even control games running under the BBC Emulator!

Only £34.95

Archimedes / A3000 Games

Pon! (£17.95, seriously cute, and 9/10 from Micro User)
Brixx! (£17.95, the most irritating tune in history,
and Micro User gave it 9/10)
Slappit (£17.95, ever tried playing football, snooker and

pinball at the same time?)

The Arc/A3000 Winter box (£19.95, pack includes: Pon in Winterland, Brixx and Zap the Red Wierdos from Mars)

Dominate (£19.95, can you find the solution?)

Rekall (£14.95, test your powers of memory and deduction)
Bouncer (£19.95, fast action arcade game with full screen continuous animation)



RTFM, 43 Hill Street, St Helier, Jersey. © (0534) 67870, Fax (0534) 68996.



Watford Electronics

(A member of the Jessa group of Companies - Established 1972)



Jessa House, 250 Lower High Street, Watford WD1 2AN, England

Tel: Watford (0923) 37774 Tix: 8956095 Fax: (0923) 33642



The sign of Quality

Shop Hours: 9am to 6pm (Mon.-Sat.) Thursday 9am to 8pm. FREE customer car park. All prices exclusive of VAT; subject to change without notice & available on request.

The choice of Experience

Archimedes micro

System	Basic	Mono	Colour	Multiscan
410/1	£1099	£1159	£1278	£1448
420/1	£1299	£1359	£1478	£1648
440/1	£1699	£1759	£1878	£2048
540/1	£2995	£3065	£3178	10

Archimedes A3000

ON SITE

 A3000 Mi 	crocomputer	£599	
	Learning Curve nack	6699	

ASUUU + Lean	mig	curve pack Lo	יסס
• 3.5" External Drives	299	 Dust Cover Micro 	
Monitor Stand £	16	only	£5
External Podule Case User/Analogue	13	Dust Cover for Micro + Monitor	29
Port Upgrade §	42	 User port/MIDI upgrade 	£45
Technical Manual £ SCSI Card £1	260 149	UHF TV Modu- lator	£30

Unbeatable Sale Offers on Archimedes Micro

When you purchase an Archimedes Micro from Watford, look what you get FREE with it

Micro	Free Offer
A410/1	Upgraded to 2MB RAM & 44MB IDE Hard Drive
A420/1	Upgraded to 4MB RAM & 100MB IDE Hard Drive, MkII Learning Curve pack incl. Acorn DTP pack
A440/1	High Res 14" Multiscan Colour Monitor
540/1	High Res Multiscan Monitor & Panasonic KX-P1180 Printer
A3000	Upgraded to 2 Megabyte of RAM & a A3000 Monitor plinth.

+ 12 months FREE On-Site Maintenance (P.S. Instead of the above Hardware upgrades on A410/1 & A420/1, we will fit the 30MHz Turbo Board if required. Please specify your requirement when ordering.)

Archi Accessories	
NEW Multitasking RISC OS	£29
• 3.5" 800K 2nd Floppy Drive (305/310)	£118
5.25" 800K external Floppy Drive	£85
• I/O Podule (with Analogue port, User port,	
& 1MHz bus)	£76
MIDI add-on to I/O Podule	£27
MIDI Expansion Card	£65
Sound Sampler Mono (Armadillo)	£129
 Sound Sampler Stereo /Midi (Armadillo) 	£186
Chromalock Podule (Wild Vision)	£275
Econet Network Board	€44
Archimedes IEEE Interface Adaptor	£269
Dual RS232 Podule	£195
16 bit parallel I/O Card	£195
 Archi replacement mouse – New design 	£32
PC Emulator NEW Faster Version	£62
Software Developers Toolbox	£149
Floating Point Unit	£455
SCSI Adaptor Expansion Card	£162
Keyboard Extension Lead	56
2 Podule Backplane	£25
4 Podule Backplane	€38
Fan for above backplanes	83
Risc Os Extras Software Disc	£5
 Smoked Perspex Low profile Keyboard Cover 	
Ethernet Card	£220

8 Meg RAM Upgrades

• R810 - A	410/1 upgraded to 8MB	£599 £569 £499 £499
• R820 - A	420/1 upgraded to 8MB	£569
	440/1 upgraded to 8MB	£499
	140 upgraded to 8MB	£499

Turbo Charge Your Archimedes

Increase the speed of your Archimedes by a factor of THREE to SIX times (depending on the software you are running), with Watford's ARM3 Upgrades.

COLUMN TO STREET, STRE		AND THE RESIDENCE OF THE PARTY
• ARM-3	Upgrade Board	£299
· MEMC	1A Upgrade	£42
(ARM 3 p	rice includes a FREE Chip	extraction tool)
(Special	Offer - If purchased to	gether with an
Archimed	les Micro, then not only w	II we fit the card
	charge but we will also rec	
£25 i.e. Y	ou pay only £274 for ARM	3 Board

Archimedes RAM Upgrade

All our memory upgrades are simple to fit. No soldering required. Fitting instructions supplied.

Archimedes Hard Disc	
• R414-A410/1 – to 4MB RAM Upgrade	£98
 R413-A420/1 — to 4MB RAM Upgrade 	£64
 R412-A410/1 — to 2MB RAM Upgrade 	£35
• R314-A305/310 - to 4MB RAM Upgrade	£405
• R312-A305/310 - to 2MB RAM Upgrade	£215
R311-A305 – to 1MB RAM Upgrade	£50
 R304-A3000 — to 4MB RAM Upgrade 	£159
(expandable to 4MB)	£69
 R303-A3000 — to 2MB RAM Upgrade 	
• R302-A3000 — to 2MB RAM Upgrade	£35
3 7	

Archimedes Hard Dis

Watford's ST506 Hard disc drives for A310 & A410 series fit internally into the space provided. The series in meriani min in space provided. The 'simple to follow' fitting instructions supplied makes drive fitting very easy. All disc drives are auto parking. 40Meg & 53Meg drives are fast 24mS type, while 20MHz are 28mS. P.S. A310 upgrades require a backplane and a fan.

3HDP - Hard Disc Podule only	£135
• 3HD20 - 20Meg H' Disc + Podule for 310	£235
• 3HD40 - 40Meg H' Disc + Podule for 310	£345
• 3HD50 - 53Meg H' Disc + Podule for 310	£474
 4HD20 – 20Meg Hard Disc for 410 	£129
 4HD40 – 40Meg Hard Disc for 410 	£215
 4HD50 – 53Meg Hard Disc for 410 	£335
A3000 20Meg Hard Disc + Podule	£299
A3000 40Meg Hard Disc + Podule	£429
IDE HARD Disks: See page 14 of our adv	ert.

Convert your Archi 410 to a 420 or 440 with Watford's unique Upgrade Kits

UP10 - to 2MI	3RAM + 2	0MB Hard Disc	£165
UP15 - to 2MI	3 RAM + 4	0MB Hard Disc	£252
UP20 - to 4MI	3 RAM + 2	0MB Hard Disc	£232
UP30 - to 4MI	3 RAM + 4	OMB Hard Disc	£318
UP40 - to 4MI	3 RAM + 5	3MB Hard Disc	£438
No. of Lot	Silicon	Vision	
Gerber Plot	£95	Super Dump	£22
Solid CAD	£120	Solids Render	£120

Archi Mouse Port Splitter

Solid Tools

£279

£275

£136

£28

Super Plot

Arc PCB Professional

Realtime Solids Modeller

Our handy little splitter unit eliminates the risk of damaging your micro due to constant plugging and unplugging of the mouse by allowing you to connect both, a joystick and a mouse simultaneously to your Archimedes. £15

Stop Press

months of After development, Watford Electronics are proud to launch their highly desired ARM 3 Upgrade for the A3000 microcomputer at the BBC Acorn User Show, Wembley Conference Centre, in October

You are invited to preview this exceptional board on our stand. Our technical staff will be in attendance.

Graphics, Art, Design & Games

GRAPHICS		Manchester United	£19
telier	£65	Nevryon	£14
artisan II	£45	Olympics	£15
artisan Gallery	£16	Pipe Mania	£17
utosketch II	£65	Pirate	£16
Craftshop 1 & 2	£28	Power Band	£18
uclid 2	£50	Puncman 1 & 2	£16
Braph Box	£59	Puncman 3 & 4	£16
lotLink Presenter	£40	Pysanki	£15
Cermit	£46	Real McCoy	£22
Mogul	£17	Real McCoy 2	£23
Poster	£79	Redshift	£14
Pro Artisan	£70	Return to Doom	£16
Render Bender	£58	Revelation	€54
Snippet	£21	Repton 3	£15
ween	£21	Rotor	£19
GAMES		Splice	£25
ArcPinball	£18	Sporting Triangles	£24
Apocalypse	£15	Star Trader	£14
	£12	Superior Golf	£15
Arcade 3 Compil.	£15	Talisman	£12
Arcade Soccer Arc Pinball	£18	The Pawn	£19
Arc Trivia	£18	Thundermonk	£11
	£16	Timewatch	£24
Avon			£22
Ballerina	£14	Trivial Pursuit	£15
Blowpipe	£16	Twin World	
Boogle Buggy	£19	U.I.M.	£23
Break 147	£20	White Magic	£15
Bug Hunter	£14	White Magic 2	£15
Caverns	£14	Wimp Game	£15
Chess 3D	£14	Worldscape	£16
Chocks Away	£14	Miscellaneous	
Conqueror	£18	Ancestry	£59
Cops	£14	Arccomm 2	£38
Corruption	£18	Arcterm 7	£64
Orisis	£21	Armadeus Sound	€60
Orop Ship	£12	BBC DFS Reader	26
Enthar Seven	£21	Broadcaster Loader	£65
E-Type	£13	Equasor	£40
E-Type Designer	£13	FlexiFile	£98
E-Type Extra 100		Genesis	£65
miles	£13	Genesis 2	£113
amily Favourites	£15	Hearsay Comms	
Fireball 2	£19	Pack	£50
Holed Out Designer	£13	Investigator 2	£22
Holed Out Golf	£13	JX Archi Colour Prin	iter
Hostages	£15	Driver for Citizen &	
bix the Viking	£14	Star	£15
nertia	£13	Numerator	£66
nter Dictor 2	£26	Presenter 2	£35
ron Lord	£15	Presenter Story	£145
let Fighter	£10	Revelation	£58
liglet	£25	Rhapsody in Blue 2	£45
ligsaw	£27	Speech!	£15
Magpie	£39	Toolkit (Clares)	£35
Man at Arms	£16	Touchtype	€40
MahJong Patience	£15	Tracer	£46

LANGUAGES (Archimedes)


RTRAN	177 £7	7 each
Prolog	X £14	9 each
£125	BASIC Compiler	£77
£60	Logotron Logo	£45
£40	Risc Basic	£120
€69	Risc FORTH	£110
	Prolog £125 £60 £40	Prolog X £14 £125 BASIC Compiler £60 Logotron Logo £40 Risc Basic

Minerva's Archimedes Software

Home Accounts*	£36	Sales Ledger*	£53
Stock Manager*	£53	Purchase	
Nominal Ledger*	£53	Ledger*	£53
Ancestry	£59	Reporter	£29
System Delta+	£55	Mailshot*	£29
System Delta + Re	eferenc	e Manual	£25
Order Processing/			£53
School Administra			£118
* Requires System	Delta		

NEW Business Accounts Packages Nominal Ledger, Order Processing/Invoicing, Purchase Ledger, Sales Ledger & Stock Control Price: £78 per Module or £299 for the complete Software Suite

ULTIMUM – Archimedes A3000 Podule Racking System



THE ONLY LOGICAL WAY TO EXPAND YOUR A3000 COMPUTER

The accepted standard for Archimedes computer expansion is the Acorn Podule, designed initially to fit the old 310, and also for the later A400 and A400/1 series micros. The podules fit inside these computers up to four at a time. The A3000 is the little brother of the family, but can only have one podule at a time, plugging into the back of the computer.

Other attempts have been made to expand the A3000 by trying to introduce a 'mini-podule'. This is impractical for many reasons, amongst which is the reluctance of manufacturers to produce them. Nobody wants to re-design podules already produced. Some cannot be produced on a 'mini-podule' as they are far too complicated and simply

wouldn't fit. Watford Electronics listens to the demands and watrora Electronics listens to the demands and requirements of its customers, and we are glad to say that we have come up with the only real solution to the A3000 expansion problem. The ULTIMUM Podule Racking System allows up to three FULL SIZE standard Archimedes 300/400 series podules to be fitted to the computer. In addition there is also provided for the addition there is also provided for the standard discountry. addition, there is also provision for a hard disc drive

addition, there is also provision for a hard disc drive and a podule to be fitted internally. Since the ULTIMUM Podule Racking System takes proper full size podules, you will be able to use any of the currently available peripheral equipment, from companies like Computer Concepts, Armadillo, Acorn and of course, our own brand. Fitting the podules to 'ULTIMUM' is simple. They are neatly fitted inside the metal case of the rack, avoiding the previously untid method of banging

avoiding the previously untidy method of hanging the podule off the back of the computer, risking damage to both, it and to the computer.

'ULTIMUM' has its own power supply, so no strain is put on the A3000 power supply. There is also an IEC mains output socket for an Acorn type monitor so reducing the number of plugs required to go to the mains. The ULTIMUM is rigidly clamped over the top and under the computer, and allows direct access to the floppy disc drive and reset button, rather than obstructing access as on other systems. The mounting method employed is so firm that the computer could even be safely transported without the assembly falling apart.

Price: £125

Archimedes A300/A400 SCSI Hard Disc Offer

100MB Hard Disc Upgrade complete with Controller card, Cables, Formatter and Manuals

RRP: £999 Offer Price: £399

Archimedes to BBC Serial Link Mk 2

Using this simple data link, it is possible to solve all your BBC to Archimedes data transfer problems. The kit is supplied with a disk, and the necessary cable to connect the two computers. New RISC OS Version Only £15

Archimedes External Disc Drive Interface

With this interface it is possible to connect almost any 5.25"/3.5" disc drive with its own power supply to the Archimedes. Upto 4 disc drives can be connected. Fully Buffered Board. NO SOLDERING is involved. Supplied complete with necessary lead A300/A3000 £21 • A400

Special Education Prices

All education establishments qualify for special education prices on micros, etc. Please write in or telephone (0923) 37774 or 50335 for written quotation.

BBC MASTER

MASTER 128K Micro incl. Acorn's View, Viewsheet, ADFS, BASIC Editor & TERMINAL plus FREE OFFER (see

FREE OFFER



A 5.25" Double Sided, 40/80 track switchable 400K Disc Drive complete with cables and a Utilities disc incl. 2 games, plus

Gemini's OFFICE MATE & OFFICE MASTER packages on Disc consisting of: Database, Spreadsheet, Beebplot graphics. Accounts packs: Cashbook, Final Accounts, Mailist, Easyledger, Invoice & Statements, Stock Control.

FREE with every BBC Master purchased from us during August

ADD-ONs & ACCESSORIES

Turbo 65C102 Add-on Module	£115
Econet Module for the Master	£45
Twin ROM Cartridge for Master	29
Quad ROM Cartridge for Master	£14
Master Reference Manual I	(No VAT) £14
Master Reference Manual II	(No VAT) £14
Master Advance Ref Manual	(No VAT) £17
64K Upgrade Kit for B+	£32
Acorn 1772 DFS Kit complete	£49
ECONET Upgrade Kit for BBC B	£42
ALL ECONET UPGRADES Available	e
ARIES' IEEE Interface for BBC B &	Master £238
Morley Teletext Adaptor with ATS R	om £99
Ecolink	£270

NEW LAUNCH for Archimedes See Page 14 of our advert

Desk Top Publisher

Acorn's Archi DTP Package	£108
Impression 2 DTP Pack	£135
Impression Junior	£76
Tempest DTP Package	£95

Archi Wordprocessors

Pendown Archi	£48	Archie Spell Maste	er £25
Wordwise + Disc	£24	PD Spellchecker	€40
Image Writer	£25	View	£45
Interword Disc	£24	Graphic Writer	£19
1st Word Plus - 2	£63	EasyWord	£30

Databases

AlphaBase	£36	Multistore	£195
Knowledge Organ	niser£42		

Spreadsheets

Intersheet Disc	£24	Viewsheet	£45
Sigmasheet	£39	Schema	289

Business Graphics

GammaPlot	£39	Sigmaplot	£39
Interchart Disc	617		

Integrated Packages

 Logistix 	£79 • Pipedream 3	£119

 Desktop Office – Database, Graphs & Charts, Wordprocessor Spreadsheet, Communications

Desktop Folio - Wordprocessor, Desktop & Interactive Publishing. Ideal for school

VISA

CREDIT CARD 24 HOUR Ansaphone Hot Lines (0923) 50234 or 33383

£98

£85

A3000 BBC User, I/O Card, **Analogue Port IIC Card**

This NEW versatile I/O Card from Watford, fits inside the A3000 and includes an Analog to Digital Converter, a User Port, and an InterIC (IIC) connector.

The card allows many of the peripherals developed for the BBC to be used with the Archimedes A3000. The ADC and User Port have the same pin out and connectors as the BBC computers.

Extensive RISC OS software is supplied to provide BBC OSBYTE calls for support of the ADC and User Ports, including the BASIC keyword ADVAL. The software provides extended RISC OS support for separate interrupts from both the ADC and User Ports, permitting easy interrupt driven operation.

The card is provided with all the software in ROM and is automatically loaded when the machine is turned on.

Peripherals connected to the ports can obtain up to 500mA of power at +5V. A fuse is fitted to the card to protect the A3000 from damage arising from accidental short circuit of the power output.

The card is provided with an extensive manual explaining installation, all software commands, connector pin outs, hardware addresses and example

Features

An 8 bit User Port with a standard 20 way IDC connector, compatible with the User Port on the BBC computers and the Archimedes I/O Podule.

A 10 bit Analog to Digital Converter with a standard 15 way D type connector, compatible with the ADC on the BBC range of computers and the Archimedes I/O podule.

An InterIC (IIC) Port with a 5 pin DIN socket to connect the A3000 to external IIC devices.

£42

Call or write in for our NEW 100 page **Summer Catalogue**

Continued $\rightarrow \rightarrow \rightarrow \rightarrow \rightarrow \rightarrow \rightarrow \rightarrow$

Archi A4 Scanner



This new A4 image scanner from Watford Electronics is supplied complete with ROM based podule software. Features provided include facilities for zooming in on an image and inverting the image in X and Y directions, saving and printing of the sprite created. Interactive help is supplied using the IHELP application on the Acorn applications discs.

applications of single sheets, photographs, diagrams, etc., with its fast ten page automatic document feeder, but it can also detach from the

decument reeder, but it can also detach from the feeder to become a convenient hand-held full page scanner for larger documents or pictures.

Scanned image control can be freely adjusted in increments of 10 dots per inch from 100 up to 400 dpi resolution with 64 levels of grey scaling. A built in shading controller and manual brightness control school of the procedure of the pr

achieve optimum image clarity.

Unlike some scanners, which use a red light source, the Watford scanner uses a yellow/green source which vastly improves the light/dark contrast, thus eliminating the effect where any red-based colours are faded down to white and so do

not show up in the scanned image. All these features and facilities combine to make the Archi Page Scanner the fast and convenient way in which to add that extra impact, interest and clarity to documents, reports, instruction sheets, manuals, news letters, etc., from your Archimedes DTP package.

Introductory Prices:

Archi A4 Scanner	£349
Sheet Feeder for above	£95
Scanner + Sheet Feeder	£419

Z88 Portable Micro



£185

FREE

With every Z88 purchased from us, we are giving away absolutely FREE, a Z88 to BBC Interface Link, 4 rechargeable batteries and a compact Mains Battery Charger worth £38.

700 ACCESSORIES

200 ACCESSURIES	
32K RAM Pack or 32K EPROM Pack	£18.00
• 128K RAM Pack or 128K EPROM Pack	£42
512K RAM Pack	£175
Z88 Eprom Eraser Unit	£33
 Z88 Spellmaster for Pipedream 	£45
Z88 Carrying Case	£8
Z88 Computing Book	£9.95
AA Nicad Rechargeable Battery	£1.50
Battery Charger Compact & Fast	£6
Z88 Serial Printer Cable	83
Z88 Parallel Printer Cable	£25
Z88 to Archi Link	£15
● Z88 to BBC Link £20 ● Z BASE	£56
● Z88 to PC Link II £30 ● Z TAPE	£42
• Z88 to Macintosh £52 • Z TERM	£42
• Z88 Mains Adaptor £9 • Z88 Modem	£149

Archi Real-Time Digitiser



Now supplied with NEW RISC OS Version Software

Watfords' Archimedes Video Digitiser is the most sophisticated digitiser ever designed for a micro. It provides a fast and flexible means of capturing images from a video camera or recorder for display and manipulation on the Archimedes range of Micros. Off-air televison signals may also be digitised via a video recorder or TV tuner. Please write for further details.

Price £175

A Set of Colour Filters for colour image grabbing £16 using a video camera New Risc-OS Software Upgrade

Archi Graphic Tablet



The Archi Graphic Tablet offers performance and accuracy comparable to other tablets priced at well over £400, and has the useful addition of a liftable over £400, and has the useful addition of a littable cover, which can hold tracing material or menu templates securely. The package is supplied complete with sophisticated Archi software. (Now, fully LinCAD compatible. Recommended by Linear Graphic for use in Education).


(FREE this month, PC Mouse Drivers & Art package)

Special Price £199

(Price includes Tablet, Leads, Software & Puck) Stylus Optional Extra £15 Archi Graphic Tablet Junior. Working area 9" x 6". Price includes Stylus

Disc Plonker Rack

When using ones micro, there is a tendency to have more than one Disc on the desk. This exposes them to the hazards of fingerprints,



Protection at Only: £2

Acorn & Watford DFSs

Watford sophisticated DFS ROM	£16.00
Watford DFS Kit complete	€69.00
 We will exchange your existing ROM fo 	r
Watford's ultimate DFS ROM at only	£12.00
DFS Manual (comprehensive)	€6.95
Acorn DNFS ROM	£17.00
Acorn ADFS ROM only	£25.00
Acorn 1772 DFS ROM Kit	£49.00
(TI) D D DEO	

(The single Density DFS system is now old technology, Like Acorn, Watford too have decided to replace it with the their more up-to-date 1770 DDFS interface. We have informed most of the software houses of this decision in order that they can ensure compatibility with our highly sophisticated and fully Acorn compatible DDFS).

Watford's Mkll 1772

Single/Double Density DFS

Many of our customers have wanted to use our superior DDFS and Acorn ADFS together. Now our Mk II DDFS Board with its 1770 Disc Controller, has been adapted to allow the use of Acorn ADFS as well. It also has all the commands of the Acorn's 1770 DFS, plus the added features.

Added features include:

- Acorn ADFS compatible Use ADFS on our DDFS board.
- Tube host Code No longer any need to have the DNFS in your machine to use Co-Processors, even the CoPro and Master 512.
- Auto 40-80 Track sensing no need to fuss with 40/80 track switches (even works with protected
- An extremely powerful 8271 emulation ensuring compatibility with almost all software. New low profile – small footprint board.
- Fits with all third party ROM boards.
- Option to double the speed of file handling operations - BPUT and BGET.
- Operates in both single and double density
- OSGBPB has been recoded, increasing still further the speed of file handling.

Please note that not all DDFS's are capable of providing either the full 80% storage increase or of allowing a file the full size of the disk – Ours allows both of these!

If you already have a DDFS (any manufacturer), and wish to upgrade to our MkII version, then simply return your existing ROM and DDFS board and we will supply the new DDFS for only £39.00.

SPECIAL PRICE

• DDFS Manual (No VAT) £6.95

We will exchange your existing DFS Kit for our sophisticated DDFS for only
 £30.

Please note, as the MkII DDFS is a hardware and sofware upgrade, it is not possible for existing Watford DDFS users to simply exchange the ROM for the new version.

3M - Diskettes

3M - SCOTCH Diskettes with Lifetime warranty from Watford Electonics your 3M Appointed Distributor

E OF" CIC DID ANT ITAAN

10 x 5.25 5/5 D/D 401 (744)	£J
• 10 x 5.25" D/S D/D 40T (745)	£5
• 10 x 5.25" S/S D/D 80 Track (746)	£7
• 10 x 5.25" D/S D/D 80 Track (747)	£7
• 10 x 5.25" 1.6M D/S D/D High Density for	r IBM
XT and AT	£9
• 10 x 3.5" S/S D/D 40/80 Track	£7
• 10 x 3.5" D/S D/D 40/80 Track	£7
• 10 x 3 5" Double Sided High Density	£13

Top Quality 3.5" & 5.25" Diskettes

To complement our range of Quality Discs and Disc Drives. WE are now supplying SPECIAL OFFER packs of 10 Lifetime guaranteed discs. Each disc has a reinforced hub ring. Supplied complete with selfstick labels and a Plastic Library Disc Box.

● 10 x M3 3.5" D/S D/D 80 Track	£7
● 10 x M9 3.5" D/S High Density	£12
● 10 x M4 5.25" S/S D/D 40 Track	£5
● 10 x M5 5.25" D/S D/D 40 Track	£5
● 10 x M7 5.25" D/S D/D 80 Track	£7
● 10 x M8 5.25" D/S H/D Hi-Density	£9
M2.3" Double Sided	£2.50 each



CREDIT CARD 24 HOUR Ansaphone Hot Lines (0923) 50234 or 33383

Quality Disc Drives from Watford

All our Disc Drives are Double Sided and will operate in both Single and Double Density modes. All 5.25" Disc Drives are 40/80 track switchable. For ease of use, the switches are front mounted. Various UK "manufacturers" of disc drives for the

BBC micro (more accurately, "packagers" label other manufacturers drives with their own name). We buy the high quality NEC and Mitsubishi drives in large quantities directly from the manufacturers, package them and sell them at "dealer" prices direct to the public.

If you look around the popular BBC Micro press, you will find that the prices we quote for the top quality, new slimline disc drives are, virtually without exception, the best around. These prices, coupled with the backup of one of the country's largest distributors of BBC peripherals provides a superb deal.


Unless you anticipate using dual drives in a fully expanded BBC system for long periods of time with little ventilation, then we suggest that our range of "CL" disc drives without the PSU (Power Supply Unit) would be quite adequate (extensive tests within our workshops have confirmed this). All drives are supplied complete with a SPECIAL UTILITIES Disc, Cables and Plugs. The Drives with power supply have a mains moulded plug for safety purposes. Ideal for Schools & Colleges.

When using a BBC Micro, most people find themselves short of desk space. The Watford's BBC Micro plinths form an ideal way of recovering some of this precious space. Your BBC Disc Drive and Monitor can all occupy the same vertical footprint and still be comfortably situated. With the Watford Double Plinth, your Disc Drive is mounted vertically at one side, leaving a very valuable area directly in front of you for such useful items as spare discs, pen, paper, reference manuals, etc. Follow the trend with a Watford plinth. (Turn to the 6th page of our advert for the Plinths).

P.S. All our 5.25" Disc Drives with PSU are compatible with the Compact Micro. All you require is our special Compact Disc Drive cables designed

"Test Bureau Approved for Use in Education"





Our Disc Drives conform to BS415

Туре		Description
------	--	-------------

Disc Drive without PSU

• CLS400S: Single, 40/80 track 400K Double sided Drive £72

• CLD800S: Twin, 40/80 track, 800K £142 **Double sided Drives**

Disc Drive with PSU

Single, 40/80 track, 400K • CS400S: £82 Double sided Drive

• CD800S: Twin, 40/80 track, 800K **Double sided Drives** £155

Special Cable to connect both 3.5" and 5.25" Disc Drives simultaneously to the BBC Compact £13

Disc Drive/DDFS Offer



- The popular CLS400S 40/80 track switchable disc drive
- Watford's popular Mk II DDFS Interface (allows up to 720K storage). Will run both in single & double density modes
- A comprehensive DFS Operating manual

Bargain at Only £116 (Offer valid until stocks last)

3.5" DISC DRIVE



These top quality 3.5" Double sided, 80 track, are attractively finished in BBC beige. They are supplied complete with all cables and a Utilities Disc.

Туре	Description	
	Disc Drive without PSU	
• CLS35:	Single Disc Drive, 400K	£62
• CLD400S:	Twin Disc Drives, 800K	£109
	Disc Drive with PSU	
• CS35:	Single Disc Drive, 400K	£83
• CD35:	Twin Disc Drives, 800K	£126

(P.S. CS35 is supplied in a twin case with a blanking plate to enable easy expansion to a dual drive at a later stage)

Disc Drive Sharer



(Ideal for educational establishments)

A low cost alternative to the Econet system.Watford's Intelligent Disc Drive Sharer allows you to connect 3 BBC micros (model B, B+ and Master series) to a single or double disc drive. Running under any DFS or DDFS, this intelligent unit will automatically queue the computers. Each computer has a status light dedicated to it. If it is green you will get immediate access to the disk, and red means that you are next in line. The unit plugs directly into the disc drive socket on each computer and is powered by the mains. (N.B. Not for use with

Price includes 3 Cables

Disc Drives in Monitor Stand




 CDPM 800S – Twin 5.25", 800K Double sided 40-80 track switchable disc drives mounted in an attractively finished Beige colour plinth for the BBC B & Master 128K micros. Supplied complete with integral power supply, cables and Utilities disc. The mains switch with neon On/Off light indicator, and the two 40/80 track switches are mounted on the front panel for ease of use.

• DP35 800 - Same as above except, one disc drive is a 5.25" and the other is 3.5". £154 Floppy Head Cleaner Kit

The heads in floppy drives are precision made and very sensitive to dirt. The use of Cleaner Kit is a sensible precaution against losing valuable data. It is recommended to clean the drive head once a week. it is very simple to use. Available in 3.5" & 5.25", please specify.

Antistatic Lockable Disc **Storage Units**




Gives double protection – Strong plastic case that affords real protection to your discs.

Antistatic helps avoid data corruption whilst in storage. The smoked top locks down.

Dividers and adhesive title strips are supplied for efficient filing of discs.

. 1	135 - holds up to 50 5.25" discs	£4.95
	185 - holds up to 95 5.25" discs	£6.95
	125* - holds up to 25 3.5" discs	£4.95
. N	150 - holds 50 3.5" discs	£6.50
. N	110 - holds 8 of No. 10 Data Cartri	dges £15
	* No	ot lockable

Plastic Library Cases



Holds up to 10 x 3.5" Discs. Holds up to 10 x 5.25" Discs.

Dust Covers (For our Disc Drives)

£3.20
£3.25
£3.85
£3.90

Disc Albums

Attractively finished in black leather-look vinyl. Stores up to 20 discs. Each disc can be seen through the clear view pocket.

£4


Special Bulk Offer on Discs

(Supplied packed in Anti-Static Lockable Storage Units) (Lifetime warranty on Discs)



BULK PACK DISCS in lots of 100

Туре	S-S 40T	D-S 40T	D-S 80T
 Without Sleeves 5.25 	" £30	£35	£40
With Sleeves 5.25"	£33	£38	€43
• 3.5" D/S D/D	£29 for	50 £52	2 for 100





£169

Microvitec Monitors

• 1451 - Medium resolution, suitable for wo	ord
processing in mode 0	£209
Cub3000 Medium Res for A3000	£189
• 1441 - High res, exceeds the capabilities	of the
BBC Micro	£359
• 2040 CS 20" Hi Res	£675
Dust Cover for Microvitecs	£5.50

• Touchtec 501 Touch Screen Now 3 years Parts & Labour warranty on all Microvitec Monitors

Multiscan Colour

• Eizo 9060S	£389	NEC 5D	£1299
● Eizo 9070S	£579	Taxan 770LR	£379
NEC 2A	£255	• Taxan 775	£375
NEC 3D	£345	• Taxan 795-PC	£425
NEC 4D	£679	• Taxan 875	£725
 VIDC Enhance 	r Board		£25

(P.S. Taxan 795 monitor is supplied with a FREE VIDC enhancer board)

Aries AlphaScan Monitor

Pound for Pound, the AlphaScan VGA Multiscan monitor provides the maximum performance and greatest flexibility of any 14" colour monitor.

Its multiscan circuitry provides automatic adjustment for frequencies between 30 and 60KHz horizontal, and 50 and 90Hz vertical. Its 0.28mm dot pitch high resolution tube provides super sharp text graphics, while a high speed (70/72Hz) refresh rate provides a flicker-free display easing the eye strain. The Multivideo VIDC Adaptor supplied (free) with the monitor allows high resolution operation in all screen modes.

£325

Philips Monitors

BM7502 12" Hi-res Green Monitor	£70
BM7522 12" Hi-res Amber Monitor	€67
CM8833 14" Med. Res Colour Monitor	£178
 TV Tuner for CM8833 Monitors 	£62
Dust Cover for Philips Monitors	£6
(Securicor carriage on Monitors £7)

Spare Monitor Leads

BNC Lead for Zenith or Philips	£3
Skart Monitor Lead	£5
RGB lead for TAXAN Monitors	£3
Archimedes Colour Monitor Lead	£7.50

Anti Glare VDU Screen

These extremely effective, easy to install, 12" & 14" VDU screens eliminate harmful glare, improves contrast on colour monitors. Increases productivity in offices. A must for wordprocessor users.

£12

Canon Bubblejet Printers

			D'ble	Ink
	Printer	CSF	Bin	Cart
BJ10E	£205	£54		£18
BJ300	£354	£88	£65	£12
BJ330	£399	£110	£79	£12
• Spare I	Battery pac	k for B.I10F		633

NEC Pinwriter Printers

● P20	£186	• P70	€47
• P30	£250	• P90	£65
• P60	£374		

Concept Keyboards

Standard A3 Keyboard with BBC Software	£143
Standard A4 Keyboard with BBC Software	£117
Archi A3 Keyboard	£144
Archi A4 Keyboard	£118

FREE On-Site Maintenance

This month we are also offering at no extra cost to all our customers, 12 months, On-Site Maintenance on all Multiscan colour monitors, all Panasonic printers, and all Laser Printers, Roland Plotters and of course the full range of Archimedes micros. Should the machine fail, simply telephone the maintenance engineer, who will call in within 12 working hours. (Offer applicable only when bought at prices advertised in this advert. UK mainland only).

Hewlett-Packard Printers

• # Desk Jet 500

£299 Paintjet XL

£1092

 Desk Writer (Mac) 	£482	• Quie	t Jet Plus	s £359
 Desk Jet Cartridge 	£15	• HP T	Think Jet	£239
 Paint Jet Colour 	£589	• Rug	ged Write	er £839
# Now 3 years extend	ded Par	ts & Lab	our warr	anty
Paintjet Cartridge	s Bla	ck £19	; Col	our £25
 Desk Jet 500 256K 	RAM	artridge		£129
• HP Epson FX Emu	lation C	artridge	for Desk	Jet £59
HP Ap	ple Tall	Interfac	ces for	
Scan Jet	£299	• Pain	t Jet	£POA
 Desk Jet Unlimited 	(Book	No VAT)		£19.75

Panasonic Printers



FREE with every KX-P1081 & KX-P1180 Printers: A printer lead (please specify type required) and a Dump Out 3 ROM for the BBC Micro or 1,000

sheets of paper for other fillicros (please s	Jechy)
• KX-P1081 9pin 80col. 144/28 cps	£110
• KX-P1180 9pin 80col. 192/38 cps	£119
• KX-P1123 24pin 80col. 192/63 CPS	£158
• KX-P1124i 24pin 80col. 192/63 CPS	£215
• KX-P1624 24pin 132col. 192/63 CPS	£299
• KX-P1695 9pin 132col. 330/86 CPS	£299
• KX-P1654 24pin 132col.	£42
Above prices include FREE, Watford's 12	months
on-site maintenance	

Panasonic Accessories

Cut Sheet Feeders

KX-P1592/1595 (P32)	£175	KX-P1540 (P35)	£175
KX-1124 (P36)	£79	KX-P1180 (P37)	£70
KX-P1624/1695 (P38)	£124	KX-P1123 (P37)	£70

Buffers

P12	4K buffer Board for 1081	£55
P42	32K buffer Chip for 1592/1595	£16
P43	32K Buffer Chip for 1540/1124/1180	£16

Serial Interfaces

P17 P1081/1592 £32 P19 P1124/1180 £49

Citizen Printers

120D Plus	£96	124D Printer	£138
Prodot 9	£205	Prodot 24	£225
Prodot 9X	£245	Swift 24#	£205
Swift 9	£138	Swift 24X	£279
Prodot Cut S	heet Feede	er	£120
Swift 24 Cold	ur Option		£29
Swift 24 Ribb	ons Bla	ck £4	Colour £13

Special Offer this month - A FREE Colour option cartridge with every Swift 24 printer purchased

Star Printers

£112

¢55

• LC10 9pin 80col. 144/36 CPS

£180
£150
£295
£229
£290
£299
£365
£29
S £158
£189

*FREE Colour Ribbon with these printers Star Accessories

• LC24-200 Colour 24pin 80col. 222/67 CPS £222

Sub-	~	14	C	h	0	at	0	0	d	0	۳

LC10/200/24-10	£65	LC15/LC24-15	£125
XB24-10	083	XB24-15	£139

Serial Interfaces

SPC-10 LC10; LC10-II; LC10-Col; LC15; LC24-10; LC24-15; LC-200; LC24-200 £49

LC-200; LC24-200; FR10; FR15; XB24-10; XB24-15

Paper Roll Holders

LC-200; LC24-200; LC24-200 colour £29

Buffers 32K Ram Card for LC/XB24-10; 15; LC200

Ribbons

LC10; LC10-II; LC15	Black £4;	Colour £6
LC-200; LC24-200	Black £5;	Colour £12
XB24-10; XB24-15	Black £5;	Colour £12

Laser Printers

Canon LBP-4	4ppm	£655
Canon LBP-8 IIIR	8ppm	£1505
Canon LBP-8 IIIT	8ppm	£1389
Epson EPL7100	6ppm	£689
HP Laseriet III	8ppm	£1025
HP Laserjet IIID	8ppm	£1819
HP Laserjet IIIP	8ppm	£729
HP Laserjet Illsi	16ppm	£2599
Panasonic KX-P4420	8ppm*	£648
Panasonic KX-P4450i*	11ppm*	£1025
 Panasonic KX-4455 Postso 	cript 11ppm*	£1699
 Qume Crystal Print Publish 	ner 2	£1899
Star LP-8 III		£979
 Star LP-8 Star(post)script 		£1195
Star LP-4 4ppm		£705
 Star LP-4PS Postscript 4pp 	om	£875
* Now 2 years		

Loose Tonovo

	Lusci	TOTICIS	
Canon 2 & 4	€54	Laserjet IIP & IIIP	£55
Epson GQ	£18	Laserjet II/D, III/D	£70
Star LP-8	£69	Qume Crystal	£56
KX-P4420/50	£22		

Laser RAM Upgrades

III & III IMB	114	EPL/000 2M	£30:
• IIP & III 2MB	£109	• GQ5000 512K	£9
• II & IID 1MB	£76	● KX4420/50 1M	£115
• II & IID 2MB	£112	• KX4420/50 2M	£159
• II & IID 4MB	£299	● KX4420/50 4M	£349
Conen I DD4 48	10475	a Ctavi DO 1M	04 44

Lacer Drum & Develope

• Star LP8 2M

£285

£515

Canon LBP8 2M £150

Colour Jet 132 Printer

Laser	Diuma	Deve	lobel	
Epson Drum	GQ5000	£93	EPL7100	£129
Panasonic 4420	Drum	260	Developer	£59
Panasonic 4450 Drum		£93	Developer	£80
Qume Drum		£76	Developer	£56

Jetpage Postscript Cartridge HP IIP/III €265

NEW - HP Laseriet

Various Font Cartridges	£45
Superset Font	£195

Integrex Colour Jet

Paper Roll	£6.50
BBC Screen Dump Software	£10
Colour Cartridge	£19.50
Black Cartridge	£11.25
 100 A4 OHP transparencies 	£55
8K Serial Interface Optional	£123

INCREDIBLE INKJET PRINTERS OFFER

Laser print quality at dot-matrix prices

HP Deskjet 500 Printer	£299
Canon BJ10E Printer	£199

(Offer Valid while the present stocks last)

	Epson I	Printers	600
DFX5000	£1089	LQ860 Colour	£465
DFX8000	£1999	LQ1050+	£475
EX1000	£456	LQ1060	£599
FX850	£283	LQ2550+	£709
FX1050	£358	LX400	£109
FX1060	£599	LX850	£150
LQ400	£166	SQ850	£439
LQ550	£209		CATALOGICA DE LA CATALO
LQ850+	£385	SQ2550	£645

Cut Sheet Feeders for LX400/800/850/LQ400/500/550 £69 EX800/FX800/850/LQ800/850 £130 FX/LQ 1000/1050/SQ850 £159 LQ 2550 £390 SQ2550 £390

Tractor Feed for LQ800 £44; LQ850/FX850 £69; LQ1050/ FX1050 £85; LQ2500 £90; LQ2550 £90.

Accessories

EX800/1000 Colour Option	£45
EX800/1000 Colour Ribbon	£14
LQ2500 Colour Option	£65
Multifont Card for LQ550/850/1050	£95

Epson Printer Interfaces

All the	se interf	aces fit inside the printer	
RS232	£32	RS232 + 2K Buffer	£52
IEEE 488	£95	RS232 + 8K Buffer	£75

Printer Leads

BBC Centronics 4' long	25
BBC Centronics 6' extra long	£7
Compact's Special Centronics Lead	£7
Archimedes Printer Lead 6'	£6
Nimbus Centronics Lead	£6
IBM/Archimedes Parallel Lead 6'	£6
IBM/Archimedes Parallel Lead 5 metres	£13
IBM/Archimedes Parallel Lead 10 metres	£19
Double Ended 36 way Centronics Lead 4'	£7
Double Ended 36 way Centronics Lead 6'	£9
MSX Centronics Parallel Lead 4'	£12
RS232 Leads (Various)	P.O.A.
IBM Keyboard extension lead coiled	£5

Diotters

		1010	Samuel Control
• HP7440	£425	• HP7475	£599
	Roland	Plotters	
• DXY1100	£515	• DXY1200	£645
• DXY1300	£845	• DXY2500	£2375
• DPX3500	£3289	 Sketchmate 	£333
 Roland plotte 	er Pens, Fib		£7.50

Watford VIDC Enhancer

This unique VIDC add-on board for the Archimedes, caters for all types of Multiscan and VGA monitor and mode requirements. There are 2 versions to suit all requirements. The multimode software supplied, provides all the new modes for the selected monitor type, including the now standard Computer Concepts modes. With VGA monitor, you are no longer restricted to a few modes. A WIMP application supplied on disc, allows new modes to be designed and existing modes to be modified for particular monitors.

Super VGA VIDC Card: This provides support for both VGA and Multisync monitors. A unique electronic design allows the horizontal and vertical sync to be buffered and have the polarity changed under software control

MultiVideo VIDC Card: As above but for MultiScan

Listing Paper (Perforated)

• 1,000 Sheets 9.5" x 11" Fanfold Paper	£7
• 2,000 Sheets 9.5" x 11" Fanfold Paper	£11
• 1,000 Sheets 9.5" x 11" NCR 2 Part Fanfold	£21
• 1,000 Sheets 15" x 11" Fanfold Paper	£9
• 2,000 Sheets 15" x 11" Fanfold Paper	£16
• 1,000 Sheets true A4 Fanfold Paper 70gms	£11
• 2,000 Sheets true A4 Fanfold Paper 70gms	£21
Teleprinter Roll (Econo paper)	€4

(All our Fanfold paper is Micro perforated leaving a smooth clean edge when the tractor feed strips are

Carriage 1K Sheets £2.50, 2K Sheets £3.00

Printer Labels

(On continuous fanfold backing sheet)

1,000 90 x 36mm (Single Row)	26.00
1,000 90 x 36mm (Twin Row)	€6.25
1,000 90 x 49mm (Twin Row)	£7.50
1,000 102 x 36mm (Twin Row)	£6.75

Special Offer

Hitachi/Acorn 12" High Resolution, ergonomically designed Colour Monitors. Supplied complete with a swivel base and a BBC lead.

Only: £145 (While stocks last)

Printer Ribbons & Various Dust Covers

type	HIDDONS	Dust Covers
Brother HR15/20	£6.00	_
BBC Micro		£3.50
BBC Master	_	£4.00
Archimedes Micro pair		29.00
Citizen 120D	£2.75	£4.50
DMP2000	£2.75	£4.75
EX800/1000	£3.50	£5.00
RX/FX80/85/800/MX80	£2.95	
FX/MX/RX100/1000	£3.95	_
Kaga/Taxan KP810/815	£3.25	£5.00
LQ400/500/550/800/850	£3.25	26.00
LQ1050/LQ2500	£4.00	
LX80/86/800/850	£2.75	£4.50
LX400	£3.50	£5.00
M1009/GLP	£2.95	£3.75
NEC P2200	£4.50	£5.00
Panasonic KX1080/81	£3.25	£4.75
		Control of the Contro
Panasonic KX-P1124	£7.50	25.00
SQ2500	£23.00	£5.50
Star LC10/NL10	£2.75	£5.00
Star LC24-10	£2.95	£6.00
Olivetti Ink Jet		
Cartridges (set of 4)	£9	

Our attractive Dust Covers are manufactured from translucent PCV. The seams are stitched and edges are taped to prevent splitting due to continuous use

Original Panasonic Ribbons

Guaranteed to last 3 million characters P110 for KX-P1081, 1592 & 1595 P115 for KX-P1180 £7 P145 for KX-P1124 £7 P140 for KX-P1540 £8 P155 for KX-P1624 £8 Colour Ribbons for KX-P1081, 1592 & 1595 Brown, Blue or Red £9 each

Professional Printer Stand



professional printer stand takes hardly more space than your printer.
Due to the
positioning of the
paper feed and refold compartments ie.
one above the other,
the desk space the desk space required for your printer functions is

effectively halved. Its ergonomic design ensures smooth paper flow and automatic refolding.

80 Column version £24 (carr. £3) 132 Column version £29(carr. £4)

Universal Printer Sharers/Changer

Connect up to 5 Micros to 1 printer or 5 Printers to 1 Micro with our combined, Sharer/Changer. These Units are made to a very high standard. For extreme reliability, they all have Printed Circuit Boards mounted inside the case, (not a Spaghetti Junction of wires). Internal connection is made via high quality ribbon cables.

(Ideal for School environments)

Connects	Serial	Centronics	
2 to 1	£16	£17	
3 to 1	£22	£24	
5 to 1	£32	£36	

(Cables extra at £6 each. Please specify type required when ordering)

2 Way Compact Printer Switch

A handy 2 way printer switch. Enables one micro to be connected to 2 printers or vice versa. Centronics £18; Serial £17 (Cables extra at £6 each)

Auto Printer Sharer Switch

Connects	Serial	Centronics
2 to 1	£40	£45
4 to 1	£62	£59
8 to 1		689

256k Multi Spooler

These Auto Centronics Printer Sharers have built-in 256K of Printer Buffers. They can be used as Auto Sharers, Printer Buffers or both.


• 2 In/2 out £135 • 4 In/2 out £169

• 8 In/1 out £199

Compact Converter Units

£36 Parallel to Serial £37 Serial to Parallel


Plinths for the BBC B & Master 128K Micros



Protect your computer from the heat of your VDU. Our micro plinths have slots for maximum ventilation. The single plinth is suitable for a BBC and VDU, whilst the double height version provides enough room for our stacked disc drive and other peripherals like, Eprom programmer, music unit or simply discs & stationery. The computer slides neatly in the lower section allowing easy access to remove the lid. Colour: Matching BBC Beige.

Single BBC Plinth 420 x 310 x 105mm £13 Double BBC Plinth 420 x 310 x 210mm £24 Single Master Plinth 490 x 310 x 105mm £14 Double Master Plinth 490 x 310 x 210mm £26 (Carr. Single plinth £2; double plinth £3)


Perspex Printer Stand



Give your Computer System a touch of Class with our elegant, smoke finished Perspex Printer stand.

80 Column version 136 Column version £16 (carr £3) £20 (carr £4)

Continued $\rightarrow \rightarrow \rightarrow \rightarrow \rightarrow \rightarrow \rightarrow \rightarrow \rightarrow$



Quest Mouse III & Quest Paint	£59
Quest Mouse III, Quest Paint, AMX	
Stop Press & Pagefont	£89
Quest Mouse III only	£30
Quest Paint Software only	£34
Quest Font Disc (22 Text Fonts)	£15
Quest Mouse Mat (Red or Blue or	
Green please specify)	£3
 Quest Colour Dump Disc – This new software allows you to print direct from Quest Paint to your Integrex Colour 	
Printer	£18
(P.S. Quest Paint is not compatible with BBC Compact)	

Quest Paint is the winner of the BBC Acorn User 1990 Award for the Best Art/Graphics software



Quest combined with ConQuest and Acornsoft GXR ROM make up THE MOST POWERFUL drawing packages available for the BBC range. Quest Paint is able to take advantage of almost any additions to your machine, such as Shadow or Sideways RAM. ConQuest takes this principal even further, by utilising the otherwise normally incompatible Sideways RAM facility by holding pictures in them.

£30


ConQuest ROM Package (Price includes software in ROM and a comprehensive Manual). (Not Compatible with BBC Compact)

ARCHI MK II MOUSE

An extremely reliable replacement mouse for Archimedes Micro £32

Quest - Tracer ball

An attractively finished, extremely reliable, mouse replacement, input device. Requires very little desk space. Connects directly to your BBC B, BBC Master or Archimedes Micro.



QT-10 BBC/Master Version £27 QT-20 Archimedes Version £30

RB2 Marconi TRACKER BALL

	PERSONAL PRODUCTION AND PROPERTY OF THE
RB2 (AMX/Quest compatible)	£45
RB2 including Quest Paint	£75
RB2-A for Archimedes	€46


THE NEW Mk III AMX MOUSE

Inc. Super Art package ONLY: £59 (carr £3)

(Please specify for BBC, Master or Compact)

£3
£29
£34
£32
£13
£55
£15
£16
£20


WE Mouse House



Treat your mouse to a cosy Mouse House. This handy little gadget solves the problem of where to store your mouse when it is having a rest. Made of sturdy plastic, the WE Mouse House attaches to the side of your computer, monitor, disc drive or desk.

It protects it from damage when not in use, yet within easy reach when you need it again. At £4 it does not cost a rodent's ransom.

Price £4



Our Mark II Light Pen is the very latest in light pen technology. It is totally insensitive to local lighting conditions and works with many different monitors. The pen only responds to the High Frequency light produced by your monitor/TV. An LED indicates when valid video data is being produced. A conveniently located switch is also fitted. (Price includes FREE software Disc and Operating Manual)

Only £21

FLEET STREET EDITOR

Software pack for BBC Micro	£33
Software pack for the Master	£39
Admin Xtra Disc Utility	£13
Fonts N Graphics Disc Utility	£13

BEEB VIDEO DIGITISER



"Test Bureau Approved for Use in Education"

Using any source of composite video (colour or monochrome) and the Watford Beeb Video Digitiser, you can convert an image from your camera into a graphics screen on the BBC Micro. This uses the full graphics capacity of the BBC micro in modes 0, 1 or 2. The video source may be a camera, video recorder or television, and is connected via the video output socket. The software supplied includes a sophisticated, fast screen dump routine.

Images produced can be compressed, stored to disc, printed on an Epson compatible printer, directly used to generate graphics, analysed for scientific and educational use or converted to other formats e.g. Slow Scan TV or receiving a picture from a remote camera using a modem. The output from the digitiser exactly matches the graphics capability in each mode, with up to 8 levels of grey in mode 2. The unit connects into the User Port and automatically scans a complete picture in 1.6 seconds.

£109 (Carr. £5)

(BBC B+ and Master compatible, except Master with Econet)

(Price includes) Digitiser Unit, Software in ROM & a Comprehensive Manual)

The Beeb HandScan

Hand-held Scanner for the BBC Micro



Watford Electronics are pleased to announce the launch of the first hand held scanner for the BBC Micro. HandScan is a compact unit which will allow photographs, diagrams, or any other documents to be digitised quickly and easily, to then be used in a desk top publishing package, art program, or even in your own Basic programs! These useful devices have been available for faster and more expensive micros for some time, but only now is Watford Electronics able to offer the BBC Micro computer.

The HandScan plugs directly into the 1MHz bus on the BBC while a comprehensive set of utilities provided by the sophisticated ROM firmware. The scanner has a resolution of either 100 DPI or 200 DPI when accuracy is essential. Pictures as wide as 4" may be scanned in mode 0 and various types of dithering may be selected to simulate the grey levels of a scanned picture.

All necessary software has been included in the firmware to allow the scanner to read images directly into our Wapping Editor with little more than the click of the mouse. The digitised picture may then be incorporated into your magazine, newsletter, report or any other document.

Beeb HandScan & Firmware



Winner of the BBC Acorn User 1990 Award for the Best DTP/Word Processor

The Wapping Editor

The Wapping Editor from Watford Electronics represents a breakthrough in Desktop Publishing for the Beeb. The package includes a 64K ROM containing ALL the software needed to get into print fast; a very sophisticated graphics module, professional quality typesetting software, a word processor, a comprehensive font editor for designing your own typefaces, and a variety of printer dumps. This mouse-driven system is designed for the BBC B, the B+ and Master computers and will take full advantage of any Sideways and Shadow RAM that may be fitted. It will run under DFS, ADFS and Network filing systems and requires as a minimum just a single 40 track drive

Included with the system is a utility disc containing Routed with the system is a unity disc containing several high quality fonts, various utilities and a ROM image of a Support ROM. A comprehensive 100 page manual completes the package. The Support ROM contains routines to allow an area to be rotated to any angle or distorted to any four-sided shape. Also included are facilities to draw sideo shape. Also included are racinities to draw ellipses at any angle and sectors, segments and arcs (in Master or BBC B with Acorn GXR).

Another of the features of the Support ROM is a 'Turbo DFS' which gives DFS access times comparable with those of ADFS

Page Layout Section

The Wapping Editor may be used to create pages of any size from an A6 to a full A3 page. If none of the eight default page types suit your purpose, the stand-alone page creation program may be used to create pages to your own requirements. By using proportionally spaced fonts and genuine microspacing it is possible to print over 150 characters across an A4 page. A unique feature of the Wapping Editor is the 'A5 x 2' page size allowing two A5 pages to be printed side by side onto a single A4 sheet.

The graphics module incorporates the facilities like: pencil, brush, airbrush, polygon, circle, eclipse, fill, cut & paste, etc.

Text may be typeset, either justified or unjustified, in any font anywhere on the page. Simply select which font and text document you wish to use, and pull out a rectangle on the page where you want the text to be – it's as simple as that! Multiple columns may be printed just as easily and a special 'expand' feature may be used to expand the microspacing so that the document exactly fits the space defined.

Word-Processor

The integral word processor is the ideal tool for producing your text documents, although text can of course be read in from any of the other popular word processors such as View, Wordwise etc.

The Font Editor

The font editor module will allow you to design your own typefaces or to modify the ones provided on the utility disc. This sophisticated editor has numerous functions designed to take the tedium and frustration out of producing good looking, well balanced fonts. Each character may be individully proportionally spaced and characters of any size up to 16 x 16 pixels may be defined.

Pictures may also be 'grabbed' from a video source by using the Watford BEEB Video Digitiser.

Wapping Editor Software Pack Wapping Editor plus Mouse £89

(Wapping Editor only works with Master Compact if a Mertec Expansion box is fitted)



At the request of many of our customers we are now able to offer training in the use of Wapping Editor DTP package. For further information please telephone 0923 37774 and ask for Tim or Shiraz

Wapping Art Disc

Over 250K of clip art to cut and paste into your Wapping Editor pages. Pictures include maps, transport, people, media, sport, games etc.
Two 'ratio' screens for use with hi-res and rotated A5 pages to ensure images are not distorted when printed out.

Music writing symbols in the form of pattern and brush for quick production of manuscripts are included together with staves.

There are two prepared hi-res pages layed out for printing labels, both single and double width. Ready made label designs are included but these can be easily replaced with your own designs.

A Mode 0 screen dump routine is also included. To A vioue o screen dump routine is also included. To pack such a large amount of data onto the discs the screens have been compressed and routines to compress and expand Mode 0 screens are included on both discs. Using the packing routine you can archive large numbers of screens onto a single disc.

£15

Wapping Font Disc 1

Sixteen additional fonts, including smaller version of Oberon and Daisy and two new sizes of the standard font for the Wapping editor.

Also included are three Mode 0 screens containing giant 'headline' fonts to cut and paste to create extra smooth headlines.
Supplied complete with instructions. £12

Wapping Font Disc 2

This new addition to our Wapping range of DTP software provides you with additional 23 fonts for the Wapping Editor DTP pack. (80 track discs £13

Laser Direct



By using the power of the Archimedes RISC processor, it offers the best of both worlds speed up to 5 times faster than typical Laserjet compatibles – uses outline fonts so that any font can be scaled to any size – works with all programs that use RISC OS printer drivers. Ideal for use with Genesis, !Draw, Acorn DTP, Impression, etc. Includes 50 sheet paper tray and a single sheet/envelope tray. Requires one expansion slot and at least a 2Mbyte Archimedes. A very compact printer, a very low initial cost and very low running costs.

Special Price: £849

- Special High Res Laser Direct Card 600 DPI for Canon LPB4 Laser Printer £325
- LPB4 Printer plus High Res Card £1025


(For demonstration, call in at our retail shop)



Ansaphone Hot Lines (0923) 50234 or 33383

All prices are exclusive of

Archi Mk II **Hand Scanner**



Watford Electronics is now able to offer a complete hand held scanning package, possibly the most essential addition to any desk top publishing system, for only £149. The package includes the most comprehensive utility software available for the Archimedes, a high quality hand held scanner, and all necessary documentation to get you going straight away.

SCANNER

The scanner is capable of scanning up to an amazing 400 dots per inch (DPI)! The scanning area is 4" wide, and the height is only limited by the maximum amount of memory available. The dot resolution may be switched to 100, 200, 300 or the maximum 400 dpi. One of four operating modes may be selected offering either pure monochrome scanning, or one of three grey level modes. The grey level modes use different size dither patterns to represent up to 16 shades of grey. There is also a dial to allow the "brightness" to be adjusted over a wide range, in order to optimise the quality for any specific image. The scanner interface is a standard, single width, expansion card (podule) which plugs into the Archimedes' backplane. The socket on the rear panel connects the scanner by 1.8 metres of cable.

SCANNER SOFTWARE

Full use is made of the windowing and the multitasking facilities of RiscOS. The software is supplied in a 64Kbyte ROM located on the interface board. The scanner appears as a small icon on the desktop icon bar, and the software is retrieved from the ROM simply by clicking on that icon. As you scan a page, the image appears in the scanning window on the screen, scrolling up in real time. The other facilities included in the software are.

Cropping and scaling to any size including stretching and squashing in X and Y direction separately.

Colour tinting. X and Y flip.

Edge detection which turns solid objects into

Selective directional copying which allows features (i.e. lines or text) to be made thicker or thinner.

Scanned images may be saved as sprite files or transferred directly into other RiscOS applications (DTP, Draw, Paint) simply by dragging the sprite file into the application's window. Sprites may also be generated using anti-aliasing. This greatly improves picture quality and is particularly effective when scanning material with a range of grey tones, such as photographs. Images can be printed on any printer that is supported by a RiscOS printer driver, with optional settings for portrait or landscape modes, image scale and positioning. Images are printed using the full resolution of the printer and are not limited to the screen resolution.

On-screen help is provided via the RiscOS interactive help facility. Calls are also provided in the ROM for users wishing to write their own software, incorporating the use of the scanner.

£149

£175

AHS-4 Archi 300/400 Version AHS-3 Archi A3000 Version

Continued $\rightarrow \rightarrow \rightarrow \rightarrow \rightarrow \rightarrow \rightarrow \rightarrow \rightarrow$

16K Disc Ram Module

(16K Sideways RAM Module)

Complete with such features as read and write protection, these new modules from Watford Electronics are ideal for the hobbyist, software developer and ROM collector.

Key points to note about this new addition to the Watford range of products are:


- Write protection (useful in a variety of circumstances)
- Compact construction
- No overheating or overloading problems.
- Free utilities disc supplied Can be used as a 16K PRINTER BUFFER.
- Ideal for profressional software development.
- Supplied with utilities software disc.

Only: £29 (carr £2)

Optional Battery back-up fitted

£3

Solderless Sideways ROM **Socket Board**



The key features of this new, no fuss, easy to install quality product from BBC leaders Watford Electronics are as follows:

- Increase your BBCs capacity for ROMs from 4 to
- No soldering required. Very low power consumption. Minimal space required.
- Compatible with Torch, DDFS, RAM Card, 2nd Processor, etc.
- Socket 14 takes two 6264 RAM chips.
 Read protect to make RAM "Vanish") allows recovery from ROM crashes.
- Battery backup option for RAM chips.
- Supplied ready to fit with comprehensive instructions.

Price: Only £35 Battery Backup fitted £39 Battery Backup only £3 16K Sideways RAM £8.50 (carriage £3)

 Sideways RAM Utilities Disc for Solderless ROM Board. Includes the options to load and save ROM Images and the facility to use Sideways RAM as Printer Buffer.

Only: £8


User Port Splitter Unit



Gone are the days when you had to plug and unplug devices from the User Port. This extremely useful little device allows two units to be connected to the User Port simultaneously, and select between them simply by toggling a switch. This device is particularly useful for those people using Quest Mouse and the Watford Video Digitiser or any similar combination. any similar combination

Excellent Value at £22 (carr £2)

Sideways ROM **ZIF Socket System**



Allows you to change your ROMs quickly and efficiently, without opening the lid. The ZERO INSERTION FORCE (ZIF) socket is located into the ROM Cartridge's position.

- · Very simple to install. NO SOLDERING required. The ZIF (Zero Insertion Force) eliminates the possibility of damage to your ROM pins when inserting & extracting.
- The low profile of the socket allows unrestricted access to the Keyboard.
- · All data and address lines are correctly terminated to ensure correct operation of suitable ROMs with the BBC micro. We also supply a purpose designed see-through storage container with anti-static lining, allowing you to store up to 12 ROMs, protecting them from mechanical and static
- This versatile hardware solves the problem of running out of socket space. Simply lift the ROM from the ZIF & insert a different one (No pulling or pushing of Cartridges. It is a must for professionals and Hobbyists alike.)
- BBC, B and B+ compatible.

ONLY £18 (carr £3)

BBC B Low Profile Cartridge System

Complete System consists of: Low profile ROM Cartridge, Socket housing, Cable assembly, 5 labels and a library storage rack for the BBC B.

 Complete System £11 Spare Cartridges £2.75

 Spare Rack £1.65

ROM Cartridges for the BBC Master

Will accept the new larger Piggy Back ROMs like: Interword, Interbase, Quest, Conquest, etc

Twin £9; Quad £14

Commander Joystick

Watford Electronics' new Commander Joystick for the BBC B and Master 128K has a unique dual mode of operation giving selective free floating or self centring fully variable control in both X and Y axis directions. Commander is particularly good for flight simulation and drawing programs.

Features:

- Direct connection to BBC Analogue input port no interface needed.
- Fully compatible with all BBC Joystick controlled games programmes. Switchable springs allow selection of floating or
- centring operation.
- Trim adjusters for both X and Y axes for fine centre adjustment.
- Convenient stick mounted fire button with additional base buttons.

Launch Price: £15



ARIES CORNER

B-32 Shadow RAM Card

Like the BBC B+, the B32 provides 20k of shadow screen RAM and 12k of sideways RAM. Unlike the B+, the B32 has simple software commands which allow the user to reconfigure the RAM as 16k of shadow RAM and 16k of sideways RAM, or all 32k as sideways RAM.

snadow HAM and 16k of sideways HAM, or all 32k as sideways RAM.

With the B32, the programmer gets up to 28k of RAM available for Basic, Logo, Cobal, Forth, Lisp and BCPL programs in any screen mode. The business user gets extra memory for View, ViewSheet, Wordwise Plus, Interword and many other applications. For advanced applications, the scientific user gets access to a massive 47k of data storage using the Acorn approved ★FX call.

Sideways RAM enables you to load sideways ROM images from disc, allowing you to have a large library of sideways ROMs (subject to the copyright holder's permission) stored on disc. The B32's sideways RAM can also be used to extend any operating system buffer (such as the printer buffer) or to load tape programs into a disc system. The B32 simply plugs into the 6502 processor socket on you BBC micro — no flying leads to connect and no soldering. Provision of the onboard ROM socket means that the Aries-B32 control ROM does not use up one of your existing ROM sockets.

Recommended by Computer Concepts for use with their Inter series of ROMs.

Price: £69 (carr. £3)

Aries B-12 Sideways ROM Board

The B-12 provides a total of twelve sideways ROM sockets (the four in the original machine are replaced by the twelve on the board), all fully accessible by the MOS sideways ROM system. In addition, there are two sockets for sideways RAM, giving up to 16k of RAM using 6264 static RAM or thins.

If you do not have a B32 or B20, a small adaptor module (the Aries-B12C) is available at a nominal cost

Price: Aries B-12 £36 Aries B-12C

Aries B-488 **IEEE-488 Interface Unit**

The Aries-B488 is an interface unit to enable the BBC micro to control and monitor IEEE-488 bus systems. The IEEE-488 bus (also known as the 'GPIB or 'HP IB') is the standard method of interconnecting programmable laboratory instruments and control equipment. Using the B488, up to 15 devices may be connected in a single high-speed data network.

£238 (Carr £3)

Voltmace Joysticks

£10
£15
£10
£11
£12
£7
£24

Delta Base B



Analogue aircraft style yoke Joystick to run in the analogue port of the BBC B & Master 128

ROM/RAM Card



Watford Electronics announced the first ever commercial ROM board for the BBC micro, the Watford Electronics 13 ROM Socket Board 7 years ago. Following the success of this board, we have designed what probably represents the ultimate in expansion boards, the new Watford Electronics ROM/RAM board. This highly versatile and sophisticated board represents the latest in "2nd generation" sideways ROM technology for the BBC micro, designed to satisfy the serious BBC user.

- NO SOLDERING required to fit the board.
- NO User Port corruption (avoids problems with the mouse, modems, Eprom Programmers, etc.)
- Fully buffered for peace of mind.
- Compatible with BBC micros (not BBC+ or Master).
 Total number of ROMs increased from 4 to 8.
- Up to 8 banks of sideways RAM (dynamic)
- Option for 16k of battery backed CMOS RAM (CMOS RAM needs one ROM socket).
- Software Write protect for ALL RAM.
 Read protect for CMOS RAM (ALLEVIATES crashes during ROM development).
 Separate RAM write register (&FF30 to &FF3F).
- Automatic write to currently selected RAM socket for convenience.
- FREE utilities disc packed with software. Compatible with our DDFS board, 32k RAM Card, Delta Card, sideways ZIF, etc.
- Large printer buffer.
- UNIQUE fully implemented RAM FILING SYSTEM (similar to the popular Watford DFS).
- ROM to RAM load and save facilities.

The SFS (Silicon Filing System) can utilise up to the full 128k of RAM (with the SFS in any paged RAM) as a SILICON DISC. This behaves as a disc drive, with all the normal Watford DFS features (including OSWORD &7F for ROMSPELL, etc.) to provide an environment that looks like a disc but loads and saves MUCH faster.

The ROM-RAM Board plugs into the 6502 CPU socket. This leaves free all the existing ROM sockets, which can still be used normally.

Any ROM that can be plugged into the BBC micro's own ROM sockets may be used in the

The ROM-RAM Board is supplied with all ordered options fitted as standard. Upgrade kits (with full instructions) are available for all of the options, for later.

PRICES:

- ROM/RAM card with 32k dynamic RAM £48
- ROM/RAM card with 64k dynamic RAM £65
- ROM/RAM card with a massive 128k dynamic RAM £109


(carriage on ROM-RAM Card £3)

OPTIONAL EXTRAS:

16k plug-in Static RAM kit	£9
16k Dynamic RAM for Upgrade	£13
Battery backup	£3
Read and Write protect switches	£2 each
Complete ROM-RAM board	
All options installed	£115

IS your existing ROM Board overflowing with ROMs? Do you need more Sideways RAM? Is your Board unreliable? Then upgrade to Watford, ROM/RAM Board and pay £5 less.

32K Shadow RAM/Printer **Buffer Card Expansion Board**



A MUST FOR WORD PROCESSING

Don't throw away your BBC B for a BBC B Plus or BBC Master. Just plug the ribbon cable into the 6502 processor socket, and fit the compact board inside the computer. Immediately you will gain not 16k or even 20k, but a massive 32k of extra RAMIII

- IMPROVE your WORD PROCESSING system. whether disc or cassette based. Don't wait for a slow printer - type in text while printing. TWO JOBS DONE SIMULTANEOUSLY and £100+ saved on a printer buffer.
- "VIEW" Wordprocessor users can now type in letters in 80 columns and have up to 28,000 bytes free - 5 times as much as normal
- In WORDWISE (or WORDWISE-PLUS), preview in 80 columns with the full 24k of text in memory. This product is recommended as an ideal complement by Computer Concepts.
- Combine GOOD GRAPHICS and LONG PROGRAMS. Use the top 20k of the expansion RAM as the screen display memory, leaving all the standard BBC RAM free for programs. Benefit from MODE 0/1/2 graphics and 28k of program space.
- Use the FULL 32k or the bottom 12k of the expansion RAM as a PRINTER buffer for PARALLEL or SERIAL printers, sound channels, RS432 etc. Print large text files while running long graphics programs, and have all your buffer options available as well (*FX15,21,138, 145,ADVAL etc). Please note only a 12k printer buffer can be used with Wordwise or Wordwise-Plus, due to the way they are written.
- Unique facility to turn ROMs off and on again.
 Unlike all other ROM managers, this feature does not use 'unofficial' memory. Two bytes of normally user-inaccessible memory on the RAM card are used to ensure ROMs are disabled WHERE OTHER ROMS FAIL.

Only £59 (carr £3)

(Price includes a comprehensive manual and the ROM)

BBC SOFTWARE'S Popular Educational Software

 Maths with a Story 1 	(Disc). 4 primary level
maths programs	£20.00

Maths with a Story 2 (Disc). 4 further £20.00 maths programs.

Picture Craft (Disc) 6-14 age group. Pack consists of flexible geometrical design &

£17.00 colouring programs. ECOLOGY O-Level program. £20.00 POLYMERS O-Level program. £20.00

Classification & Periodic Table O-Level. The suite is supplied with its own database of chemical elements which can be classified

according to your own rule. £20.00 ADVANCED TELETEXT SYSTEM £8.65 PERIOD TABLE SOFTWARE £20.00 Computers at Work - Primary £17.35 £17.50 Introducing Geography 11-17 years £11.25 Electric Fields 6-14 years Espana Viva - 3 Discs £19.95

WHITE KNIGHT Chess game £16.00 A Vous La France £29.00

More Educational Software

• FUN SCHOOL 2 - Red: Under 6 yrs - 8 programs on Discs, Shape Snap, Find the Mole, Teddy Count, Write a Letter, Colour Train, Pick a Letter, Spell a Word & Teddy Bears Picnic.

• FUN SCHOOL 2 - Green: 6-8 yrs - Eight programs on Disc, Number Train, Shopping, Maths Maze, Treasure Hunt, Bounce, Packing Caterpillar, 3 Number jump

• FUN SCHOOL 2 - Blue: Over 8 yrs - Eight programs on Disc, Build a Bridge, Passage of Guardians, Unicorn, Logic Doors, Souvenirs, Code Boxes, Mystery Machine & Escape.£12.50

FUN SCHOOL 3 - Red £19.95 FUN SCHOOL 3 - Green €19.95 FUN SCHOOL 3 – Blue £19.95

· Six French Games - Aimed at pupils in their first year of French, but also useful as revision for more advanced students 11 years+

 More French Games – Another 6 games 12 years+ £26

Au Restaurant and Accident de Route £26 12 years+

 Boulogne and Oh-Les - 2 programs for beginners £26 Letters to French Penpals - 11 years+ £26

French Programs with Henri Beret - The programs in this series present vocabulary, grammar and role-play phrases in the form of animated games. 11-16

Six German Games - Aimed at pupils in their first year, but useful as revision for more advanced student of German, 12 years+ €22

More German Games - Aimed at pupils in their 2nd year of learning German. 12 years+

The Cloze Program - Using context clues to predict is much more than a gap filling exercise.

• An Introduction to Electronics - Brings together all the basic electronics required for a GCSE Physics or CDT course. 14-16 years

 Computer Control – This is a package of 3 programs simulating control of a greenhouse, a robotic arm & a chemical plant. 14-16 years £26

 The Nuclear Reactor – An interactive, menu driven program for GCSE pupils. Demonstrates & explains nuclear fission & the chain reaction. 14-16 years

 PUNCMAN Learning punctuation Puncman 1 & 2 for 7 - 13 years Puncman 3 & 4 for 8 - 14 years £15 £15 Puncman 5 & 6 for 8 - 15 years

Yes Chancellor - A chance to take over number 11 at Downing Street. 12 years+

Letters & Pictures - Introduces phonic skills to Infants 6-8 years £15

Numbers & Pictures - Early number learning is a great fun (4-6 years)

• Note Invaders - Budding musicians can learn the notes on the Clef with this elegant game 3 programs (7 to Adults)

Maps & landscapes No. 1 (9-14 years) Help Your Child learn Basic Map work No. 2

£18 (9-14 years)

• Pirate - Educational Adventure (8-14 years) £15 Spelling Week by Week (6-14 years)

Archimedes Software

THE RESERVE AND ADDRESS OF THE PARTY OF THE		district.	the state of the last of the l	5
 Bookbinder 	£43	•	DigiSim	£35
 BUMPER DISC 	£14		Droom	£17
Bumper Disc 2	£14	•	Jiglet	£27
Craftshop 1	£26		Jigsaw	£28
Craftshop 2	£26		Numerator	€60
 Desktop Stories 	£27		Snippet	£26
• Fun School 2A	Red (u	p to	6 years)	£12
• Fun School 2A	Green	(6-8	years)	£14
• Fun School 2A I	Blue (8	yea	ars +)	£14
Gate Array Teach	hina S	Syste	em	668

Continued $\rightarrow \rightarrow \rightarrow \rightarrow \rightarrow \rightarrow \rightarrow \rightarrow \rightarrow$

Computer Concept's ROMS

Communicator	£49
Disc Doctor	£28
Inter BASE	£49
Inter CHART	£25
Inter SHEET	£37
Inter WORD	£36
Mega-3 ROM	£76
Spell Master	£42
TERMI	£25
Wordwise	£24

Wordwise plus

£40

We are giving away absolutely FREE, the superb Word-Aid ROM worth £24, with every WORDWISE PLUS package bought from us.

Word-Rid

The most comprehensive utilities ROM for Wordwise-Plus

Extend the power of your Wordwise Plus word processor with this most advanced ROM from Watford. By utilising the powerful Wordwise Plus programming language, WordAid provides a whole host of extra features, all accessed via a special new menu option. This ROM has been personally approved by Mr Charles Moir, the author of WORDWISE PLUS.

- · Alphabetical sorting of names and addresses.
- Text transfer options.
- Chapter marker.
- Epson printer codes function key
- option. Search and display in preview mode.
- Embedded command removal.
- Print Multiple copies of a document. Multiple file options for print and preview.
- Address finder.
- Label printer.
- Mail-merger.

- Number/delete/renumber. Clear test-segment area. BBC B, B+ and Master compatible.

Only £24

(N.B. Word Aid requires a Disc interface in your Micro)

Acorn ROMS

View 3.0 ROM	£45
View Professional	£50
Viewsheet (Acornsoft)	£36
Viewstore	£36
Viewspell with 80 track	
disc	£25
Viewplot Disc	£20
(Please specify for Master 128 or C	ompact)
View-Index	£12
Overview packs 1 & 2	£65
Hi-View	£38

MINI OFFICE II

DISC Version for BBC

B & B+	£14.00
DISC Version for BBC	
Master	£16.00
DISC Version for the	
Compact	£18.00
040	


(When ordering please specify for which Micro & 40 or 80 track Disc)

All prices are exclusive of VAT

View Printer Driver Discs

Epson FX & RX 80 £10 Juki & Brother HR £10

View Printer Driver ROM



View is a powerful word processor, but it seriously lacks in terms of printer driver support. With the View Printer Driver ROM, the View users will find themselves in the realms of advanced word processing.

The VPD extends View's printer command with a series of mnemonic commands. All standard highlight sequences are also supported. A large range of printers are supported by drivers contained within the ROM (the drivers can be downloaded and customised). Printers supported include: Epson's MX, RX, FX, LX, JX80 range, HI80, KP810/910, PW1080, JP101, HR15, M1009, GLP, Panasonic KX-P1081/2, JUKI 6100,

Other printers are readily supported by defining a Printer Driver using the built-in Printer Driver Generator. The features mentioned below are available to both the built in Printer Drivers and user defined drivers (assuming the printer supports the features).

NLQ control, Underline, Bold, Proportional Spacing, Microspacing, Italic, Superscript, Subscript, Condensed, Enlarged, Double Strike, Set lines per inch numerically (e.g. LPI 6), Set characters per inch numerically (e.g. CPI 5), Select printer font, Select printer ribbon colour, Translation sequences, Emulation of BBC Character Set, Simple numeric expressions for certain operations, Full printer setup, Send control codes, Print prompt on screen, Redifinable Pad character, Pause for key press, Prompt to change daisywheel, and Execute ★ command when printing.

Other features include a very powerful on-screen preview, with bold, italic, underline, super/subscript, enlarged highlights, and a special printer driver to allow memory-based text to be previewed by View 1.4. Of course, View 1.4, 2.1 and 3.0 are all supported, as is Shadow RAM and 6502 Second Processors. The BBC B series and Master series of micros are supported. A comprehensive manual is supplied. All in all, a very professional product for the discerning user who wants power at their finger tips.

Price: Only £33



CREDIT CARD 24 HOUR Ansaphone Hot Lines (0923) 50234 or 33383

OFFICE MASTER



CASHBOOK - A complete "Stand Alone" accounting software package for the cash based sole trader/partnership business. It is designed to replace your existing cashbook system and will provide you with a computerised system complete

FINAL ACCOUNTS - Will take data prepared by the Cashbook module and produce a complete set of accounts as following: Trial Balance with inbuilt rounding routine; Notes to the accounts; VAT Summary; Profit & Loss A/C; Balance Sheet.

MAILIST - A very versatile program. Enables you to keep records of names and addresses and then print, examine, sort and find them, all with special selection techniques.

EASILEDGER - A management aid software tool designed to run alongside an existing accounting system. Essentially a Debit/Credit ledger system which can handle sales, purchase and nominal ledger routines to provide instant management information.

INVOICES & STATEMENTS - Greatly reduces the time and cost of preparing Invoices and Statements by storing essential information like customer names, addresses and account numbers. Has VAT routines and footer messages facility.

STOCK CONTROL - Allows you to enter stock received, stock out, summary of stock items and current holdings together with details of total cost, total stock to minimum level, units in stock ordering, quantity and supplier

All this for only £21 (Disc)

OFFICE MATE



- DATABASE
- BEEBCALC SPREADSHEET
- **BEEBPLOT GRAPHICS**

DATABASE - Set up a computerised card index system with powerful search facilities.


SPREADSHEET - Offers many calculation and editing features

BEEBPLOT - Provides visual representation from Spreadsheet data.

Only £10 (Disc)

Acorn Speech Synthesizer package complete, for the **BBC B Microcomputer**

Special Offer £14



Whether you want to type in your latest program or the draft of a new trilogy, Watford's manuscript holders are superb for holding your paper at the ideal height and angle to allow you to read and type in ease and comfort.

Available in 2 full A4 versions, desk resting and shelf clamping. Paper is held firmly by means of a plastic retaining ruler and a clip grip. (for resting books or magazines, the desk ton version is recommended)

Desk Top £7 (carr. £3) Angle poise £12 (carr. £3)

The Epson RX/FX/KAGA **Printer Commands Revealed Handbook**

Printer Commands Revealed

So you bought yourself a new printer, because the salesman in the shop showed you how clever it is and impressed you with all sorts of printouts to show its capabilities - he may even have offered you a special price.

However, now that you have got it home and connected it to your BBC microcomputer, you are wondering how to make it perform these magical tasks. The manual seems to give no clues, and when you type in the example programs, the computer throws the LPRINT statements back in your face.

Now what do you do, when this £400 piece of high technology refuses even to move its head, and you have stayed up until 2 in the morning with copious supplies of coffee, desperately trying to print something out? Once again, Watford Electronics comes to your help with our new book entitled 'THE EPSON FX-KAGA PRINTER COMMANDS REVEALED'.

This book describes in plain, easy to understand English, how to use and make the most of your KP810, PW1080A or any other Epson FX80 compatible printers like Panasonic KX-P1080/1, etc., with the BBC Micro, both from Basic and Wordwise.

It describes in detail how to obtain the maximum in graphics capability from your printer and includes full indexes allowing you to cross index the numerous commands. Every command is explained in detail, with an accompanying BBC Basic program and an example of its use from Wordwise.

£5.95 (No VAT)

ALL PRICES EXCLUDE VAT

BOOKS (No VAT on Books)

15 Hr Wordprocessing BBC/View	£6.95
15 Hr Wordprocessing BBC/WW & WW+	£6.95
30 Hour BASIC (BBC Micro)	£12.95
1st Word Plus Rel. 2 Manual	£10.00
A3000 Technical Manual	£29.00
Acom DTP A Guide to	
	£17.00
Advanced User Guide for BBC	£10.95
Archimedes 1st Step - Beginners Guide	£9.95
Archimedes Assembly Language	£14.95
Archimedes BBC Basic Guide	£20
Archimedes DTP Manual	£10.00
Archimedes Operating System	£14.95
Archimedes Risc-Os Programmers	
Reference Manual	£79.00
Arm Assembly Lang. Prog. Manual	£15
Assembly Language Quick Ref.	£21.95
	£2
BASIC 2 – User Guide Basic V – A Dabhand Guide	
	£9.95
BBC Basic Guide (Archimedes)	£19.95
BBC Computer Handbook –	
The Complete	£14.95
BBC Micro – Within the	£11.95
BCPL User Guide	£9
C Big Red Book of	£8.95
C – A Dabhand Guide to	£14.95
C Programming Lang. 2nd Edition	£24.95
COMAL - Introduction to	£9.50
COMAL – Introduction to Deutsch Direkt! (Book only)	£5.95
DISC FILING SYSTEM (DFS)	20.00
Operating Manual for BBC	£6.95
FORTH on the BBC Micro	£9.95
Hackers Handbook – New	£9.95
ISO-PASCAL Reference Manual	£9.95
Mastering Interpreters &	
Compilers	£14.95
Master 512 Guide – Dabs Press	£9.95
Master Operating System	£12.95
Master Reference Manual Part 1	£14
Master Reference Manual Part 2	£14
Master Reference Manual – Advanced	£17
Mathematical Programs in BBC BASIC	£9.95
MINI OFFICE II - A Dabhand Guide	£9.95
Mouse User Guide to BBC Micro -	
the Complete	£5.95
Example Programs on Disc for above	£4.95
PASCAL on the BBC Micro	£9.50
PASCAL Programming	£10.95
RISC Technical Manual 260 pg	£14.95
The Epson FX-KAGA PRINTER	214.55
Commands REVEALED	CE OF
	£5.95
Understanding Interword –	00.50
A Beginners Guide	£6.50
View 3.0 User Guide	£10
View Guide (View 2.1)	£5.00
View, Viewsheet & Viewstore - Mastering	
Viewsheet & Viewstore Dabhand Guide	£12.95
VIEW Dabhand Guide	£12.95
Viewsheet User Guide	£10
Viewstore User Guide	£10
Z88 - A Dabhand Guide	£14.95
Z88 Computing	£9.95
Z88 Magic	£14.95
Z88 Using Your	£9.95

BOOKS for IBM PC & Compatibles

1-2-3 For Business	£25.95
1-2-3 Mastering Release 3	£22.95
1-2-3 Mastering - 2nd Ed.	£20.95
1-2-3 Quick Reference	£7.95
1-2-3 Special Edition (QUE) - Using	£22.95
1-2-3 Using - Rel. 3	£25.95
8086/8088 Ass. Language Quick Ref	£8.45
8086/8088 Programming the	£17.95
Ability - Using	£12.95
Accountancy software in Business - Usi	ng£14.95
Agenda - Using	£21.95
Aldus PageMaker - Using	£21.45
Amstrad 1512/1640 Step by Step -	
Using the	£POA
Amstrad Basic 2 User Guide	£9.95
Amstrad PC Programmers Ref Guide	£7.50
Amstrad PC1512-1640 Step by Step -	
Using	£10.95
Assembly Language - Quick Ref.	£7.95
Autocad 4th Ed - Mastering	£31.50
Autocad - Mastering Through Rel. 10	£28.95
Autocad - Using Release 10	£27.95
C Introducing	£12.95

C Programming Language 2nd Ed	£26.95
Clipper - Using	£22.95
Computer Users Dictionary	£9.95
Corel Draw Quick Ref Thro V1.2	£7.95
Corel Draw made easy	£24.95
dBase III Plus - Complete Reference	£19.95
dBase III Plus Handbook 2nd Edition	£22.95
dBase Instant Reference (III & III+)	£10.95
dBase IV – Handbook	£21.95
DOS & BIOS Function - Quick Ref Guide	
DOS Instant Reference (up to 3.3)	£6.95
DOS Power Tools (includes a disk)	£45.95
DOS - Programmers Ref. Manual 2nd Ed	
Excel IBM Version – Using the	£22.95
FAX - Managing with	£12.95
Framework III – Mastering GW Basic – Quick Prog. Ref	£22.95
GW Basic Users Guide & Ref	£8.95 £12.95
Hard Disc management – Quick	L12.33
Reference Guide to	£4.95
Hard Disc - Using Your	£27.45
IBM PC & PS/2 3rd Ed	£21.70
Microsoft GW BASIC	£12.95
Microsoft Windows 3 - Using 2nd Ed	£20.95
Microsoft Word 5 _ Using	£20.45
MS-DOS - ABC's of 2nd Ed.	£17.95
MS-DOS Bible 3rd Edition	£24.95
MS-DOS First Book	£15.50
MS DOS for Beginners	£14.95
MS-DOS Quick Prog Ref Guide	£8.95
MS-DOS Masters - Tricks of 2nd Ed	£24.95
MS-DOS – Running 4th edition	£19.95
MS-DOS – Supercharging 2nd Edition	£17.95
MS-DOS Users Guide 3rd Edition	£27.95
MS-DOS – Using	£19.95
MS Windows 3 2nd Ed – Using	£22.95
Netware User Guide	£22.95
Networking Personal Computers 3rd Ed.	£20.95
Norton Utilities - Inside the	£21.95
Novell Network - Mastering	£27.95
Novell Network - The ABC of	£21.95
Novell Network - Using	£22.95
PageMaker on IBM PC – Using	£22.95
Pagemaker - Using	£22.95
Pagemaker – Using PCs & Compatible Computers for	£22.95
Pagemaker – Using PCs & Compatible Computers for Beginners	£22.95 £14.95
Pagemaker – Using PCs & Compatible Computers for Beginners PC Crash Course 2.0 2nd Edition	£22.95 £14.95 £19.95
Pagemaker – Using PCs & Compatible Computers for Beginners PC Crash Course 2.0 2nd Edition PC Tools – Quick Ref	£22.95 £14.95 £19.95 £7.95
Pagemaker – Using PCs & Compatible Computers for Beginners PC Crash Course 2.0 2nd Edition PC Tools – Quick Ref Programming Guide to EGA & VGA Cards	£22.95 £14.95 £19.95 £7.95 £24.95
Pagemaker – Using PCs & Compatible Computers for Beginners PC Crash Course 2.0 2nd Edition PC Tools – Quick Ref Programming Guide to EGA & VGA Cards Quattro – Mastering	£22.95 £14.95 £19.95 £7.95 £24.95 £21.95
Pagemaker – Using PCs & Compatible Computers for Beginners PC Crash Course 2.0 2nd Edition PC Tools – Quick Ref Programming Guide to EGA & VGA Cards Quattro – Mastering Quattro Pro VI – Using	£22.95 £14.95 £19.95 £7.95 £24.95 £21.95 £22.95
Pagemaker – Using PCs & Compatible Computers for Beginners PC Crash Course 2.0 2nd Edition PC Tools – Quick Ref Programming Guide to EGA & VGA Cards Quattro – Mastering Quattro Pro VI – Using Smart – Using	£22.95 £14.95 £19.95 £7.95 £24.95 £21.95 £22.95 £21.45
Pagemaker — Using PCs & Compatible Computers for Beginners PC Crash Course 2.0 2nd Edition PC Tools — Quick Ref Programming Guide to EGA & VGA Cards Quattro — Mastering Quattro Pro VI — Using Smart — Using Smart — Using Smartware II — Using	£22.95 £14.95 £19.95 £7.95 £24.95 £21.95 £22.95 £21.45 £22.95
Pagemaker — Using PCs & Compatible Computers for Beginners PC Crash Course 2.0 2nd Edition PC Tools — Quick Ref Programming Guide to EGA & VGA Cards Quattro — Mastering Quattro Pro VI — Using Smart — Using Smart Husing Smart, tips, tricks and traps (QUE)	£22.95 £14.95 £19.95 £7.95 £24.95 £21.95 £22.95 £21.45 £22.95 £22.95
Pagemaker – Using PCs & Compatible Computers for Beginners PC Crash Course 2.0 2nd Edition PC Tools – Quick Ref Programming Guide to EGA & VGA Cards Quattro – Mastering Quattro Pro VI – Using Smart – Using Smart, tips, tricks and traps (QUE) Supercalc 5 – Using	£22.95 £14.95 £19.95 £7.95 £24.95 £21.95 £22.95 £21.45 £22.95 £22.95 £27.50
Pagemaker – Using PCs & Compatible Computers for Beginners PC Crash Course 2.0 2nd Edition PC Tools – Quick Ref Programming Guide to EGA & VGA Cards Quattro – Mastering Quattro Pro VI – Using Smart – Using Smart – Using Smart vicks and traps (QUE) Supercalc 5 – Using Supercalc Professional	£22.95 £14.95 £19.95 £7.95 £24.95 £21.95 £22.95 £22.95 £22.95 £22.95 £27.50 £17.95
Pagemaker – Using PCs & Compatible Computers for Beginners PC Crash Course 2.0 2nd Edition PC Tools – Quick Ref Programming Guide to EGA & VGA Cards Quattro – Mastering Quattro Pro VI – Using Smart – Using Smart – Using Smart, tips, tricks and traps (QUE) Supercalc 5 – Using Supercalc Professional Symphony Made Easy	£22.95 £14.95 £19.95 £7.95 £24.95 £21.95 £22.95 £21.45 £22.95 £22.95 £22.95 £27.50 £17.95 £19.95
Pagemaker – Using PCs & Compatible Computers for Beginners PC Crash Course 2.0 2nd Edition PC Tools – Quick Ref Programming Guide to EGA & VGA Cards Quattro – Mastering Quattro Pro VI – Using Smart – Using Smartware II – Using Smart, tips, tricks and traps (QUE) Supercalc 5 – Using Supercalc Frofessional Symphony Made Easy Symphony – Using Special Ed.	£22.95 £14.95 £19.95 £7.95 £24.95 £21.95 £22.95 £21.45 £22.95 £22.95 £27.50 £17.95 £19.95 £27.45
Pagemaker – Using PCs & Compatible Computers for Beginners PC Crash Course 2.0 2nd Edition PC Tools – Quick Ref Programming Guide to EGA & VGA Cards Quattro – Mastering Quattro Pro VI – Using Smart – Using Smart – Using Smart, tips, tricks and traps (QUE) Supercalc 5 – Using Supercalc Professional Symphony Made Easy	£22.95 £14.95 £19.95 £7.95 £24.95 £21.95 £22.95 £21.45 £22.95 £22.95 £22.95 £27.50 £17.95 £19.95
Pagemaker – Using PCs & Compatible Computers for Beginners PC Crash Course 2.0 2nd Edition PC Tools – Quick Ref Programming Guide to EGA & VGA Cards Quattro – Mastering Quattro Pro VI – Using Smart – Using Smart – Using Smart, tips, tricks and traps (QUE) Supercalc 5 – Using Supercalc Professional Symphony Made Easy Symphony – Using Special Ed. Symphony 4th Edition – Mastering Timeworks Publisher Companion Turbo C Bible	£22.95 £14.95 £7.95 £24.95 £21.95 £22.95 £21.45 £22.95 £27.50 £17.95 £19.95 £24.95 £24.95 £24.95 £24.95 £24.95
Pagemaker – Using PCs & Compatible Computers for Beginners PC Crash Course 2.0 2nd Edition PC Tools – Quick Ref Programming Guide to EGA & VGA Cards Quattro – Mastering Quattro Pro VI – Using Smart – Using Smart – Using Smartvare II – Using Smart, tips, tricks and traps (QUE) Supercalc Professional Symphony Made Easy Symphony – Using Special Ed. Symphony 4th Edition – Mastering Timeworks Publisher Companion	£22.95 £14.95 £19.95 £24.95 £21.95 £22.95 £21.45 £22.95 £27.50 £17.95 £19.95 £27.45 £24.95 £24.95 £24.95
Pagemaker – Using PCs & Compatible Computers for Beginners PC Crash Course 2.0 2nd Edition PC Tools – Quick Ref Programming Guide to EGA & VGA Cards Quattro – Mastering Quattro Pro VI – Using Smart – Using Smart – Using Smart, tips, tricks and traps (QUE) Supercalc 5 – Using Supercalc Professional Symphony Made Easy Symphony – Using Special Ed. Symphony 4th Edition – Mastering Timeworks Publisher Companion Turbo C Bible Turbo C++ Turbo Pascal 5 – Using	£22.95 £14.95 £7.95 £24.95 £21.95 £22.95 £21.45 £22.95 £27.50 £17.95 £19.95 £24.95 £24.95 £24.95 £24.95 £24.95
Pagemaker — Using PCs & Compatible Computers for Beginners PC Crash Course 2.0 2nd Edition PC Tools — Quick Ref Programming Guide to EGA & VGA Cards Quattro — Mastering Quattro Pro VI — Using Smart — Using Smart — Using Smart, tips, tricks and traps (QUE) Supercalc 5 — Using Supercalc Professional Symphony Made Easy Symphony — Using Special Ed. Symphony 4th Edition — Mastering Timeworks Publisher Companion Turbo C Bible Turbo C++ Turbo Pascal 5 — Using Turbo Pascal - Advance Techniques in	£22.95 £14.95 £19.95 £7.95 £24.95 £21.95 £21.45 £22.95 £22.95 £27.50 £17.95 £19.95 £27.45 £24.95 £24.95 £21.95 £22.95
Pagemaker – Using PCs & Compatible Computers for Beginners PC Crash Course 2.0 2nd Edition PC Tools – Quick Ref Programming Guide to EGA & VGA Cards Quattro – Mastering Quattro Pro VI – Using Smart – Using Smart – Using Smart, tips, tricks and traps (QUE) Supercalc 5 – Using Supercalc Professional Symphony Made Easy Symphony – Using Special Ed. Symphony 4th Edition – Mastering Timeworks Publisher Companion Turbo C Bible Turbo C++ Turbo Pascal 5 – Using Turbo Pascal – Advance Techniques in Unix – Using	£22.95 £14.95 £19.95 £24.95 £21.95 £21.95 £21.45 £22.95 £17.95 £17.95 £17.95 £17.95 £27.45 £12.95 £27.45 £22.95 £22.95 £22.95 £27.45 £22.95 £27.45 £22.95 £27.45 £22.95
Pagemaker – Using PCs & Compatible Computers for Beginners PC Crash Course 2.0 2nd Edition PC Tools – Quick Ref Programming Guide to EGA & VGA Cards Quattro – Mastering Quattro Pro VI – Using Smart – Using Smart, tips, tricks and traps (QUE) Supercalc 5 – Using Supercalc Professional Symphony Made Easy Symphony – Using Special Ed. Symphony 4th Edition – Mastering Timeworks Publisher Companion Turbo C Bible Turbo C++ Turbo Pascal 5 – Using Turbo Pascal 5 – Advance Techniques in Unix – Using Upgrading & Repairing PC's	£22.95 £14.95 £19.95 £7.95 £24.95 £21.95 £21.45 £22.95 £27.50 £17.95 £17.95 £17.95 £27.45 £27.95 £27.95 £27.95 £27.95 £27.95 £27.95 £27.95 £27.95 £27.95 £27.95 £27.95 £27.95 £27.95
Pagemaker – Using PCs & Compatible Computers for Beginners PC Crash Course 2.0 2nd Edition PC Tools – Quick Ref Programming Guide to EGA & VGA Cards Quattro – Mastering Quattro Pro VI – Using Smart – Using Smart – Using Smart, tips, tricks and traps (QUE) Supercalc 5 – Using Supercalc Professional Symphony Made Easy Symphony – Using Special Ed. Symphony 4th Edition – Mastering Timeworks Publisher Companion Turbo C Bible Turbo C++ Turbo Pascal 5 – Using Turbo Pascal 5 – Advance Techniques in Unix – Using Upgrading & Repairing PC's Ventura Mastering – 2nd Ed.	£22.95 £14.95 £19.95 £24.95 £24.95 £21.95 £22.95 £27.50 £17.95 £19.95 £27.45 £22.95
Pagemaker — Using PCs & Compatible Computers for Beginners PC Crash Course 2.0 2nd Edition PC Tools — Quick Ref Programming Guide to EGA & VGA Cards Quattro — Mastering Quattro Pro VI — Using Smart — Using Smart — Using Smart, tips, tricks and traps (QUE) Supercalc 5 — Using Supercalc Professional Symphony Made Easy Symphony – Using Special Ed. Symphony 4th Edition — Mastering Timeworks Publisher Companion Turbo C Bible Turbo Pascal 5 — Using Turbo Pascal 7 — Value Techniques in Unix — Using Upgrading & Repairing PC's Ventura Mastering — 2nd Ed. Ventura Publisher — Using	£22.95 £14.95 £19.95 £24.95 £24.95 £21.95 £21.95 £21.45 £22.95 £27.45 £24.95 £27.45 £24.95 £27.45 £22.95 £27.95 £22.95
Pagemaker — Using PCs & Compatible Computers for Beginners PC Crash Course 2.0 2nd Edition PC Tools — Quick Ref Programming Guide to EGA & VGA Cards Quattro — Mastering Quattro Pro VI — Using Smart — Using Smart — Using Smart, tips, tricks and traps (QUE) Supercalc 5 — Using Supercalc Professional Symphony Made Easy Symphony — Using Special Ed. Symphony 4th Edition — Mastering Timeworks Publisher Companion Turbo C Bible Turbo C++ Turbo Pascal 5 — Using Upgrading & Repairing PC's Ventura Mastering - 2nd Ed. Ventura Publisher — Using Ventura — Instant Reference	£22.95 £14.95 £19.95 £24.95 £21.95 £21.95 £21.45 £22.95 £27.45 £22.95 £27.45 £22.95 £27.45 £22.95 £27.95 £22.95
Pagemaker — Using PCs & Compatible Computers for Beginners PC Crash Course 2.0 2nd Edition PC Tools — Quick Ref Programming Guide to EGA & VGA Cards Quattro — Mastering Quattro Pro VI — Using Smart — Using Smart — Using Smart, tips, tricks and traps (QUE) Supercalc 5 — Using Supercalc Professional Symphony Made Easy Symphony — Using Special Ed. Symphony 4th Edition — Mastering Timeworks Publisher Companion Turbo C Bible Turbo C++ Turbo Pascal 5 — Using Turbo Pascal — Advance Techniques in Unix — Using Upgrading & Repairing PC's Ventura Mastering — 2nd Ed. Ventura Publisher — Using Ventura — Instant Reference Ventura — Tips & Tricks 2nd Ed.	£22.95 £14.95 £19.95 £24.95 £21.95 £21.95 £21.45 £22.95 £27.50 £17.95 £27.45 £22.95 £27.45 £22.95 £27.45 £22.95 £27.45 £22.95 £27.45 £22.95 £27.45 £22.95 £27.45 £22.95 £2
Pagemaker — Using PCs & Compatible Computers for Beginners PC Crash Course 2.0 2nd Edition PC Tools — Quick Ref Programming Guide to EGA & VGA Cards Quattro — Mastering Quattro Pro VI — Using Smart — Using Smart — Using Smart, tips, tricks and traps (QUE) Supercalc 5 — Using Supercalc Professional Symphony Made Easy Symphony — Using Special Ed. Symphony 4th Edition — Mastering Timeworks Publisher Companion Turbo C Bible Turbo C++ Turbo Pascal 5 — Using Turbo Pascal — Advance Techniques in Unix — Using Upgrading & Repairing PC's Ventura Mastering — 2nd Ed. Ventura Publisher — Using Ventura — Instant Reference Ventura — Tips & Tricks 2nd Ed. Window Programming 2nd Ed.	£22.95 £14.95 £19.95 £24.95 £24.95 £21.95 £22.95 £2
Pagemaker — Using PCs & Compatible Computers for Beginners PC Crash Course 2.0 2nd Edition PC Tools — Quick Ref Programming Guide to EGA & VGA Cards Quattro — Mastering Quattro Pro VI — Using Smart — Using Smart, tips, tricks and traps (QUE) Supercalc 5 — Using Supercalc Professional Symphony Made Easy Symphony — Using Special Ed. Symphony — Using Special Ed. Symphony 4th Edition — Mastering Timeworks Publisher Companion Turbo C Bible Turbo C++ Turbo Pascal — Advance Techniques in Unix — Using Upgrading & Repairing PC's Ventura Mastering — 2nd Ed. Ventura Publisher — Using Ventura — Instant Reference Ventura — Tips & Tricks 2nd Ed. Window Programming 2nd Ed Window 3.0 Programming	£22.95 £14.95 £19.95 £24.95 £21.95 £22.95 £27.45 £22.95 £27.50 £17.95 £12.95 £27.95 £22.95 £27.95 £22.95 £2
Pagemaker — Using PCs & Compatible Computers for Beginners PC Crash Course 2.0 2nd Edition PC Tools — Quick Ref Programming Guide to EGA & VGA Cards Quattro — Mastering Quattro Pro VI — Using Smart — Using Smart — Using Smart, tips, tricks and traps (QUE) Supercalc 5 — Using Supercalc Professional Symphony Made Easy Symphony — Using Special Ed. Symphony — Using Special Ed. Symphony 4th Edition — Mastering Timeworks Publisher Companion Turbo C Bible Turbo C++ Turbo Pascal 5 — Using Turbo Pascal 5 — Using Upgrading & Repairing PC's Ventura Mastering — 2nd Ed. Ventura Publisher — Using Ventura — Instant Reference Ventura — Tips & Tricks 2nd Ed. Window Programming 2nd Ed Window 3.0 Programming Window 3.0 Quick Ref.	£22.95 £14.95 £19.95 £24.95 £24.95 £21.95 £22.95 £27.45 £22.95 £17.95 £17.95 £17.95 £12.95 £27.95 £22.95 £2
Pagemaker — Using PCs & Compatible Computers for Beginners PC Crash Course 2.0 2nd Edition PC Tools — Quick Ref Programming Guide to EGA & VGA Cards Quattro — Mastering Quattro Pro VI — Using Smart — Using Smart — Using Smart, tips, tricks and traps (QUE) Supercalc 5 — Using Supercalc Professional Symphony Made Easy Symphony — Using Special Ed. Symphony 4th Edition — Mastering Timeworks Publisher Companion Turbo C Bible Turbo C++ Turbo Pascal 5 — Using Upgrading & Repairing PC's Ventura Mastering - 2nd Ed. Ventura Publisher — Using Ventura — Instant Reference Ventura — Tips & Tricks 2nd Ed. Window 3.0 Programming Window 3.0 Programming Window 3.0 Quick Ref. WORD for Windows — Using	£22.95 £14.95 £19.95 £24.95 £21.95 £21.95 £21.95 £21.45 £22.95 £27.45 £22.95 £27.45 £24.95 £27.45 £22.95 £27.95 £22.95
Pagemaker — Using PCs & Compatible Computers for Beginners PC Crash Course 2.0 2nd Edition PC Tools — Quick Ref Programming Guide to EGA & VGA Cards Quattro — Mastering Quattro Pro VI — Using Smart — Using Smart — Using Smart, tips, tricks and traps (QUE) Supercalc 5 — Using Supercalc Professional Symphony Made Easy Symphony — Using Special Ed. Symphony 4th Edition — Mastering Timeworks Publisher Companion Turbo C Bible Turbo C++ Turbo Pascal 5 — Using Upgrading & Repairing PC's Ventura Mastering - 2nd Ed. Ventura Publisher — Using Ventura — Instant Reference Ventura — Tips & Tricks 2nd Ed. Window 3.0 Programming Window 3.0 Programming Window 3.0 Quick Ref. WORD for Windows — Using Wordperfect 5 — Using Wordperfect 5 — Using	£22.95 £14.95 £19.95 £24.95 £21.95 £21.95 £21.95 £22.95 £27.50 £17.95 £22.95 £27.45 £22.95 £27.45 £22.95 £27.95 £22.95 £27.95 £22.95 £27.45 £22.95 £27.45 £22.95 £27.45 £22.95 £27.45 £22.95 £27.45 £22.95 £27.45 £22.95 £27.45 £22.95 £27.45 £22.95 £27.45 £22.95 £27.45 £22.95 £27.45 £22.95 £27.45 £22.95 £27.45 £22.95 £27.45 £22.95
Pagemaker — Using PCs & Compatible Computers for Beginners PC Crash Course 2.0 2nd Edition PC Tools — Quick Ref Programming Guide to EGA & VGA Cards Quattro — Mastering Quattro Pro VI — Using Smart — Using Smart — Using Smart, tips, tricks and traps (QUE) Supercalc 5 — Using Supercalc Professional Symphony Made Easy Symphony — Using Special Ed. Symphony — Using Special Ed. Symphony + H Edition — Mastering Timeworks Publisher Companion Turbo C Bible Turbo C++ Turbo Pascal — Advance Techniques in Unix — Using Upgrading & Repairing PC's Ventura Mastering — 2nd Ed. Ventura Publisher — Using Ventura — Instant Reference Ventura — Tips & Tricks 2nd Ed. Window Programming 2nd Ed Window 3.0 Programming Window 3.0 Quick Ref. WORD for Windows — Using Wordperfect 5 — Using Wordperfect 5 — Using Wordperfect — Quick Reference V5	£22.95 £14.95 £19.95 £24.95 £22.95 £21.95 £22.95 £27.50 £17.95 £27.45 £22.95 £27.45 £22.95 £27.45 £22.95 £27.45 £22.95 £27.45 £2
Pagemaker — Using PCs & Compatible Computers for Beginners PC Crash Course 2.0 2nd Edition PC Tools — Quick Ref Programming Guide to EGA & VGA Cards Quattro — Mastering Quattro Pro VI — Using Smart — Using Smart — Using Smart, tips, tricks and traps (QUE) Supercalc 5 — Using Supercalc Professional Symphony Made Easy Symphony — Using Special Ed. Symphony H Edition — Mastering Timeworks Publisher Companion Turbo C Bible Turbo C++ Turbo Pascal 5 — Using Upgrading & Repairing PC's Ventura Mastering — 2nd Ed. Ventura Publisher — Using Ventura — Instant Reference Ventura — Tips & Tricks 2nd Ed. Window 3.0 Programming Window 3.0 Quick Ref. WORD for Windows — Using Wordperfect 5 — Using Wordperfect 5 — Using Wordperfect 5 — Using Wordperfect 5.1 — ABC's of	£22.95 £14.95 £19.95 £24.95 £21.95 £22.95 £2
Pagemaker – Using PCs & Compatible Computers for Beginners PC Crash Course 2.0 2nd Edition PC Tools – Quick Ref Programming Guide to EGA & VGA Cards Quattro – Mastering Quattro Pro VI – Using Smart – Using Smart, tips, tricks and traps (QUE) Supercalc 5 – Using Supercalc Professional Symphony Made Easy Symphony – Using Special Ed. Symphony H Edition – Mastering Timeworks Publisher Companion Turbo C Bible Turbo C++ Turbo Pascal 5 – Using Upgrading & Repairing PC's Ventura Mastering – 2nd Ed. Ventura Publisher – Using Ventura – Instant Reference Ventura – Tips & Tricks 2nd Ed. Window 3.0 Programming Window 3.0 Quick Ref. WORD for Windows – Using Wordperfect 5 – Using Wordperfect 5 – Using Wordperfect 5.1 – ABC's of Wordperfect 5.1 – The ABC of	£22.95 £14.95 £19.95 £24.95 £22.95 £21.95 £22.95 £27.50 £17.95 £19.95 £27.45 £22.95 £23.95 £24.95 £2
Pagemaker – Using PCs & Compatible Computers for Beginners PC Crash Course 2.0 2nd Edition PC Tools – Quick Ref Programming Guide to EGA & VGA Cards Quattro – Mastering Quattro Pro VI – Using Smart – Using Smart – Using Smart, tips, tricks and traps (QUE) Supercalc 5 – Using Supercalc Professional Symphony Made Easy Symphony – Using Special Ed. Symphony 4th Edition – Mastering Timeworks Publisher Companion Turbo C Bible Turbo Pascal 5 – Using Turbo Pascal 5 – Using Turbo Pascal 5 – Using Ventura Mastering – 2nd Ed. Ventura Mastering – 2nd Ed. Ventura Publisher – Using Ventura – Instant Reference Ventura – Tips & Tricks 2nd Ed. Window Programming 2nd Ed Window 3.0 Programming Window 3.0 Programming Window 3.0 Quick Ref. WORD for Windows – Using Wordperfect 5 – Using Wordperfect 5.1 – ABC's of Wordperfect 5.1 – The ABC of Wordperfect 5.1 – The ABC of	£22.95 £14.95 £19.95 £24.95 £22.95 £21.95 £22.95 £27.45 £22.95 £17.95
Pagemaker — Using PCs & Compatible Computers for Beginners PC Crash Course 2.0 2nd Edition PC Tools — Quick Ref Programming Guide to EGA & VGA Cards Quattro — Mastering Quattro Pro VI — Using Smart — Using Smart — Using Smart, tips, tricks and traps (QUE) Supercalc 5 — Using Supercalc Professional Symphony Made Easy Symphony — Using Special Ed. Symphony 4th Edition — Mastering Timeworks Publisher Companion Turbo C Bible Turbo C++ Turbo Pascal 5 — Using Turbo Pascal 5 — Using Upgrading & Repairing PC's Ventura Mastering – 2nd Ed. Ventura Publisher — Using Ventura — Instant Reference Ventura — Instant Reference Ventura — Tips & Tricks 2nd Ed. Window 3.0 Programming Window 3.0 Programming Window 3.0 Quick Ref. WORD for Windows — Using Wordperfect 5 — Using Wordperfect 5.1 — ABC's of Wordperfect 5.1 — The ABC of Wordperfect 5.1 — The ABC of Wordperfect 5.1 — Mastering	£22.95 £14.95 £19.95 £24.95 £24.95 £21.95 £21.95 £22.95 £27.45 £22.95 £27.45 £24.95 £27.45 £24.95 £27.45 £22.95 £27.45 £22.95 £27.45 £22.95 £27.45 £22.95 £27.45 £22.95 £27.45 £22.95 £27.45 £22.95 £27.45 £22.95 £27.45 £22.95 £27.45 £22.95 £27.45 £22.95 £27.45 £22.95 £27.45 £22.95 £27.45 £22.95 £27.45 £22.95 £27.45 £22.95 £27.45 £22.95 £22.95 £22.95 £22.95 £22.95 £22.95 £22.95 £24.95 £24.95 £24.95 £24.95 £24.95 £24.95 £24.95 £24.95 £24.95 £24.95 £24.95 £24.95 £24.95
Pagemaker — Using PCs & Compatible Computers for Beginners PC Crash Course 2.0 2nd Edition PC Tools — Quick Ref Programming Guide to EGA & VGA Cards Quattro — Mastering Quattro Pro VI — Using Smart — Using Smart — Using Smart, tips, tricks and traps (QUE) Supercalc 5 — Using Supercalc Professional Symphony Made Easy Symphony — Using Special Ed. Symphony 4th Edition — Mastering Timeworks Publisher Companion Turbo C Bible Turbo C++ Turbo Pascal 5 — Using Upgrading & Repairing PC's Ventura Mastering - 2nd Ed. Ventura Publisher — Using Ventura Hastering — Using Ventura — Instant Reference Ventura — Tips & Tricks 2nd Ed. Window 3.0 Programming Window 3.0 Quick Ref. WORD for Windows — Using Wordperfect 5 — Using Wordperfect 5.1 — ABC's of Wordperfect 5.1 — The ABC of Wordperfect 5.1 — The Sec of Wordperfect 5.1 — The Sec of Wordperfect 5.1 — The ABC of Wordperfect 5.1 — Mastering	£22.95 £14.95 £19.95 £24.95 £21.95 £21.95 £21.45 £22.95 £27.45 £22.95 £27.45 £24.95 £27.45 £22.95 £27.45 £22.95 £27.95 £22.95 £27.95 £22.95 £27.95 £22.95 £27.95 £22.95 £27.95 £22.95 £27.95 £22.95 £27.95 £22.95 £27.95 £22.95 £27.95 £22.95 £27.95 £22.95 £27.95 £22.95 £27.95 £24.95 £27.95 £24.95 £27.95 £24.95 £27.95 £24.95 £27.95 £24.95 £27.95 £24.95 £27.95 £24.95 £27.95 £24.95 £2
Pagemaker – Using PCs & Compatible Computers for Beginners PC Crash Course 2.0 2nd Edition PC Tools – Quick Ref Programming Guide to EGA & VGA Cards Quattro – Mastering Quattro Pro VI – Using Smart – Using Smart – Using Smart, tips, tricks and traps (QUE) Supercalc 5 – Using Supercalc Professional Symphony Made Easy Symphony – Using Special Ed. Symphony – Using Special Ed. Symphony 4th Edition – Mastering Timeworks Publisher Companion Turbo C Bible Turbo C++ Turbo Pascal 5 – Using Turbo Pascal – Advance Techniques in Unix – Using Upgrading & Repairing PC's Ventura Mastering – 2nd Ed. Ventura Publisher – Using Ventura – Instant Reference Ventura – Tips & Tricks 2nd Ed. Window 3.0 Programming Window 3.0 Quick Ref. WORD for Windows – Using Wordperfect 5 – Using Wordperfect 5.1 – ABC's of Wordperfect 5.1 – The ABC of Wordperfect 5.1 – The ABC of Wordperfect 5.1 – Mastering Wordperfect 5.1 – Using Special Ed	£22.95 £14.95 £19.95 £24.95 £21.95 £22.95
Pagemaker – Using PCs & Compatible Computers for Beginners PC Crash Course 2.0 2nd Edition PC Tools – Quick Ref Programming Guide to EGA & VGA Cards Quattro – Mastering Quattro Pro VI – Using Smart – Using Smart, tips, tricks and traps (QUE) Supercalc 5 – Using Supercalc Professional Symphony Made Easy Symphony – Using Special Ed. Symphony – Using Special Ed. Symphony + Using Special Ed. Symphony + Using Special Ed. Symphony - Using Turbo Pascal 5 – Using Turbo Pascal – Advance Techniques in Unix – Using Upgrading & Repairing PC's Ventura Mastering – 2nd Ed. Ventura – Tips & Tricks 2nd Ed. Window Programming Professional Ed. Window 3.0 Programming 2nd Ed Window 3.0 Programming 2nd Ed Window 3.0 Quick Ref. WORD for Windows – Using Wordperfect 5 – Using Wordperfect 5.1 – ABC's of Wordperfect 5.1 – The ABC of Wordperfect 5.1 – The ABC of Wordperfect 5.1 – Using Special Ed Wordstar & CPM Made Easy	£22.95 £14.95 £19.95 £24.95 £21.95 £22.95 £21.45 £22.95 £27.45 £22.95 £11.95 £27.45 £22.95 £27.45 £22.95 £27.45 £22.95 £27.95 £22.95 £27.95 £22.95 £22.95 £22.95 £22.95 £22.95 £22.95 £22.95 £22.95 £22.95 £22.95 £22.95 £22.95 £22.95 £22.95 £22.95 £22.95 £23.95 £24.95 £2
Pagemaker — Using PCs & Compatible Computers for Beginners PC Crash Course 2.0 2nd Edition PC Tools — Quick Ref Programming Guide to EGA & VGA Cards Quattro — Mastering Quattro Pro VI — Using Smart — Using Smart — Using Smart, tips, tricks and traps (QUE) Supercalc 5 — Using Supercalc Professional Symphony Made Easy Symphony — Using Special Ed. Symphony — Using Special Ed. Symphony — Using Special Ed. Symphony 4th Edition — Mastering Timeworks Publisher Companion Turbo C Bible Turbo C++ Turbo Pascal 5 — Using Turbo Pascal 5 — Using Upgrading & Repairing PC's Ventura Mastering — 2nd Ed. Ventura Publisher — Using Ventura — Instant Reference Ventura — Tips & Tricks 2nd Ed. Window 7.0 Programming 2nd Ed Window 3.0 Quick Ref. WORD for Windows — Using Wordperfect 5.1 — ABC's of Wordperfect 5.1 — ABC's of Wordperfect 5.1 — The ABC of Wordperfect 5.1 — Ist Book of Wordperfect 5.1 — Using Special Ed Wordstar Using 5.5 & 6 3rd Ed	£22.95 £14.95 £19.95 £24.95 £21.95 £22.95
Pagemaker — Using PCs & Compatible Computers for Beginners PC Crash Course 2.0 2nd Edition PC Tools — Quick Ref Programming Guide to EGA & VGA Cards Quattro — Mastering Quattro Pro VI — Using Smart — Using Smart — Using Smart, tips, tricks and traps (QUE) Supercalc 5 — Using Supercalc Professional Symphony Made Easy Symphony — Using Special Ed. Symphony — Using Special Ed. Symphony 4th Edition — Mastering Timeworks Publisher Companion Turbo C Bible Turbo C++ Turbo Pascal 5 — Using Turbo Pascal 5 — Using Upgrading & Repairing PC's Ventura Mastering — 2nd Ed. Ventura Publisher — Using Ventura — Instant Reference Ventura — Tips & Tricks 2nd Ed. Window Programming 2nd Ed Window 3.0 Programming Window 3.0 Programming Window 3.0 Programming Wordperfect 5 — Using Wordperfect 5.1 — ABC's of Wordperfect 5.1 — The ABC of Wordperfect 5.1 — Ist Book of Wordperfect 5.1 — Using Special Ed Wordstar & CPM Made Easy Wordstar Using 5.5 & 6 3rd Ed Wordstar 6.0 Made Easy	£22.95 £14.95 £19.95 £24.95 £22.95 £21.95 £22.95 £22.95 £27.50 £17.95 £19.95 £27.45 £22.95 £24.95 £25.95

Carriage on Books vary between £2 to £3.50, depending on their weight

New Release

ACORN TO PC

Stop the Confusion!

Do you have to use both Acorn computers and PC's? Would you like to use your Archimedes or A3000 in PC-emulation mode but are unsure of the new commands?

Although Acorn machines (such as the BBC B, the Master, the Archimedes and the BBC A3000) are mainly used in education, most commercial computers use other operating systems, particularly MS-DOS. As a result school computer users are at a disadvantage when moving into 'business' computing. PCs and other commercial computers use MS-DOS as the operating system, so commands for formatting, copying, backing up, printing and the modem are not the same. Even file names are written differently! And did you know that there is one Acorn command which, if used in MS-DOS, wipes everything in the current directory? 'ACORN TO PC' enables you to change over painlessly. It shows clearly and quicly how, why and where the two systems (Acorn and MS-DOS) differ. As with a foreign language

dictionary, you can use the book to transfer either way – from Acorn to MS-DOS, or from MS-DOS to Acorn. 'ACORN TO PC' also acts as a handy reference guide to all Acorn star commands and their MS-DOS equivalents. It also has an extensive and readable explanation of the directory tree and hierarchical filing

systems in general. Both DFS and

ADFS Acorn systems are covered.

'ACORN TO PC' is written clearly and concisely by Dr. John Lockley, who has wide experience of writing and broadcasting. He is currently appearing as a regular contributor on Radio 5, and is co-author of 'The Complete BBC Computer User Handbook'.

Price: £15.95 (No VAT)

The Complete BBC Computer User Handbook

If you own a BBC B, B+, Electron, Master 128 or Master Compact, or Archimedes, then this is the book for you. It shows how to get the best from your machine, and how to make it work for you. The general style and level of presentation means that both the expert and beginner alike will feel comfortable with the quality and quantity of the material. Subjects covered include the general use of computers, hardware design and peripheral devices like printers, disc drives, etc, and Networking. Programming hints and tips and various disciplines for making a better program are discussed in some detail, including debugging of specific errors. Standard programs are covered, such as wordprocessors, spreadsheets, databases, graphics, communications, etc., which brings you neatly on to the subject of using computers in the office or at work - even giving advice on writing and marketing your own programs.

A book you will enjoy to use as a reference, or read from cover to cover, over and over.

Only: £14.95 (No VAT)

The Complete Mouse User Guide to BBC Micro

This manual has been written to reveal the secrets of the mouse. It explains all the principles required by the hardware and associated software, and also example listings for inclusion into custom programs. The manual first details the basic principles of the mouse and a simple program which uses these principles. This information should be adequate for most applications. However, it is possible to improve the performance of the mouse by expanding on the principles already used in the software. This is again fully explained and an example program given.

understanding of the mouse from this manual. For those not interested in exactly how the mouse functions, complete example programs are also included. These may be typed directly into the micro, without the need for any understanding of the hardware or software involved, enabling the mouse to be used for custom applications.

Price £5.95 (No VAT)

Example programs on Disc £4.95

Beeb PC (BASIC)

Beeb PC Basic is designed for program authors wishing to convert programs so that they will run on IBM personal computers. To convert BBC BASIC programs manually can waste days of valuable time with every occurrence of common statements such as PROC, DEFPROC, TAB, having to be changed.

Beeb PC (BASIC) automates many of these changes, and will convert majority of BBC statements that are invalid for IBM BASIC into equivalent acceptable statements. In addition BBC BASIC data files can be converted to IBM BASIC format, with support provided for all BBC data formats:- INTEGER, REAL & STRING.

Price: £38

Beeb DOS 3.0

(Now reads Archimedes Discs)

The BBC and IBM PC's are the most popular micros in the UK. The BBC is firmly established in the education sector and the IBM is the industry standard in the business world. The pools of information and applications held on these computers are immense, yet the means of passing information between them are very limited. Beeb DOS provides a practical method of transferring information between these two micros.

Beeb DOS is a collection of utilities which run on the PC's and enable it to read and write information on BBC discs. You can transfer files between your PC's 360K floppy, high density floppy or hard disc and your BBC discs. In addition Beeb DOS allows you to catalogue, format and compact BBC discs and delete, re-name, lock and unlock BBC files, all on PC's. Each Beeb DOS utility is written in IBM assembler and is run directly from PC or MS-DOS. The Beeb DOS utility can be run from floppy disc, hard disc or RAM drive.

Beeb DOS is supplied on an IBM 5.25", 360K disc complete with a comprehensive operating manual. (Will only work on 360K Disk Drives & read only ADFS and Watford DDFS — not DFS).

Price: £39

(Please write in for technical literature)

Continued $\rightarrow \rightarrow \rightarrow \rightarrow \rightarrow \rightarrow$

Panafax Facsimile

Top quality Panasonic Fax machines, at Watford's budget prices. Ideal for Schools, Colleges, Home & Offices. Supplied complete with telephone handset & 12 months on-site maintenance warranty.


• UF121 UF120 £339

(P.S. We stock full range of Panafax)

Watford Electronics are:

- Acorn Qualified Dealer & **Econet Referral Centre**
- ARIES PC Dealer/Distributor
- Canon Authorised Printer Dealer
- Cambridge Computer Dealer
- Computer Concept Premier Dealer
- **EIZO Monitor Dealer**
- Microvitec Appointed Dealer
- **NEC Appointed Dealer**
- Panasonic Premier Dealer
- Roland Plotter Official Dealer
- Star Printer Premier Dealer
- Taxan Appointed Monitor Dealer
- 3M Media Premier Distributor

ADDER



The Adder unit connects to the User Port and draws its power from there too. The EPROM is mounted in a top quality ZIF socket. There are no switches or controls as Adder is entirely software controlled.

The Adder software provides sophisticated facilities for programming EPROMs from a RAM image produced by loading disc files. The software is menu driven and designed for ease of use.

- Two ultra fast programming algorithms or standard slow algorithm.
- Supports standard 21V programming and newer 12.5 volt EPROMs. (Software switched).
- The RAM image to be programmed can be built up in many ways. Sections of image can be loaded separately. Part programming. Read EPROM. Edit data in memory.
- Automatic processing to handle a list of files to program into the EPROM.
- Automatic disc buffering to allow programming of 32K 27256 devices from a 32K file without extra
- Verification gives detailed error list and checksums are maintained. There is also a blank check facility
- Works with all standard filing systems.
 Generates header code for RFS ROMs to allow
 Basic programs etc. to be stored in EPROM.
 More than one file per ROM permitted.
- Programs the following EPROMs: 2516, 2716, 2532, 2732, 2764, 27128, & 27256.

£65 (£5 Carr)

TEX EPROM ERASERS

EPROMs need careful treatment if they are to survive their expected lifetime. Over erasure of EPROMs very rapidly turns them into ROMs! The TEX erasers operate following the manufacturers specifications to give the maximum possible working life by not erasing too fast.

- ERASER EB Standard version erases up to 16 chips. £32(carr £3)
- ERASER GT Deluxe version erases up to 18 chips. Has automatic safety cut-off to switch off the UV lamp when opened. £35 (carr £3)
- Spare UV tubes.



CREDIT CARD 24 HOUR Ansaphone Hot Lines (0923) 50234 or 33383

Servisol Foam Cleaner

This king size multipurpose foam cleaner spray is ideal for cleaning Keyboard, Monitor, Disc Drive & Computer furniture surfaces.

€2.50

Antistatic Aerosol Spray

Ideal for cleaning and preventing static build-up on TV/Monitor Screens.

£2.50

Aerosol Dust Spray

Ideal for removing dust & dirt from Keyboard & similar inaccessible spaces.

£3

Spares for BBC Micro

UHF Modulator	€4	16MHz Crystal	£2
Speaker Grill	£1	17.734 MHz Xtal	£2
Speaker	£3	32.768MHz Xtal	£1
Keyswitch	£1.50	BBC B Refurbi	sh
Master PSU	€59	Casing	£25
Master Keyboard	£62	Keyboard	€46
Master Casing	£49	Power Supply	£59
Replacement Flex	cible 17	way Keyboard	
Connector			£4

Surge Protector Plug

Fitted in place of your normal mains plug, this device protects your equipment (and data from corruption), against mains high voltage translent spikes/surges caused by lightening or thermostats switching.

Protection for only £8.50

4 Way Mains **Distribution Socket**



4 way top quality mains trailing sockets. Supplied wired up with mains plug ready for use. Can be screwed to floor or wall if required. Very useful for tidying up all the mains leads from your peripherals.

£9.50

Aries Spike Cleaner Unit

A 4 way mains distribution unit as above with a built-in Surge Arrester, providing protection for your complete Computer/Hi-Fi System

£14.95

ROM Extraction Tool

This extremely useful tool allows you trouble free chip insertion and removal from your computer by distributing the removal force over the whole body of any 24 or 28 pin chip.

Metal Chip Extractor

£3

28pin DIL Header Plug

SOLDER type £1.50 IDC CRIMP type £1.95

8 Way DIP Switch

Increase the speed of your Disc Drives by soldering this switch to your BBC B or B+ keyboard

Only £1.00

28 pin ZIF SOCKET (Textool)

£6.95

Connecting Leads

(All ready made and tested) CASSETTE LEADS 7 pin DIN Plug to 3 pin DIN Plug + 1 Jack Plug to 7 pin DIN Plug £3.00 to 3 Jack Plugs £2.50 6 pin DIN to 6 pin DIN Plug (RGB) £3.00

Disc Drive Power Leads

Supply from BBC power supply to standard Disc Drive Connection: Single £3.00; Dual £3.75

Disc Drive Interface Leads

BBC to Disc Drives Ribbon Cable Single £4 Twin £6

Miscellaneous Connectors

	Plugs	Sockets
RGB (6 PIN DIN)	50p	75p
RS423 (5 pin Domino)	70p	80p
Cassette (7 pin DIN)	40p	95p
ECONET (5 pin DIN)	35p	50p
Paddles (15 pin 'D')	150p	250p
Disc Drive Plug 4 way	100p	- 100
6 way Power Connector	120p	150p

Watford DATA DUCK

Convert two single Disc Drives into one Dual Drive with this simple external unit (Suitable for Disc Drives with PSU. For Disc Drives without PSU, you will also require Watford Power Duck, see below).

Watford POWER DUCK

£8

CHIP SHOP

1 MB-10 DIL D-RAM £4.50 1 MB ZIP D-RAM £4.90 256K x 4-8 DIP £4.75 £4.50 £5.25 DS3691 DS88LS120 £0.45 £5.50 M324 SN76489 SAA5050 UPD7002 £8.75 2764-250nS 27128A-250nS £2.50

27128-250nS 27256-2 27512-2 £3.00 27C101G (1 Meg) £7.00 4013 75p £1.00 4020 4164-10 £1.55 4464-10 4816 RAM 41256-8 £3.50 £2.00 £2.00 £1.50 £4.00 £5.00 £9.75 £9.00 41256-10 6264LP-8K 6502A CPU 65C02 3M 65C12 6512A 6522 £10.00 €4.00 £5.00 £10.00 £8.50 £4.00 6522A 62256ALS-15 62256P-12 6818 £6.00 £2.95 6845SP 68B50 68B54 7438 50p

74LS00 74LS04 74LS10

74LS123 74LS163

74LS244 74LS245

74ALS245 74LS373 74LS393

ICL7673PA

75453

75159

£1.00 £1.00

£1.00 £1.00

£2.75 £1.00

£1.00

£1.00

£2.00

Video ULA ULTRACALC II

1Mb OS ROM

Assorted ROMS



ACORN ADFS £25 ACORN BASIC 2 plus User Guide 922 Acorn BCPL £42 £17 ACORN DNFS Acorn FORTH Acorn Graphics £25 Acornsoft C Disc £36 Acorn LISP Acorn OS B+ £19 £25 Acorn OS 1.2 £14 £24 Basic Editor €49 **BBC PCB Designer** Beebmon £22 £20 Buffer & Backup €49 Communicator Dump Out 3 EPSON NLQ ROM £25 £25 Graphics Extension Rom £21 GXR-B-£22 ICON Master £28 Logotron LOGO MASTER OS ROM Master ULA (47) £43 £38 £15 Master ULA (60) Micro Prolog Microtext Disc £10 £25 £46 Microtext Rom NLQ DESIGNER £199 £25 Numerator – Archi Numerator – BBC Pendown ROM €69 £39 £32 Rom Manager £20 ROMIT SERIAL ULA £29 £13 TED Termulator B, B+ Termulator Master £28

£32

£14

£26

Hi-Speed, Low Cost **IDE Hard Disk Drives** for Archimedes

Watford's NEW Innovative IDE interface card brings the latest advances in PC hard disc technology to within reach of the Archimedes user. Over the last few years PC hard disc manufacturers have been working towards the goal of integrating the drive controller onto the hard disc, eliminating the need for an expensive controller

Now this has been achieved and drives are available under names such as IDE (Integrated Drive Electronics) or ATA (AT Attachment). These drives require only simple interfacing to a PC motherboard and reduce the overall cost of installing a hard disc. Because of the integration of the controller and drive electronics onto one compact board, manufacturers have been able to include extra features into the drive, such as Caching, where tracks are buffered in fast memory, reducing access times and increasing throughput. All these benefits make IDE drives far attractive than conventional ST506 drives or SCSI. Watford's advanced interface allows IDE drives to work on any Archimedes machine, speeds in excess of SCSI devices can be obtained at a fraction of the cost of a SCSI drive.

Up to four drives are supported by the IDE filing system IDEFS, up to two drives can be attached to each expansion card, up to four cards can be installed in a machine. An optional 20Mb or 40Mb hard disc can be supplied on the podule expansion card itself, with its fast transfer rate and power saving modes the drive is ideal for storing commonly used software such as the IFonts

A powerful security feature has been provided with the two unique commands *IDELock and *IDEUnlock, ideal for educational establishments where hacking or tempering may be prevalent that may lead to loss of data. Once locked, the configuration can not be changed until a secret password is used. The !IDEForm Write Protect option is particularly useful in conjunction with *IDELock as it will prevent any unauthorised deletion of data.

By an innovative use of on-board memory, the card will remember its configuration, even if moved to another slot or even a different machine, this also includes the unique security features.

Hardware

- Single width EuroCard
- Supports proposed ANSI ATA (IDE)
- specification
 Fast 16 bit MEMC interface interrupt driven to support background disc operations
- 5 Mbytes per second peak transfer rate Built in Non Volatile RAM to hold
- configuration

- LED activity indicator
 37 way D type socket for external drives
 Optional on-card 20Mb or 40Mb hard disc
 Up to two drives (master and slave) per
- Multiple cards per machine (up to four)

Software

- Conforms fully to the Acorn IDE Specification
- All software supplied in ROM Filing system 'IDEFS'
- Desktop filer with drive ready detection and disc name under icon

IIDEForm, WIMP based configuration and formatting software

Drives can be individually write protected Up to four drives over multiple cards

- Power saving standby modes supported with configurable timeout
- Drives can be used without translation in native mode for minimum overhead !IDEFSDisk, creates PC emulator hard discs

*Commands

- *IDELock
- *IDEUnlock *IDEFS

Selects the IDE filing system 'IDEFS'.

*IDEDrives

Displays the configuration and native

characteristics of installed drives.
*Configure IDEFSDirCache
*Configure IDEFSBuffers

*Configure IDEFSDrive

Typical transfer speeds

Prairie Tek 20Mb 650K bytes per second 800K bytes per second Seagate

Prices

Part No.	Capacity	Access Speed	Price
ADA 0520	44Mb	28mS	£249
ADA 0530	89Mb	19mS	£395
ADA 0540	130Mb	19mS	£599
ADA 0550	142Mb	15mS	£699
ADA 0570	200Mb	15mS	£790
ADA 0580	330Mb	15mS	ETBA
ADA 0590	670Mb	15mS	£TBA

All the above drives are supplied complete with Controller Card, cable & Software on ROM. (Internal fitting)

Ideal for use with A300/A400/A500 Series machines.

For A3000 users an additional external Case and PSU will be required.

AAA 0300 External Case & PSU for Above £85

Internal Hard Disc **Drives for A3000**

ADA 0700	21Mb	23mS		★£315
ADA 0720	44Mb	28mS	Available	£TBA
ADA 0730	89Mb	18mS	Soon	ETBA

Supplied complete with Podule, Fan, Cable & Fitting instructions.

* Tentative Launch Price


Hard Cards

Hard Disc on Cards for Archimedes

2.5" Hi-Speed Hard Disc Drive on a controller card. "Simply plug and play"
For Archimedes A300 and 400 series machines

ADA 0650	21Mb	23mS	£345
ADA 0660	44Mb	28mS	£495
ADA 0670	89Mb	18mS	ETBA
(Can be used	as a Remo	vable Hard	Drive)

NEW - Archimedes **Cordless Mouse**



Ever found that using a mouse on a busy desktop has its problems? The cable is always being caught up in papers, tangled round equipment and other cables etc, and what about that cup of coffee spilled over your work!

Watford Electronics' new Cordless Mouse solves these problems by removing the cause for concern replacing the cable with a simple infra red link. It still provides all the speed and easy control of a conventional mouse, but with complete freedom. In use, there are no operating differences between the standard mouse and the new cordless mouse so all mouse functions and mouse driven RISC software will be fully compatible. Pinpoint accuracy is ensured by a unique Accelerator button, which, when pressed, moves the pointer by just a tiny amount for a large slow movement of the mouse, but by a large amount for a quick wizz of the mouse.

Features

- Infra Red Signal Transmission
- High Resolution 200 DPI
- High Tracking Speed of 600mm/s
- Anti-static Silicon Rubber Coated
- Low Friction Teflon Footpads
- Power by two AAA size batteries (not included)
- Automatic Standby Mode after 5 seconds inactive
- Auto Power Shut-Down after 20 seconds inactive

Price £79

ectron

250 Lower High Street, Watford WD1 2AN, England Tel: 0923 37774/240588 Fax: (0923) 33642 Telex: 8956095

Prices subject to change without notice and available on request. ALL OFFERS subject to availability. Mail Order and RETAIL SHOP. Trade and Export inquiries welcome. Government and Educational Establishments' OFFICIAL ORDERS Accepted. Shop Hours: 9.00am to 6.00pm, Monday to Saturday. Thursdays 9am to 8pm. (Free Customer's Car Park). VAT: UK customers please add 17.5% VAT to cost incl. Carriage. CARRIAGE: Unless stated otherwise, minimum £2 on all orders. £3 on Larger items. On bulkier items, £7 Securicor charge applies (UK mainland only). Overseas orders, carriage is charged at cost. Specifications of all products are given in good faith but are subject to change without notice. Some items vary in their availability. Watford Electronics Terms and Conditions are available upon request. Please ring for latest delivery situation.

Weather Data

Weather Satellite Systems Now available for the Acorn Archimedes A310 and A3000. This Meteosat systems comes complete including everything from the Antenna to the software. Animation is standard allowing the dynamic progress of weather fronts to be monitored and tracked. High resolution images of 800 pixels by 800 lines can be stored and manipulated in colour or grey scales on any standard colour monitor. Acorn Change FSI registered and compatible. Capable of receiving up to 400 images every day this remarkable system costs just £799.00

Other Timestep products include a fully featured LANDSAT Image Processor with 20 field study images and three full colour manuals. Acorn Change FSI registered and compatible at only

PC Globe and PC USA are full colour graphical databases of the world with an amazing amount of retrievable data. The special Timestep education price is only £59.95

Send for our full catalogue.

Timestep Weather Systems


Wickhambrook Newmarket, CB8 8QA England. Tel: 0440 820040 Fax: 0440 820281

FREE support with all our systems

*Expert advice! on system purchase

*Expert help! on using your system

*Expert backup! software support and hardware servicing



CSS Computer Centre

Unit 3A Townfoot Ind. Est. BRAMPTON Cumbria CA8 1SW **2** 06977 3779



Acorn Qualified dealers and Unix centre

Authorised SJ Networks, installer *Education specialists Government plc and education orders welcome



RRDD



with every computer we sell...



... our expertise!

If you are buying a new Archimedes or Master Series computer, you don't expect to know all about it from day one. That's where we come in. We don't leave our customers high and dry with their problems — they know they can rely on us to get them out of trouble. Whether it's hardware or software, we're the people who know.

THE DATA STORE

6 Chatterton Road, Bromley, Kent Tel: 081-460 8991 Fax: 081-313 0400



From Britain's Largest Supplier of **Educational Software**

230 Page Guide To The Best Educational Software For BBC Nimbus Archimedes & IBM All Ages · All Subjects

For Your Free Copy Contact AVP **School Hill Centre** Chepstow Gwent NP6 5PH Telephone 0291 625439 0291 279671

Memory Expansion

A310

- Low power consumption
- Larger OS ROM option
- ARM3 compatible
- Includes MEMCla upgrade worth over £80
- 2Mb £225 4Mb £350

Phone for and quantity discounts

We have been upgrading 300 series computers for educational nearly two years, and established a reliability record second to none. Our 2Mb and 4Mb upgrades use quality components and fully tested circuit boards. We offer a no quibble money-back guarantee and a professional back-up service.

Send for our free information sheet. Then decide.

- A3000 Only 8 RAM chips low power consumption
 - User fittable no soldering required
 - Available as a "bare board" (ie sockets, but no RAM)
 - 4Mb £175 2Mb £65 Bare board £30

All prices include VAT.

Contact us for competitive prices on hard discs, ARM3 upgrades, backplanes, and all Acorn products.



Further information and price list from;



36 Upland Drive, Derriford, Plymouth PL6 6BD. (0752) 847286



► PRIZE £50★

EIGHT-BIT ATOMS

Readers of the erstwhile Risc Revue will be familiar with a game called Atoms - written for the Arc by Adrian St John. Garry Quested of Herne Bay has supplied a version for Beebs, Masters and even Electrons. You'll find the two listings needed on the yellow pages.

The game is a faithful adaptation of the original and the computer-player uses the same algorithm as supplied by L C Howe in June's Risc Revue. To play first enter and run MakeAts. This assembles some machine code and other data, saving the result as a file called AtCode. Now enter and run the main game - Atoms8. This loads the AtCode file and produces a display similar to the Archimedes version.

You are provided with a simple menu screen. To select the number of players press two to six. Each player can be computer or human controlled. The setting is marked by a C or H on the colour for that player. To change the setting use the cursor keys to move the arrow to the desired colour and press RETURN to toggle the control setting. When you are ready to start press s.

Players take turns to place atoms of their own colour on the board. You can put an atom on any empty square, shown as grey, or add one to a square of your own colour. When the number of atoms in a square exceeds the critical value an explosion occurs. One atom flies out in each direction, horizontally and vertically, converting the square it reaches to its own colour. The initial explosion may cause a chain reaction as other squares become unstable. The object of the game is to remove all your opponents' atoms from the screen. The critical value



DAVE ACTON and DAVE LAWRENCE

deliver a monthly mix of bits and pieces for your eight and 32-bit computers




Illustration by Andy Lovell

of a square depends on where it lies. Corners have a value of two, side squares three and central squares four. The value is the number of adjacent squares.

Garry's program works in mode 1, leaving little memory free for the game. That is why the code and other data has to be loaded in. You cannot use shadow memory when runnning the game as part of the code directly pokes the screen memory and PAGE should be no higher than &1100 when you CHAIN "Atoms8".

He employed various cunning devices to make the game look pretty on a Beeb. Mode 1 provides good screen resolution but the limited colours means that some work is needed to produce the range of colours required. Squares are plotted by the .showatom routine which is provided with a pair of bytes to describe the colour. The atom squares are stored as white with black dots and the byte pair is ANDed with this uncoloured image to produce the appropriately coloured square. Atoms8 shows that red, white and blue can be mixed to produce a nice variety of hues.

The locations of machine-code routines and board data are passed to Atoms8 in the first part of the AtCode file. The board consists of two 70 byte blocks of memory - one containing the number of atoms in each square and one their colour.

If you run Atoms8 with six computer players it will play as if you had run the Archimedes version, a good test of the faithfulness of the adaptation! It is quite easy to add a random element to the Arc version, although it will take a bit of machine-code, or a random number generator at the least, to do the same for the Beeb program. The extra lines needed for the Arc version are given as AtomRand. Add these to the original game from the April and June issues.



UNDER THE SEA

Hot on the heels of last month's nature theme is Coral32, a submission from Jan Vlietinck in Belgium. This simulates the growth of coral to produce some very attractive A results. It takes a start pattern, generated by the

computer or drawn with the mouse, and randomly encrusts it with colour. Jan's program was written for the Archimedes, but as usual we've come up with an eight-bit version called Coral8.


When run the Archimedes version draws a square box on the screen and will allow you to draw an initial pattern by moving the mouse, holding down the left button. Pressing the right button will produce a random smattering of pixels around the pointer, rather like an airbrush. When you are happy with your pattern press the middle button to start the growth stage. A mouse click when the plotting has finished will re-run the program.

As the BBC has no mouse the eight-bit version plots 10 random points for its initial pattern. If you have an AMX or Quest mouse you may like to add a suitable code to allow a user pattern to be entered.

The program works by picking a random point on the screen and, if it is black, checking the surrounding eight pixels. If any one of these is not black it will colour the original point. The actual



colour used is picked by a very contrived calculation in the 32bit version and a relatively simple one in the eight-bit version. In essence, a certain colour is used for a fixed number of pixels. The 32-bit version is more complicated because it makes use of 256



colours, compared to the eightbit's seven.

Luckily all this calculation is hidden so that all you have to do is don your snorkel and flippers, put a piece of velcro under your nose and pretend you're Jacques Cousteau...

BIGGEST AND BEST

M C

*Biggest is a utility to find large files, directories and applications. If you suddenly find yourself running out of space on your hard disc, running this program may reveal that you've got a couple of files of a megabyte or

more that you don't need. You can use *Biggest to find any particularly overloaded directories, or even to track down your most storage-hungry applications.

It has been written in Basic

for simplicity but makes use of two operating system calls, including OS_ReadArgs covered in last month's *INFO, to allow parameters to be passed to it as if it were a machine code utility. To run it simply type *Biggest, optionally followed by any of the parameters described below.

If you supply the single parameter -help, it will display a list of all the parameters you can give it - you'll probably recognise the format from the *EveryWhere command.

The program has been set up to run with sensible defaults, so if you just type *Biggest it will recursively search your currently mounted disc starting from \$ to find the 30 biggest files. These will be displayed in descending order along with their full pathnames, types and sizes. Supplying the Number

parameter allows you to change this default of 30. This was picked so as to fit the final list comfortably on a mode 0 screen, but you may well have a multisync or 19in mono monitor and be able to display 60 or more.

The next two options Type and Exclude let you select more precisely which files you want to count. Both can be followed by a single file type name such as Basic or a type number like &FFB or a list of types separated by semicolons, for example - Text; &DDC; Sprite. Type specifies the files you want to count and Exclude will count all except the ones you supply. For obvious reasons, you cannot supply some of each. As an alternative to these two options you can supply either the Applications or the Directories flag.




As Risc OS applications are not single files but whole directories you cannot simply specify a file type to the Type parameter. The Applications flag recognises a Risc OS application if a directory contains a file called RunImage. In this case the size of the files within that directory are added up. It is by no means law to have a file called RunImage, so *Biggest can't be totally foolproof; it just does the best it can. The program functions a little differently if the Directories flag is used. No recursion is used, so only the directories in the root are dealt with. Instead of counting files individually, the size of all the files within each directory in the root are added up, and the directories are ordered according to their total size. This is like doing *Count R for each directory.

As mentioned before, the program defaults to starting its search at \$. This can be changed with the Root parameter. Note that in *EveryWhere this was Directory. We have now changed *EveryWhere to accept Root instead. In the example of *EveryWhere below we have used Root, so to change your copy simply change the "directory/k," in line 3410 to "root/ k," and the "Directory" in line 3670 to "Root" then re-run the program to assemble the code. You should also change the D in last month's *Lock and *UnLock examples to R to maintain compatibility.

Next on the list is Single. This switches the recursion off and will just count the files within the given root. Directory sets this automatically. Format allows you to change the way the file sizes are printed; Decimal, Hexadecimal and Textual, Or any abbreviation thereof, are allowed. The first two should be self-explanatory; the last is the approximate form used by the *EX command.

If the Path flag is given, then the full path name of each file will be printed in the final output rather than the file name and the path name to it. This reveals a rather nasty display problem - what if the resulting output is longer than 80 characters? Well, there's not really much that can be done,



except to buy a bigger monitor! However the Split flag is provided to ease the situation. If present, the path name will be printed on a new line after the file size and type.

The final twiddle you can give is Verbose. This does not effect the final output of the program in any way, it merely provides a mug watch.

We thought that eight-bit users might find a version of *Biggest useful. Many will use ADFS as their main filing system and those with Econet could certainly find such a utility helpful. The eight-bit program Big8 is a menu-driven affair that runs in mode 7 as quite a lot of Ram has to be set aside to store full pathnames.

Upon running Big8 you are presented with the main menu. The first option is Start search which begins the counting process. To select which directory to search, the default being \$, select the second option on the menu and enter the pathname.

Although file types are not officially implemented on eight-bit machines, it is often possible to spot certain sorts of file by looking at their load and execution addresses. If you select the third option on the main menu you will be given a list of possible types to search for.

The All files option is selfexplanatory. Directory when selected will cause directories rather than files to be counted - just like the Arc version. This may be useful to Econet managers who want to find out

which users are guilty of gobbling up the most storage space. The remaining options can be selected individually. You may look for one or more at a time - an arrow to the left of an item indicates whether it will be searched for.

The file types are stored as a list of names in DATA statements at the end of Big8. Each type has a corresponding function with the same name, but if a file type is more than one word long only the first word is used for the function name. It is easy to add your own type to the list. Simply include the name in the list before Other and add your own function.

Each function takes as its parameters the load and executions addresses of a file and its size. It then checks these to see if they are consistent with the particular file type and then returns TRUE or FALSE accordingly. For example, FNScreen looks for mode 0, 1, 2, 4 and 5 screens. These will either have load addresses of &3000 or &5800 and a corresponding length of &5000 or &2800. It is perfectly possible to save a screen with different addresses - the absence of official file types means that Big8 can only provide an approximate guide.

The Verbose and Recurse options may be toggled on and off. In Verbose mode the five biggest files are shown as full pathnames, load and execution addresses, size in bytes or K, and suspected type if appropriate. Without the Verbose option the 20 biggest files are shown with their sizes in bytes. Any pathnames too long to fit on the screen are truncated and prefixed with '...'.

The Recurse option is normally on but may be switched off if you just want to look at the files in a directory and ignore any subdirectories. It is irrelevant if you have selected type Directory. Press ESCAPE at any time to return to the menu.

One feature of Big8 which deserves a mention is its use of linked lists. The Arc can shuffle the contents of arrays very easily, but moving filenames and other data about on a Beeb can take a long time. For this reason the information for each file displayed by Big8 is inserted into a list. The first entry, that is the smallest file shown, has entry number list% and the array next%() is used to store the position of the next biggest file. The value in next%() for the biggest file of all is -1, indicating the end of the list. In this way, no unnecessary memory shuffling need be done when a new file is found - the contents of the pointers in next%() are simply altered.

Incidentally, Big8 is not compatible with DFS. It is only really worth running it if you have a large directory structure, and DFS discs don't have proper directories.

LOCAL CALLS

the Arc from a Beeb or B Master you may not yet M have discovered all the C extra facilities Basic 5 has to offer in the way of local variables. On the A Beeb it was generally only possible to pass named variables to FNs and PROCs eg, fred\$, jim%. The Arc allows many other sorts of variables to be used locally though. Arrays can be given as

If you have moved onto

illustrates the idea. Three pieces of information - a byte, a word and a string are all stored in a block of memory and displayed. A procedure is then called with different values and these overwrite the original ones. However, because the parame-

parameters and, perhaps even

more surprisingly, so can

memory locations. LocalTest

ACORN ARCHIMEDES COMPUTERS EXPANSION OPTIONS FOR INDUSTRIAL & SCIENTIFIC APPLICATIONS

HARDWARE - IEEE488 Interface, 16 Bit Parallel I/O, Dual RS423 Serial Interface, 12 Bit ADC, STE Bus Interface and complete range of STE Bus Boards, SCSI Devices - Hard Discs, Magneto-Optical Drives, Tape Streamers, Removable Hard Discs, Monitors, Printers, Plotters, Plus all Acorn Products etc......

SOFTWARE - GINO-F 3D, GINOGRAF, GINOSURF, HERSHEY +, VIEWGRAF, VIEWSURF, Termulator etc......



ADVICE - SUPPLY - SUPPORT INTELLIGENT INTERFACES LTD

Established 1981

PO BOX 80, Eastleigh, Hants, SO5 5YX. TEL 0703 261514 FAX 0703 267904

FREE demo disc

ARCHWAY 2

Available NOW

"ARCHWAY is one of the most impressive and best value for money products that I have yet seen for the Archimedes. Anyone who wishes to write RISC applications in BASIC would have to be quite insane NOT to enlist the aid of this remarkable package.

"You get an excellent piece of software which will make the mountain of programming needed to operate the WIMP environment into a molehill...you can create a complex WIMP environment very quickly...I have had no end of use out of this easy-to-use package."

Archive, July 1989

"I am sure ARCHWAY will cut out a lot of the work of writing simple applications for many people...I think this could be a very good place to start.

"I'm extremely impressed with ARCHWAY 2. It's a very ambitious product and one that

BBC Acorn User, April 1991

now provides the many budding Archimedes developers with a facility that will enable them to get their ideas off the drawing board before they evaporate."

RISC User, April 1991

ARCHWAY 2 lets YOU unleash the huge program power of RISC OS and the ARM easily and quickly. Build powerful multi-tasking, multi-window applications with pop-up menus, icons, mouse control, etc. of professional quality. Programs are RISC OS compliant.

If you are a little familiar with BBC BASIC then you can create applications using ARCHWAY 2. We have optimised the facilities to let you achieve powerful results with a minimum of programming.

The price is L86.91 exc VAT but with p/p (L102.12 inc VAT at 17.5%). VISA & ACCESS are welcome. Please add £5.00 for postage in Europe or world-wide surface mail & £20.00 for world airmail. For schools a site licence is included in the price.

Detailed ARCHWAY leaflet and demo disc FREE on request. Ask for your LUCKY DIP voucher.

FREE Archware FREE Archware FREE Archware

The SOFTWARE BARGAIN OF THE DECADE. To promote the launch of our exciting new range of top quality Archware applications we are giving FREE software with every copy of ARCHWAY 2 sold this summer. You can choose at least 3 programs (or perhaps more with your LUCKY DIP voucher). Choose from a powerful database, Lotus compatible spreadsheet, graphics programs, games and more. Ten products in all. For full details ask for our Archware catalogue.

Your LUCKY DIP voucher tells you how many programs you can receive FREE. We send a voucher with each copy of ARCHWAY 2 purchased from Simtron between 1st July and 15th September. Or, just phone/write to ask for your voucher BEFORE ordering. Strictly ONE voucher per customer.

SIMTRON Programs to help you

4 Clarence Drive, East Grinstead, West Sussex RH19 4RZ Telephone (0342) 328188

Redwood Publishing

- publisher of twenty high-profile magazines including BBC Good Food, M&S Magazine and Acorn User - requires a

Computer Network Manager

to continue the development of its extensive Econet.

To do the job, you'll have to be:

- bright, responsible and flexible
- experienced on BBC micros, Econet management, View family software and Archimedes machines
- •willing to help 100 demanding journalists get the best from their micros

The post could suit someone leaving full-time education or a more experienced candidate. Knowledge of SJ Research fileservers, and an interest in magazines would be an advantage.

There will be the chance to be involved with desktop publishing and Apple Macs, and with other system developments at Redwood. Salary will be appropriate to experience, and there are good opportunities for career development.

To apply, write to Graham Bell, Systems Manager, at Redwood Publishing, 20-26 Brunswick Place, London N1 6DJ, enclosing a full CV.




ters given in a DEF statement are local, the original values are restored when the procedure comes to an end. Apart from its value in terms of consistency of variable types, this feature is particularly useful when defining procedures that pass on parameter blocks. For example, many Wimp calls, like SYS "Wimp_OpenWindow", require large blocks of data to be prepared. The parameters can simply be passed straight into a block of memory without fear of changing the original contents, like this:

DEF PROCopen (!g%, q%!4,q%!8...) "Wimp_ OpenWindow",,q% ENDPROC

MAKING WAVES

John Grayley has provided a graphic demonstration of the Arc's sound system in action. Wave displays the waveforms of all eight sound channels as they are play-A ing. With care you can run your own sound programs and watch their output.

Run the program and eight boxes will appear - each containing a display of the current output of a voice. To play a note press a key on the main keyboard which has been set up to imitate an organ. There are two manuals - from Z to / and from Q to \. These form the



white notes and the black notes are found in the rows above. To select which channel to play on press F1 to F8. You can also flush the current channel by pressing TAB - this will kill the current sound, leaving a snapshot of its waveform on the screen.


To quit press ESCAPE. Alternatively press F9 which provides a Basic shell. In fact this simply moves PAGE up above Wave so that the code to do the plotting is left intact. If you are careful you can run your own program. Any sounds produced will be shown in the boxes. Note that you must remove any lines from programs which might cause the screen to be corrupted, eg, any mode changes. You should also press CTRL-BREAK when finished to be safe.

The program is as legal as it can be, considering what it does! For example, the official start of screen memory is read for the plotting routine to use. However, several adventurous techniques are employed to allow the waves to be shown. Everything revolves around the redirection of certain branch instructions in the headers of the Arc voice generators. Wave calls the original routine and then uses the sound data to plot the graph. It is assumed that the addresses of the voice generators are stored consecutively &40 bytes into the sound system data block, and this is how the program finds the locations of the branches it must redirect.

AHHH... LDPIC!

Long standing readers of BAU may remember a cunning BBC screen com-M pression utility called SvPic. It was first pub-C lished in October 1986 E although it made its debut on the BAU Gallery Disc long before that. We recently came across a lot of BBC screens compressed with SvPic. Instead of decompressing them on a Beeb, transferring them to the Arc and tediously converting them, I wrote some Arm code to do it all for me. The result was a utility type file called *LdPic which decompresses any BBC screen in SvPic format and converts it to Archimedes mode 12. From here the screen can be *ScreenSave'd. I archived all the pictures I had with Spark and included an index sprite generated by Chris Ruseman's PicList application from a couple of months back. To use it just type *LdPic followed by a filename.

Expanding data onto an alien screen layout was far from trivial. In the end I kept a track of the BBC screen



address and converted it to an Archimedes address whenever a pixel had to be plotted.

Separate routines had to be written for converting the different BBC modes because of the various ways the screen memory can be laid out.

A general purpose routine could have been written, but it would have probably been longer than the 50 lines used here.

LITTLE LAMBS EAT IVY

B I recently wrote a program that generated a B drawfile and needed to centralise letters within C boxes. So I duly consulted the PRM to find the appropriate SWI to find the A width of a character. There are three possible calls which all do subtly different things. It was only after writing FontBoxes that I found the differences. Font_StringWidth is a complex SWI that will split a string intelligently, and can cope with font and colour changes. It is more attuned to text formatting than simple width calculation. On the surface the other two are very similar. Font_StringBBox returns the bounding box of a string and is the call I originally used to centralise my characters; Font_CharBBox returns a character's bounding box. The important difference is

that Font_StringBBox takes into account any extra padding around characters to make them monospaced for exam-

Font_CharBBox returns the maximum extent of the character itself. Its width can then be found by subtracting the minimum x from the maximum x as returned by the SWI. This is the call I actually used. The program FontBoxes demonstrates the difference



between these two calls. Both sorts of bounding box are ascertained, StringBBox is plotted in red and CharBBox in green.

To see the characters correctly anti-aliased, you'll need to have FontMax2 configured to around 40.

SMALL WONDERS

We have three one-line wonders for your delight this month. Jiggle comes M from Donna Parry of C County Durham, building on her earlier success with E Wiggle in the last ever A Eight Bits column. It works on all machines and can be entered without using keyword abbreviations. The picture produced has a three-dimensional curious, appearance and is made up by



simply plotting wiggly lines from left to right. The only rule to keep things in order is that lines never cross each other but always squeeze between their neighbours.

Duncan Lilly of Banbury has supplied us with a one-line masterpiece he evocatively named EyeStrain! This also works on all machines. It builds up a pattern from sine waves, by plotting them vertically up the screen. Parallel horizontal lines can be seen in the picture but, because of an optical illusion, they seem to get closer together – hence the program's title.


Finally we have an updated version of David Walters' amazing *String Thing* one-liner – see Risc Revue, May 1991. The enhancements come courtesy of **Ray Porter.**

He has added colour to the original and allowed the size of the string creature to be changed with the left and right mouse buttons. If you reduce its size enough the radius of each segment becomes negative. This has a curious and

largely inexplicable effect on the string's behaviour.

EVERYWHERE ELSE

The *EveryWhere command let loose on the unspecting world last month is currently back in shop undergoing some fine tuning. We hope to bring you the new version soon. In the meantime, here's a practical application of the utility. *ChangeType is an obey file that allows the type of a set of files to be changed to another type. Although changing sprite files to Templates is not, on the whole, useful, changing eight-bit Basic programs to official Archimedes type Basic is. This led to the creation of *ChangeType. As load addresses are not generally needed by Risc OS, it stores the file type in bits eight to 19 inclusive of the load address. A Basic program saved on an eight-bit machine has a load address of say &FFFF1900. Such a file will appear to Risc OS to be of type &F19. To change it to



Basic you would normally use: *SetType <file> Basic.

*ChangeType takes three parameters: a directory name and two file types. All files of type 1 within the given directory are changed to type 2. So, to change all eight-bit Basic files to Archimedes Basic files in directory \$.Progs you could

*ChangeType \$.Progs &F19 Basic and save yourself a lot of trouble. We suggest you create an Obey file with *Edit*, enter the command:

EveryWhere -r %0 -t %1 -c "SetType %%0 %2" -v

and save it as %.ChangeType. Note that we have assumed that you have made the necessary changes to *EverySrc* to allow the Root keyword instead of Directory. Please read the Biggest and Best item above for further details.

Portobello Trading Company



Scotland's leading Authorised Acorn Dealer has some very special offers available for May/June 1991

Get your 1mb Upgrade for £75.00 when bought with an A3000, 410/1 or 420/1.

All prices are subject to VAT @ 17.59

Archimedes 440

Base Unit £1000.00 Philips 8833mk.II £220.00 Colour Monitor

!!FREE - ACORN DTP - FREE!!

These are the "old style" 440 which have the 20mb Hard Disc and 4mb of RAM. They are fully compatible machines fitted with RISC OS and carry a years guarantee.

Prices are subject to VAT @ 17.5%.

As always, we offer a **Trade-In** facility.

This gives you the chance to trade in your old **working BBC B** for a minimum of £75.00 thus making your upgrade to an Archimedes system cheaper and easier.

We always have a wide variety of Acom related peripherals and software in stock.

Due to our trade-in equipment we also have a varied selection of used items.

Please call for current prices and availability.

For expert help and advice, please get in touch at the tel:number or address below:

298-302 Portobello High Street Edinburgh EH15 2AS

Open 9-5,30pm Monday - Saturday

Tel: (031) 657 3941 Fax:(031) 657 2988

Archimedes Software

RISC OS Terminals Plus

A new Archimedes communications package. Consists of Viewdata and text terminals providing accurate ANSI, VT100 and VT220 emulations. Fully RISC OS compliant. File transfer protocols supported include, ASCII, Xmodem, Ymodem, Zmodem, Kermit and CET Telesoftware. These programs have been written from scratch in ARM code, making them compact, and fast. Easy exchange of data with other tasks e.g. mark text for transfer to Edit. File transfers can take place whilst you work with other things. ACF scripts let logon and configuration be set up for easy reuse. Zmodem allows the resumption of interrupted downloads and achieves fast transfers.

Programs, manual, case £17.97 inclusive. (upgrade from disc 24, £11.98 + old disc)

£

Disc 7 - Chess Program for The Archimedes.

A Chess program that takes full advantage of RISC OS, installing itself on the icon bar and running on the desktop in a window. You can work with other programs whilst you play. Many features. Risc User July 1991 said: "Chess is an absolute bargain. playing at a comparable level it always beat Micro Power's offering. ...this has to be the one to go for".



Disc 16 - The Spark RISC OS Archive program

Spark, allows you to store files and directories in archive files in a very compressed form. e.g. sprites often take up only 10% of normal space. Files in archives, can be accessed just like files in disc directories. Reads these formats, zoo, zip, Izh, UNIX and Archie Tar, Compress. Reads and writes PKarc, SEA/PC arc, uucode, atob/CET+, FCET.



for 1Mbyte and floppy machines. Includes two full scale demos with source - an arcade style game, and a desktop Chinese checkers game.

- Disc 4 XLISP. Object oriented version of LISP, complete with C source code.

 Disc 5 C Toolkit, grep,awk,sed, cdecl, head, tail etc. 20 utility programs for C users.
- Disc 10 More C Tools, yacc and lex with examples and C source.
- Disc 19 Starchart. RISC OS program to make Draw starmaps. Catalog of 9000 stars.
- Disc 22 Novapaint Extensive 16 colour paint package, with two tone font system.

 Disc 23 Desktop Applications. Collection of desktop utilities and novelty programs

Discs £5.99 each inclusive. Buy four claim one free!

David Pilling, P.O. Box 22, Thornton Cleveleys, Blackpool. FY5 1LR.
Free Air Mail delivery on overseas orders. Extensive range of other Archimedes software available (programmers tools, games, utilities, art), please send for free list.

PipeDream Extras. 250,000 word US English dictionary, Printer buffer, and

autosave (automatically saves documents every so often). Needs hard disc.



*HELP

Another bug has come to light in Chris Ruseman's PicList application. Elwyn Morris has discovered that if a drawfile contains a font that cannot E be found, PicList locks A up! The correction is to * simply change the SYS on 8320 line to SYS "XFont_FindFont". The X prevents an immediate error, and allows PROCtext to exit harmlessly. Any text in this unknown font

Until two days ago, we had often wondered what the Look option to *COPY was actually for. The newer option ensures that files are not overwritten by older copies and this, on the face of it, would make the L option redundant. However even if a file is not ultimately copied, because a newer version is already there, it is still brought into memory only to be discarded! Copying from floppy to hard disc, say, can take a very long time even if no files are actually moved.

will not be shown.

But if the L flag is used as well, *COPY will check the date of any existing files and will only physically move anything if it has to, thus saving time and disc wear.

*QUIT

Once a month we are woken by a sinister knock on the door of our humble abode. Manhandled by the BAU goblins, we are incarcerated in the Redwood Dungeon where we are forced to write these sagacious pages. Few realise the horror of converting 32-bit programs to run on Electrons. But you can help. It's not your money we require - indeed, you may well earn a reward from the Redwood coffers. It is code we crave - programs for Beebs and Arcs alike. Large applications, one-line games, hints, tips or even the merest hint of an idea which you think may lighten our burden.

All donations will be given the attention and financial reward they deserve, and the very best will find their way into these distinguished leaves. Ideas are often more worthy of inclusion than their implementations, so fear not if you think your coding may be a little ropey. We have plenty of time in our Dungeon to tidy things up. So as the saying goes -Don't be iffy, put it in a Jiffy! We look forward to hearing from you...

Dave Lawrence, Dave Acton Send your jiffies to *INFO, BBC Acorn User, Redwood Publishing, 20-26 Brunswick Place, London N1 6DJ. All programs should be on disc and accompanied by a brief description of their purpose and operation.

COMPATIBILITY KEY

- B BBC B compatible
- B' BBC B+ compatible
- Master compatible M
- Master Compact compatible C
- E Electron compatible
- Archimedes compatible
- BBC A3000 compatible

★INFO COMPATIBILITY TABLE	3145
----------------------------------	------

	BBC B	Master	Electron	Arc
Info 1a (MakeATS)	*	*	*	
Info 1b (Atoms8)	*	*	*	
Info 2a (Coral32)				*
Info 2b (Coral8)	*	*	*	
Info 3a (Biggest32)				*
Info 3b (Biggest8)	*	*	*	
Info 4a (LDPicArm)				*
Info 5a (Wave)				*
Info 6a (Fontboxes)				*
Info 7a (Localtest)				*
Info 8a (Jiggle)	*	*	*	*
Info 8b (EyeStrain!)	*	*	*	*
Info 8c (StringFncC)				*

Arcounts Manager

The Professional Solution

FEATURES

- Sales, Purchase, **Nominal Ledgers**
- **Budget Reports**
- Sales/Purchase Analysis
- **Debt Chasing and other**
- **Aged Debt Analysis**
- Statements (User Definable)
- Re-Occurring Transactions
- Receipt/Payment/Refund
- & Contra Processing
- Invoice Search Facility
 RISCOS multi tasking
- Text Editor
- Trial Balance Quick Ratio VAT Return
- VAP Return
 Profit/Loss & Balance Sheet
- Self re-building data files
- Hold transaction or Account
- Miscellaneous Accounts Upgradeable
- Full Support included
- Mouse or Keyboard Driven

KENDAL COMPUTER CENTRE

68 Stramongate, Kendal, CUMBRIA LA9 4BD Tel: 0539 722559

Arcounts Manager is the ultimate Archimedes Accounting system on the market today. It is not written to run under an emulator and is not ported from another machine, it simply takes full advantage of the raw power of the Archimedes and A3000 computers rensure that the accounts is as simple as possible)

Areounts Manager is very simple to learn and use, data epthy is clear and logical, reports are concise and to the point.

Because Arcounts Manager puts you in control of your finances, it can greatly improve your cash flow, as well as perform the traditional functions such as VAT returns and Profit/Loss reports.

Priced at only £299.00 +VAT, there is really only one choice if you are serious about computerising your accounts. Contact your dealer for a demonstration TODAY.

Computer Services 16 Borough Crescent Stourbridge West Midlands DY8 3UT All offers are subject to availability. Carriage charges: (c) £7.50 (d) £10.00 (b) £3.50 (e) £15.00 Discs Free Pip R 11

oftware		Upgrades	
npression 2	£ 125b	Ifel 4 slot Backplane for A310	£ 65b
npression Junior	£ 66b	MEMC1a	£ 45a
asiWriter (NEW requires 2Mb)	£ 131b	Aleph One ARM-3	£ 369b
pedream 3	£ 112b	VIDC Enhancer	£ 26a
RAM Upgrades*		Hard Drives*	
Mb for A410/1	£ 33a	Quantum SCSI drives inc. fixing kit &	
Mb for A3000 (Atomwide)	£ 52a	Lingenuity SCSI card. Fast access <17ms.	
nk Jet Printers		52Mb Unformatted (1/3rd height)	£ 329c
P DeskJet 500 (3yr warranty)	£ 299e	105Mb Unformatted (1/3rd height)	£ 459d
anon BJ-10e	£ 219c	170Mb Unformatted	£ 659d
aser Printers	1.4-2,00-301	210Mb Unformatted	£ 729d
anon LBP4 (4ppm - 300 dpi)	£ 648e	External versions of above - cased with	
C Hi-Res board for above (600 dpi)	£ 299c	cables, PSU and Lingenuity SCSI card.	
anon LBP4 with CC Laser Direct Hi-Res board	£ 938e	52Mb Unformatted - available for all models	£ 449c
ser Direct Hi-Res Canon LBP8 (8ppm)	£1311e	105Mb Unformatted-available for all models	£ 599d
aser Direct (Qume - 300 dpi)	£ 844e	Syquest Removable 42Mb Drives	£ 465d
canners*		SCSI Drive taking 42Mb cartridges. Supplied	
C Scanlight 256 (NEW!)	£ 194b	in external case with leads and PSU; complete with one 42Mb cartridge.	
C Scanlight Plus Junior	£ 163b	Syquest 42Mb Cartridges	£ 63c
C Scanlight Plus A4	£ 345c	Oak SCSI card	£ 185b
neet Feeder for A4 Scanlight	£ 138c	Lingenuity SCSI card (A400/1 or A3000)	£ 145b
4 Scanlight with Sheet Feeder	£ 431c	Modems	
		Acex V21, V23, V22, V22bis, MNP5 error	£ 165c
GENUINE SONY BULK		correction, autodial, autoanswer.	£ 99b
BENOINE SONT B	OLK	Hyundai V21 V22 V22bis autodial autoanswer	~ //0

3.5" DSDD (1M) DISCS

Complete with labels 50 £20.00 100 £38.00

Ea

HI

Ca

Ca

Ca

La So CC CC

Sh

A

200 £72.00 400 £136.00 All Disc Orders Carriage Free

*State Computer Model when ordering

Fourth Dimension Games

Order any 1 and deduct 10% from prices advertised by 4th Dimension in this issue of Acorn User. Order 2 and deduct 15%. Order 3 and deduct 20%. Carriage on 1 £1.00 - on 2 or 3 £1.50

HAVE A BALL

Here is your chance to learn the art of juggling with a mind-boggling program from

NICK CRAIG-WOOD

ust as musicians have musical notation, jugglers have the Cambridge Jugglers Association (CJA)'s juggling notation. A juggling pattern consists of a sequence of numbers t₁ to t_n. This is, in effect, a program telling a juggler how to juggle the pattern. The juggler has a metronome which ticks at regular intervals, and i counts the number of ticks so far. Here's how it works:

- At every tick, throw and catch a ball
- Throw from alternate hands
- When you come to throw a ball from a hand look at where you have got to in the pattern. For example, take t_i , you must throw the ball you have in that hand so it stays up in the air for t_i ticks
- If t_i was even then throw the ball to the same hand, otherwise throw it to the opposite hand
- If t_i is 2 then keep the ball in your hand for two ticks
- If you get to the end of the pattern, go back to the beginning. (If i>n then i=i-n)

And that is all there is to it! Take a simple example, the pattern 5 l (five one, not fifty one). To juggle this you would first throw a five throw with your right hand, then a one throw with your left hand. This brings you to the end of the pattern, so you repeat those two throws again and again. This leads to balls going in a high arc from right to left and in a low arc from left to right. It's the standard clown's juggle, three balls 'round in a circle' or to be technical, a three shower.

Here are some more facts about the juggling notation which, if you are mathematically inclined, you can prove:

- The number of balls in a pattern is the average of the numbers in a pattern. For example the average of 5 and 1 is three hence the three balls in the pattern
- For a pattern to be jugglable the following must hold. Take a pattern $t_1..t_n$ and add 1 to t_1 , 2 to t_2 etc. The pattern you are left with should consist of several different numbers.

This condition is equivalent to saying that you must only catch one ball at a time. This doesn't quite catch all possible un-jugglable patterns. If



Illustration by Paul Wearing

the largest ti is bigger than the length of the pattern then it is necessary to use multiples of the pattern.

Some of the common patterns are: Cascades: 1, 2, 3, 4, 5, 6, 7, 8, 9 Showers: 31, 51, 71, 91

Three ball patterns: 3, 4 2, 4 2 3, 4 41, 51, 60, 612, 504, 531, 444 0,55500,50505

Four ball patterns: 4, 5 5 2, 5 5 5 1, 5 3 4 4 4, 5 3 4, 5 3, 6 2, 5 5 5 5 0, 6 60,633,7333,71

Five ball patterns: 5, 9 1, 6 4, 7 4 7 (and more of increasing difficulty)

The notation cannot represent every possible pattern because it is essentially for a one handed juggler, and would require extending to cover two hands.

However, it covers quite a lot of the patterns people like to juggle. It can't cope with simultaneous throws from the left and right hand, throwing more than one ball at once from one hand (multiplex throws) or catching more than one ball at once.

THE PROGRAM

The program is a super efficient juggler which can juggle any valid pattern. It was originally designed on an Atari ST to help me learn how to do the particularly mind stretching patterns (like 5 3 4). It works exactly like the description of the patterns above, except that it has been refined for realism.


First each ball is held in the hand for one tick of the metronome while being thrown, and the hands go round in small circles. This is roughly how people really juggle. The one throw is a bit different, to make it realistic. In practice, people tend to pass the one throws between the hands, so the program alters the timing to make it look more like this.

Here is a brief description of how the Arc version works; the BBC version works in a similar way, but is converted to machine code for speed. The program is in three main parts.


PROCgetpattern gets the pattern from the user, and applies a few checks to it. If the pattern length is odd, this makes it even by doubling it. This is because an odd length pattern swaps sides every pattern repeat which would be no good for storing trajectories.


The pattern is then checked to ensure it is for a whole number of balls and that it is jugglable (by the criteria mentioned above). Finally the scaling for the height of the highest throw in the pattern is done.

PROCtrack makes the trajectories for the hands into handx%(),handy%(). This









is so that you know where to land the balls and have them carried by the hands. The hands go round in circles at a half a revolution per tick.

Next the PROC makes the tracks of the balls into trackx%(),tracky%(). If a height h throw is dictated by the pattern, the program makes the ball follow the throwing hand for a half a tick then a parabolic arc for h-1 ticks with height proportional to (h-1)2, and then the catching hand for a half

When the throw is a two throw the ball never leaves the hand, and when it is a one throw it goes straight to the other hand, with a parabolic arc for one tick. Purists may disagree with this modification; it makes 3 1 look a little odd, but that is how people learn to juggle it!

PROCjuggle uses PROCtickjuggle which juggles the balls for a whole tick. This uses a straightforward double buffered screen to do the animation. The only tricky part in this is starting the pattern off. The balls appear by magic in the juggler's hand when they are ready for the off.

HOW TO JUGGLE

Half the battle in learning to juggle is having a coach. So now that you have a perfect juggler to imitate, here follows a short course in how to juggle three to five balls. First find practise, somewhere to and something to practise with. Tennis balls are less than ideal as they are too light, and a bit too big for smaller hands. Rubber balls - but not the solid rubber type - are quite good but they do tend to bounce all over the place. Probably the best thing to juggle with is a set of beanbags. It is easy to make some cubical ones filled with rice or sand, or you can buy some juggling bean bags at any reputable juggling shop. Over your bed is a good place to practise, or in the garden, but preferably not too near anything breakable.

When you are learning a new pattern count the catches you make to get some idea of how well you are doing. The CJA says that you can 'do' a pattern if you can make 100 catches. However the IJA measures it differently, as two rotations of the pattern (ie, 14 catches for seven balls).

Always learn each pattern with both hands. For instance when you learn how to juggle two balls in one hand, if you are right-handed make sure you learn to do it competently with your left hand as well.

If you get stuck in a groove alter

ARCHIMEDES

A3000 PRODUCTS

Monitor stand (A3K1) Probably the best monitor plinth available for the A3000 & the basis of a modular system.

£24 95

System housing (A3K2) When you are ready to expand the A3000 this system housing is added, allowing up to 2 floppy drives and a hard drive to be added. £69.50

Expansion card case (A3K3) If you are adding an expansion card ('podule') to an A3000, such as a hard disc card, then you will need this podule case to connect & protect the card.

£14 95

Disc buffer (A3K6) If an extra floppy drive/s is to be connected then you will require a disc buffer. This one supports up to 3 additional drives and incorporates software control for physical to logical drive mapping & 40/80 stepping which could prove essential when using discs in 65Host or PC emulator. A key feature is the built in expansion for further cards to be added internally; also see A3K12. NB some cheaper products may only provide connection for an additional drive without buffering. £48.95

20mb hard disc (A3K7) A 20 mb hard disc drive ready to fit in A3K2, including the hard disc card and all cabling. We are not aware of any other hard disc upgrade that is treated as an internal upgrade (consult your Acorn dealer or call PRES for details).

40 MB hard disc (A3K14) as A3K7 but twice the capacity.

£499.00

3½" additional floppy drive (A3K8) 3½" disc drive & mounting brackets for A3K2.
£75

5¼" additional floppy drive (A3K9) 5¾" disc drive & mounting brackets for A3K2 – ideally suited for 65Host or using the PC emulator.
£99.95

65Host 1770 DFS & DFS Filer (A3K12) A ROM & disc upgrade for A3K6 provides – 1) a desktop DFS filer that allows DFS files to be dragged to ADFS viewers or straight into applications as Edit or Pipedream. 2) BBC 1770 DFS for use in 65Host. Automatic Icon and loader which can allow BBC DFS discs to have <SHIFT BREAK> operation. "...effectively turns your A3000 into a model B..." Acorn User Sept '90.

All prices exc. VAT



"PRES's range of add-ons offers tremendous advantages. The system can grow with your pocket, it offers security and strength but most importantly it offers choice." (AU Feb.90)

The starting point is the monitor plinth, probably (we feel definitely) the best on the market (α only £24.95 (plus VAT), from there ... System Housing, Hard Disc Upgrade, Additional $3\frac{1}{2}$ " Disc Drive, Additional $5\frac{1}{4}$ " Disc Drive, Podule Case, Dedicated A3000 Disc Buffer, 1770 DFS for BBC Emulator & DFS Filer for Desktop, plus more to come! (the last three products can be added independently of the other items)

Contact your local dealer or call PRES direct on 0276 72046 for advice on upgrading your A3000. We have built our reputation on honest dealing on quality products with thousands of satisfied customers.

WE STILL PRODUCE & SUPPLY OUR RANGE OF "8 BIT" PRODUCTS FOR THE electron, BBC B AND MASTER. IF YOU WANT TO KNOW MORE ABOUT UPGRADING WITH ACORN COMPATIBLE PRODUCTS... CALL FOR DETAILS.

SPECIAL PRICE

DUE TO A REMARKABLE PURCHASE WE CAN OFFER OUR ARCHIMEDES HARD DISC UPGRADES FOR...

£100.00 LESS

THAN OUR NORMAL ADVERTISED PRICES

20 & 40 MB DRIVE UNITS COMPLETE WITH THE TRIED & TESTED ST506 (ACORN) EXPANSION CARD. COMPLETE WITH ALL NECESSARY CABLING & INSTRUCTIONS FOR SYSTEM FITTING.

SUBJECT TO AVAILABILITY

BY POPULAR DEMAND WE NOW SUPPLY A MUCH WIDER RANGE OF ACORN PRODUCTS.

SO WHY NOT JOIN THE MANY CUSTOMERS WHO SAY THEY PREFER DEALING WITH US BY CALLING THE NEXT TIME YOU REQUIRE ANY ACORN RELATED ITEMS.

EDUCATION AND DEALER ENQUIRIES WELCOME

STOP PRESS

FOR THE MANY CUSTOMERS WHO SAY THEY WOULD PREFER TO DEAL WITH US DIRECT... WE NOW OFFER A 'ONE STOP' SOURCE FOR YOUR ACORN REQUIREMENTS. THIS INCLUDES COMPLETE A3000 SYSTEMS, A400 SERIES AND LEARNING CURVE PACKAGES. PHONE FOR DETAILS.

NEW PRODUCTS

THE S.P.A.C.E. KIT ... FIT A SECOND HARD DISC TO YOUR A400 COMPUTER.

The Missing Link (TML) ... FAST DATA TRANSMISSION BETWEEN ARCS.

FLOPPY LOCK ... DISABLES AN ARCHIMEDES DRIVE BY LOCK & KEY.

COMING SOON

TRUE PODULE EXPANSION FOR A3000.









your pattern. Start with your other hand, or pitch your throws higher or lower. If this doesn't work practise something else. Everyone gets stuck at some time when learning to juggle a new pattern. It is to do with the way the hind-brain learns new patterns, so expect it and try not to wear the groove too deep, otherwise you will

have learnt a bad habit. A typical groove is stopping after four catches of three balls. It's just psychological, so carry on juggling!

If your pattern is going wrong, but you can still keep on juggling, then juggle. You will learn more by trying to keep juggling when it is going wrong, than by catching the balls and starting again. While learning to juggle three balls make sure you end by dropping all, or at least two, of the balls and not by catching all three. That can be learnt at a later stage, and will prove too difficult at this point.

To juggle three balls, learn the following patterns in roughly this

3 0 0: This is tossing one ball from hand to hand. It is quite important, so watch the program carefully. You throw on the inside and catch on the outside, in a distorted figure of eight. Ignore the program waving its hands around in circles; you don't have to do that! Throw the balls at a height you feel comfortable with, usually about head height. Do experiment! If you throw the balls higher you have more time, but less accuracy. It is a matter of compromise. Always watch the top of the arc of the ball, don't watch it landing in your hands.

3 3 0 2: This is the crucial bit in learning three balls. It consists of throwing (say) a ball from your right hand, then a ball from your left hand, catching one in your left hand and catching one in your right hand, in that order. Once you can do it one way round, learn how to do it the other way round (2 3 3 0). You will be doing this 'cross' all the time when you have mastered three balls. Make sure you get the balls to the same height each time. Ignore the program whirling a ball around in its hand! If you want to slow this bit down then add an even number of 2's onto the end of the pattern.

3 3 0: This is the previous pattern done one way round then the other way round. Some people find this more difficult than three balls, but it is worth practising.

3: Just go for it! If you get stuck in a routine try altering your pattern by throwing the first ball with your other hand, or throwing the balls higher or lower. (If you throw too high your pattern will look like 5 2 2). Make sure all the balls go to the same height, and that the slaps of the balls landing in your hands are making an even rhythm. Everyone I have ever taught ends up running across the room after their balls.

This is because (I think) that we have been conditioned to throw balls forward all our lives. You will stop doing this eventually; juggling in front of a wall may help. When you get really good at three balls, practise not looking at them. The pattern will become transparent - this

sounds odd, but you will understand what I mean when it happens. At this point the pattern is now entirely being done by your hind-brain, and you can use your fore-brain for anything you like (like speaking or watching TV). If you practise enough you will be able to juggle with your eyes closed. How to juggle four balls: There are lots of different ways to juggle four balls, but here is the easiest. First learn to juggle two balls in one hand (4 0) then learn to juggle two balls in the other hand (0 4). Now learn 4 4 4 0 (four with a hole). Some people find 4 4 1 helpful. Now learn 4 4 0 4, and then finally 4. Some other ways of juggling four are (roughly in order of difficulty) 5 3, 5 5 2, 5 5 5 1, 5 5 5 5 0, 7 1. You can put a 5 3 in 4 wherever you like. This gives rise to 5 3, 5 3 4, 5 3 4 4, 5 3 4 4 4 etc. Learn to juggle 5 3 by putting it in 4. There are many other sequences like that, for example 6 2 in 4, 633 in 4, 7 3 3 3 in 4, 4 2 in 3, 6 4 in 5. Use the program to experiment, and find other patterns to juggle. Juggling five balls is a lot more difficult than juggling four or three. It takes a lot of practise (say six months on average) but if you persevere with a little every day then you will make it in the end. Learn to do these patterns: 5 1, 1 5, 5 5 5 0 0, 5 0 5 0 5, 5 5 2, 5 5 5 1, 5 5 5 5 0, 5. Keep your

pattern wide enough. If you ever manage to do more than about 10 catches then you have broken the back of it - keep practising. If you want to juggle more than five, you are on your own. I knew a couple of people at Cambridge who could juggle seven balls and five clubs (not simultaneously!) so don't give up.

You can make up your own patterns, and a program to search them out wouldn't be too difficult to write. Juggling, I have found, is very good at combatting stress, so have a go! One final warning: juggling is addictive!

FURTHER INFORMATION


I only have one book on juggling and that is Juggling with Finesse by Kit Summers published by Finesse Press. ISBN 0-938981-00-5. It's full of wonderful photos, but the tricks are quite difficult to understand.

However, if you want to know anything about juggling, or buy loads more equipment, books etc, then I suggest you get a catalogue from: The Juggling Shop, 56 Islington Park St, London N1 1PX (071-354-5660).







For the A3000 & Archimedes computers










Special Offer Price £15

VISA

SELECTIVE SOFTWARE, 64 Brooks Road, STREET. Somerset BA16 0PP Tel. (0458) 43079



NC links & 100's of ideas.



'Arcaynia Demonstration Package 6'

Package consists of, a disc packed full of software exclusively for the Archimedes, including some useful applications, music, graphics, and a stunning demo exclusive to us. Plus a free copy of our 12 page July/August catalogue booklet.

We offer a second to none service, your order may be processed the same day, but we guarantee that it will be sent back out within 3 days. Our prices are brought down to as little as £1.30 per disc by our special offers such as below. Our application section has now been totally re-compiled, every application, demo, stereo track is listed in our professional printed catalogue booklet. Whether or not you've ordered PD before, try us now, we're sure you'll be impressed.

Special offer

Order now, and take advantage of this special offer, order any 3 of the discs below for £5, or any 7 for £10 and receive our Demonstration Package as detailed above absolutely free with either. Giving you a 15% saving.

- B60 Monty Phython's, I bet you they wont play this song on the radio sample
- C18 Ballroom Blitz (one of the best PD games we've seen) Duel, Excalibur
- D16 Clipart Military font, Maps, Musical font and loads more
- J03 Software copiers, all you need to copy any of your own commercial software
- F63 MTV Advanced Ray traced animation (requires 2 Mb)
- F70 Raytraced Teapot animation
- G42 Stereo Tracks Never Ending Story, Beast II, Mahoney, Nice Wet and Mean, Pestilence, Tengu
- G77 8 Bit Stereo Tracks Blue Peter, Ice Ice Baby, The Frogsong, Somewhere Over the Rainbow, Monty Phthons Mix, Xmas mix, Thunderbirds, Rawhide, Begin
- H06 Outline Fonts University, Stencil, AMTypewriter, Balloon, Bath, Bristol
- H05 Outline Fonts Brushscript, Revue, Algerian, Barcode, Switzerland, Buckingham

PO Box 1927 : Sutton Coldfield : B74 3QZ



Leopard Technology

3 Haughmond, Woodside Grange Road, London N12 8ST



081 445-3690 24hr 071 435 0005

Computer Specialists in : Acorn Archimedes, BBC A3000, and Master * Commodore Amiga, Psions and PC's * Full range of Software and Hardware Available ** ** Consultancy available *

A410/1 Archimedes was £ 1099.00 Only £ 949.00

Psion Organiser LZ64 Special Price £ 99.00

1 Mb Upgrade for A3000 was £ 79.00

Only 64.99

Personal software and hardware tuition for the Arch, PC and MAC at home or work.

Courses start at only £99.00

Econet setup and maintenance specialists.

and schools, 10% to 15% discount off retail prices for a limited time Full years maintenance and valet cleaning services Only £60

32K datapaks Only £ 24.90

This is a small selection of what we do. Phone for prices & any special offers

All Prices are excluding VAT and delivery

305/310 Memory - 4Mb £170

High quality upgrade to 4Mb RAM. Requires some ability in soldering or ask your dealer to fit. MEMC1a not necessary. Will not obstruct other upgrades (ARM3, larger OS-Roms, MEMC1a, external floppy buffer) as our board lives under the disk drive bridge. Low-power consuming, fully buffered, eight-chip design avoids overheating for reliable operation. Full instructions included.

A3000 Memory 1Mb £55 - 4Mb £140

Easy-to-fit, plug-in, upgrade to 2 or 4Mb of RAM. Quality sockets enable future user-upgrading to 4 Mb by simple replacement of the eight chips, at a cost of £130. Compatible with other internal upgrades. Low power eight-chip design avoids overheating, ensuring reliable operation. Instructions included.

A400/1 Memory - £35 per Mb

Upgrade to 2 or 4Mb using our easy-to-fit memory packs, with full instructions.

SCSI Hard Drives at Sensible Prices

Internal quiet and reliable Fujitsu and Seagate preformatted drives, complete with mounting kit, cables and fast 8-bit 2091 podule for 300/400 series.

45Mb - £299 85Mb - £399 135Mp - £499 180Mb - £599

External drives for the A3000 are available with mini-podule but will need our stylish metal case with integral switched PSU and fan for an additional £95.

Quality Assurance - everything we sell is fully tested before despatch

Carriage free within EEC. 10% educational discount on memory upgrades. Please make cheques payable to SIMTEC. VAT to be added to UK orders.



Avondale Drive, Tarleton, Preston, Lancs. PR4 6AX Tel: (0772) 812863

DOING IT WITH DTP

hanging from a conventional publishing system - all scissors, paste and yards of galleys - to desktop publishing is a giant leap for a large magazine. Our decision to do it on the Archimedes made it a leap in the dark. But as the editorial team described last month, it has been a great success: the Arc is now a proven professional publishing platform. So how was it done? The problems boil down to two areas consistency and compatibility.

COMPATIBILITY

For many desktop publishers in schools, colleges or at home, the compatibility problems of desktop publishing are this - 'How can I turn my Impression files into the bromide or film required by the printer?'

For quality results, laser printer output just isn't good enough. And you might want a page bigger than A4, which you can't print on your printer. BBC Acorn User uses Computer Concepts' Laserdirect printers for proofing inhouse, but requires larger-than-A4 bromide and film to be made for the final printing stage.


In the Macintosh world, it's easy. You send your Aldus Pagemaker or Quark Xpress files to an imagesetting bureau. An imagesetter, with its attendant Postscript RIP, is, in principle, little more than a precision laser printer that prints directly onto photographic paper (bromide) or film. But where a laser printer lays down 300 dots per inch, imagesetters typically use 1200 or 2400 dots per inch, giving much finer results.

This simple scheme is fine for many documents, but it can lead you into trouble if, for example, you add extra fonts to your Archimedes, you want to use paper bigger than A4 or you use any graphics in your documents.

The Postscript printing works by associating each of your Archimedes outline fonts with a similar Postscript font, so Homerton is linked to Helvetica, Trinity to Times and so on. These linked fonts must be compatible - the letters must be the same and must have the same width. Many Archimedes fonts are compatible, but some of the more decorative examples are not. Acorn, Beebug, Computer Concepts and Electronic Font Foundry provide a range of compatible fonts. Each new font requires two alterations in the file PSprolog which is inside the PrinterPS application directory, and new fonts come either with a new PSprolog file or instructions for changing your original.

Computer Concepts' Expression PS can help out with this - it automatically associates your Archimedes fonts with their Postscript equivalents, saving you the trouble of altering PSprolog. But none of this is any help if the bureau doesn't own the Postscript equivalent for the Arc font you want. So check that the bureau has every font you want - it could cost an extra £150 to £200 to buy a Postscript font.

Graphics are a separate problem. Postscript is a 'resolution-independent' graphics language, so



you should get much the same result from a laser printer and an imagesetter - except the imagesetter gives a much crisper image. But that means the halftones - the dotty greys you get if you print a sprite or drawing - are also the same, still coarse and dotty, even on the highest resolution imagesetter.

This coarseness is controlled by the screening frequency, usually measured in lines per inch. PrinterPS sets this to 60, giving the familiar coarse dotted patterns. If you're using an imagesetter for your output, you can change this frequency to 125, 133 or even 150 lines per inch, which will give much better results on drawings, scans and even grey type. Again, Expression PS is the most convenient way of setting the screening frequency.


The finest frequency you can use depends on the printing press and paper you intend to use, so take advice from your printer. Expression PS also allows you to set the paper to anything up to tabloid size - though again check with your bureau the maximum width of its output, as many can't print anything wider than 300mm and that's not quite enough for A3 output with crop marks).

GRAHAM BELL

explains how you can get the best from your DTP system

DTP FILE TRANSFER MADE SIMPLE

- Load Impression and your document.
- Load PrinterPS, the Postscript printer driver, and use the menu to set it to print to a file rather than the parallel or serial port. The file name could be something like 'adfs::4.\$.page6/ps'.
- Print the Impression document. This creates a file called 'page6/ps' on your disc. The file contains the Postscript commands for printing the page - you can look at them by loading the file into Edit.
- Use Minerva's PC Access or PC Dir from Norwich Careware to transfer the file to a PCformat 720K floppy disc. PC Access has the advantage that you can format these 720K PC discs on your Arc.
- Take the 720K PC disc to your bureau. Apple Macintoshes can read PC discs using applications like Apple File Exchange or Dayna Dos Mounter, and the file can be downloaded to the imagesetter using Font Downloader or its equivalent.



For a limited period only we are offering a complete Impression II package (worth almost £200) free with every LaserDirect or LaserDirect HiRes printer purchased.


LaserDirect offers the most advanced printing system available for Archimedes owners. 300 dpi 6 page per minute printers are available. The software is compatible with all RISC OS applications and outline fonts.

Background printing • Page compression • Page queueing • FastText mode for outline font printing twice as fast as the next fastest printer • A choice of half-tone settings • Epson LQ emulation for printing from FirstWord, Basic etc. • Educational discounts available





LaserDirect 6 pages per minute, £999+VAT (£1173.82 inc.)



Gaddesden Place Hemel Hempstead Herts HP2 6EX Tel 0442 63933 Fax 0442 231632





FIRST SCREENING

JOHN ROBINSON broadens your mind with this clever program for your monitor and Beeb

ow often have you wished that you could use more than the normal 72 characters you get in View? Wouldn't it be nice to see a bit more of that spreadsheet you're working on? Well, here's a simple solution. Normally the widest screen provided by the BBC is 80 characters wide. With this program, you can increase this to as wide as your monitor will display. You will, however, lose a few lines of the display. This is because the maximum screen length that the hardware will work with is 20K. Type in the source code on the yellow pages, and save it out of the way somewhere. Now run it. It will save a file called Wide102.

Type *Wide102 to get the routine going. If you find that 102 characters is too wide or too narrow, delete Wide102, press BREAK, change the number in line 180, and run the program again. Repeat this process until you find a width which suits your monitor. Don't run the routine twice the machine will hang until you press BREAK if you do.

Run the program again to save onto your utility disc, or into your library. The program works out the maximum number of lines possible for that width. The most efficient widths (ie, those which waste the least memory) are 94, 98, 102, 106, 111 and 117 characters. The routine will also provide a wider version of mode 4 half the width of mode 0.

The routine works by trapping the operating system VDU control routine OSWRCH, and setting up the extra-wide screen mode when you select mode 0 or mode 4. It starts at .init_start by checking that the user hasn't added any parameters to the command, because the command doesn't need any parameters, and if it didn't display an error, that would imply that it had accepted the

At .no_bad_syntax the routine saves the contents of the OSWRCH vector and puts in its own entry address. This means the routine is called every time OSWRCH is called, and it can use the original OSWRCH when necessary. Then it selects the new mode 0. When OSWRCH is called the routine is entered at .newwrch. It checks at .checknewmode to see if a VDU 22 has been issued - the VDU command for MODE.

If one has been issued, it sets a flag to change mode the next time a VDU command is issued the next command will be the mode number. If it wasn't a VDU 22 command, it just passes the command on to the OS at the original contents of the WRCH vector.

When a VDU 22 is issued, the routine takes the next VDU command to be the mode number. At line 1160 of the source, the routine executes the command as normal, then checks to see if a new mode is required. If it wasn't a new mode that was selected, the routine goes back to the OS as




Illustration by Gary Wing

usual. The most important part of the whole program is the part which actually sets up the new modes. This bit starts at .setUpXtraWide. Obviously it is necessary to manipulate the video hardware. All the manipulation is done using the 6845 CRTC chip, by changing the contents of its registers. The table below shows how each register should be changed to give the new mode 0 display.

This routine has been tested and found to work with View, Viewsheet and the Basic Editor. The routine hasn't been tested with the Inter series because it has its own wide display modes. It doesn't work on a Master at all, however, because of the absence of the pointer

Well, I hope you find the program as useful as I frequently do.

THE 6845 CRTC REGISTERS

Number	Description	Mode 0	Wide mode 0	Comment
0	Total width	127	unchanged	The monitor is the same width
1	Displayed width	80	new width	Want to display full width
2	Horiz sync position	98	57+new width/2	To centre display on monitor
3	Sync width	&28	unchanged	The monitor is the same width
4	Total height	38	34	It complains if you don't do this
5	Vertical sync adjust	*TVx	0 (done with *TV)	
6	Displayed height	32	&A00/newwidth	Fewer lines now
7	Vertical sync posn.	34	&500/new width+18	To centre display on monitor
8	Interlace and delay	*TVn,x	0(done with *TV)	Without interlace only
9	Scan lines per char	7	8(adds a space)	Works better, and more pleasantly
10	Cursor start	8	unchanged	
11	Cursor end	8	unchanged	All the other registers are left
12,13	Memory pointer	changes	same	Up to the OS to set and change as
14,15	Cursor pointer	changes	same	it thinks fit, from the data in page 3
16,17	Light pen pointer	changes	same	

OFF YOUR Buy some time with DA LAWRENCE's fuss-free shopping list program

Buy some time with **DAVE** shopping list program

number of months ago I was wandering around Sainsburys, idly threatening little old ladies with my appalling trolley control, trying to remember whether or not we needed mixed beans. Yet again I had left that all-important shopping list, written on the back of an envelope, on the kitchen table.

When I got home and consulted the list, sure enough I had written down mixed beans. However on careful inspection of the bottom cupboard not only did I unearth two emergency tins, but I also discovered that we were out of spaghetti and that once again we'd forgotten to buy chopped tomatoes.

On my next shopping trip I fared slightly better, remembering the spaghetti and tomatoes and even deliberately passing the mixed beans. Then, while standing in the checkout queue thinking how much more interesting the shopping of the person in front looked, I had an idea to build-up a specialised database to keep track of what I buy and when I buy it. It would then be able to carry out a bit of detective work on the data, and produce a shopping list based on how long it usually takes me to eat my way through each item. I got a bit carried away and almost wrote to Mr Sainsbury to ask if he could supply till receipts on 800K ADFS discs. A more realistic proposal would be to scan in the paper receipt and perform a little OCR.

Having determined what was needed I set about writing the program. The finished listing, Trolley, can be found on the yellow pages. The program works in mode 7 so it will not work on an Electron. It is, however, Basic 5 compatible and will work on an Archimedes or A3000, albeit in emulated mode 7. A Risc OS version is in the pipeline and should appear in BAU soon.

USING THE PROGRAM

The program first needs to find out the day's date. Masters and Arcs will read this from the real time clock using the TIME\$ pseudo variable. On other machines it attempts to find the date in a file called Date. If this is not present it will assume a default of January 1 1991. In either case you will be invited to enter the correct date using the left and right cursor keys. Pressing SHIFT will speed up the date movement, and RETURN will enter the date and save it in the Date file ready for use the next time.

The program's menu will then appear. The purpose of the menu options should be self explanatory. In addition to the keys shown you




Illustration by Angela Wood

can use ESCAPE to enter Edit mode. As you have not yet entered any data you will not be able to save a file or produce a list, so you'll have to choose Edit list and type some in. you'll only be able to do this if you've just been shopping and have a list of the things you've bought.

ENTERING DATA

Edit mode consists of a scrollable list of all the items you have bought, arranged with the most frequently bought objects at the top. The first 10 are labelled F0 to F9 for quick access, and the last one is marked =>, being the place where you type in new items. The list is scrolled with the

shopping he shopping he shopped Chapped Chappe up and down cursor keys. In addition, CTRL-UP will take you to the top of the list and CTRL-DOWN to the bottom, where you enter any new items. To enter a new item simply type in its name and press RETURN. This will create a new => slot below and move the cursor

there. To alter the name of an existing item, highlight it with the cursor and press RETURN. To exit from Edit mode press RETURN again.

Typing in names does just that. It will not register a purchase. To tell the program you have actually bought something, highlight the item with the cursor and press a number between one and nine, depending on the quantity you bought. Numbers higher than nine and less than 254 can be entered using the + and keys. If you mistakenly enter a quantity for an item you didn't buy, press DELETE to remove the number. Once you have told the computer all the things you have bought, press ESCAPE to leave the list editor and save your file. As you will have typed your data in from scratch a default filename will be given. This can be removed by pressing CTRL-U and a sensible name inserted -I call my list DL's. Before the file is saved the data is sorted. As this can take a while, it tells you what it is doing at the bottom of the screen.

I'm afraid that that's all you can do for now. To produce a shopping list the program needs at least two sets of data, so you'll just have to go shopping again and enter some more data before reading on!

PRODUCING A LIST

If you've been using Trolley for a couple of weeks, religiously telling it all the things you have bought, you will now be able to use the Produce list option. This will first prompt you for a file name to save the list under. However a default name, based on the day's date, is provided in case you can't be bothered to think of one yourself.

At this stage there are a number of special options - if you give it either an empty string or VDU: the list will be displayed on the screen. Alternatively, PRINTER: can be used to provide a hard copy. In any case the date and name of the list file eg, DL's, will be output along with a list of items the program thinks you might need. I'll explain how this works below. You can now use this as a basis for your actual shopping list.

When you get back from the shops, run the program again and enter all the things that you bought. There is however one unwritten rule about producing lists and that is that you must give the program information about all the things it suggested you should get, even if you didn't actually purchase them all. For example, if you still had some of that item left in stock and didn't buy any more you should enter X instead of a quantity for that particular item. The only exception to this is if you meant to buy an item but couldn't because they'd sold out or you just forgot. In this case don't enter any quantity

ITALIAN DRESSING	0.79
POTATOES 2KC REDUCED PRICE	0.69
POTATOES 2KG	
REDUCED PRICE	0.69
JS SWEET CORN JS TUNA SKIPJAK	0.33
FELIX TRUT/SHRMP	0.36
TINNED TOMATOES	0.21
FELIX BEEF	0.36
FELIX TRUT/SHRMP FELIX TUNA	0.36
MISC PEELD TOHS	0.39
JS TUNA SKIPJAK	0.39
JS SWEETCORN	0.38
FELIX DUCK/HEART	0.36
FELIX RABBIT FELIX CHICKEN	0.36
TINNED TOMATOES	0.21
TINNED TOMATOES	0.21
JS SWEET CORN	0.33
TINNED TOMATOES	0.21
JS BAKED BEANS JS SWEETCORN	0.27
WHOLE BEANS	1.19
W/MEAL SLD BREAD	0.70
CHOC DIGSTV BARS	0.49
JS SOUP IN CUPX4 ORAL B T/BRUSH	0.68
JS CHEESE S/WICH	1.42
EANANAS	
1.14 15 @ £0.59/15	0.67
SPAG IN TOM SCE	0.23
GRAPEFRUIT GRANNY SMITH	0.28
1.48 15 @ £0.59/15	0.87
JS JACKET CRISPS	0.97
HULA HOOPS X10	1.29
ONIONS 2.56 15 0 £0.45/15	
JS S.FLOWER MARG	1.15
JS F/RANGE EGGS	0.89
JS BLEND BUTTER	
4 @ £0.54	2.16
JS SNAX JS F/HOUSE CHEDO	2.42
JS D/GLOUCESTER	0.85
JS F/HOUSE CHEDD	2.50
JS FILTER COFFEE	1.67
JS JACKET CRISPS	0.97
W/MEAL SLD BREAD MUSHROOMS	0.70
1.14 1b 8 £1.40/1b	1.60
JS FILTER COFFEE	1.67
TOMATOES	_ 11
1.43 15 0 £0.52/15 WHOLE CUCUMBER	0.74
PINEAPPLES	0.50
COURGETTES	
1.26 1b € £0.49/1b	0.62
JS GRAPES LOOSE	0.75
0.69 16 0 £1.08/16 SOFT MINTS X 3	0.60
GREEN PEPPERS	
0.43 1b 8 £1.09/1b	0.47
CARROTS	
CARROTS 2.36 15 0 £0.35/15 CAULIFLOWER	0.83
ICEBERG LETTUCE	0.75
	0.00
76 BAL DUE	83.38
	83.38
	83.38 83.38
CHEQUE	83.38 83.38 0.00

into the list editor. The program will remind you to get some next time!

And that's all there is to it – just remember to use the program to produce a list each time you shop and ensure you enter all the things you bought when you return. If you do use the program a lot, you may like to change the default name supplied to the file load option. This is the list\$ variable in line 60.

HOW IT WORKS

The data is stored as Ascii characters in the file. Each item is named and has a counter for the total number of times it has been bought. There is an additional list of dates and quantities for the last few times the item has been purchased. The actual number is controlled by the maxslots variable in PROCinit. When a file is loaded this data is converted into a 96 byte record containing the same information but in a machinereadable form. Most of the program is taken up by the editor. The actual list production is handled by PROClist and PROCcalculate at the very end of the program.

PROClist examines each item in your list and if there are two or more date entries for it it calls PROCealculat; no predictions can be made if you've only bought something once. PROCealculate does all the dirty work, calculating the period between the first time you bought the item and the most recent. It then adds up the total quantity bought within that period, not including the number bought on your most recent shopping trip. From this it can calculate how long, on average, it takes to consume one item. It multiplies this time by the number of items bought on your last trip to work out, as best it can, how long these will last. This time is added on to the date of your last trip to come up with a date of when it thinks you will probably run out.

A second period is calculated which ignores any trips where you did not buy the item ie, where you entered X in the list. This is divided by the numbr of trips made in that period, to calculate the average duration between purchases for the item. If the run out date falls before today plus half the average period then the program reminds you to replace it. Originally I did not add on this average, but the program then only reminded me when it was too late! Adding the whole average on causes a reminder if you go shopping at any point midweek. This became annoying if you were just going shopping the next day because you'd forgotten a few things. Adding half the average is therefore a compromise which seems to work reasonably well.

The higher the value of maxslots the longer the program will remind you to buy things even if you don't need them. Eventually all the quantities stored will become zero and the program will forget about that item.

I've not been able to exhaustively test the program, but it does seem to give the expected results. I'd be very interested to hear from anyone who uses the program seriously and also if anyone can verify that the algorithm outlined above is indeed correct!

You may think you know how to use a program, but are you using it properly? Software guru PAUL JAMES tells how you, too, can be a power user

ou've learnt enough about the Desktop and Risc Os to be able to use any application now at its simplest level, which was the prime aim of our first series, First Steps. But using an application efficiently and to its full potential is another story.

This new series will put an individual application under the microscope and lead you through its more specialised functions, tell you

what you can use it for, and perhaps help you how to get round a few problems that the application poses.

We begin with 1st Word Plus. This application is best described as a wordprocessor - indeed that's what it is. Its main aim is to allow you to write letters or documents and print them out.

It is quite memoryhungry and is most at home on a machine with more than 1Mb

of memory, as are most applications. However there is a simple bug in earlier versions of the application which means that when you run it all of the available memory is 'eaten'. This can be fixed quite simply by editing the Run file inside the application directory.

First of all load Edit then place your 1st Word Plus backup disc in the drive. If you haven't got one then make one. Now hold down SHIFT and double click on the 1st Word Plus application. A directory viewer will open showing all the files you have available.

Drag the file called !Run onto the Edit icon on the icon bar by holding down Select then moving the pointer while still holding the button, and letting go when the pointer is pointing at the

The !Run file is obeyed when you double

click on the application. It sets up some variables, particularly one that can be used to find out which disc the application is on, tells the computer how much memory the application needs, then runs the actual code that is the application. Newer versions of 1st Word Plus will have been modified and if your version has then a short note at the top of the !Run file will say so. If not then you will have to modify it

vourself


The line that tells the application how much memory it is allowed to claim is the one that begins Wimpslot min. You will have to scroll the Edit window down to find it. If this line just reads WimpSlot -min 416k then this allows the application to take all the memory it can. Adding a -max 608k after the -min 416k tells 1st Word Plus that it isn't allowed to take more 608K. than

Click on the Edit window and using the cursor keys to position the caret after the -min 416k then type the -max line.

Your line should now read WimpSlot -min 416k max 608k. This clears up many problems experienced by owners of early versions of 1st Word Plus, and makes it usable if you have only 1Mb of memory, but this is no excuse not to upgrade though.

Now re-save the edited !Run file by moving over the Save option and clicking on OK. Because you loaded it from disc Edit knows where to put the file so you don't need to drag it to a directory viewer. Close the directory viewer and quit Edit.

Load 1st Word Plus and close the directory viewer. This can be done in one fell swoop by double clicking with Adjust on the filer icon for



PRACTICE TEXT

...in the case of this month's disc, this is fine for programs like Trees in the *INFO section, which will run straight away. But for the scrolling routine it is more of a problem.

You need to run the MakeFont program first which will save some data to the disc. As the disc arrives write-protected, this will cause an error - to use many of the programs on the Monthly Disc it is best to transfer them to another disc and run them from there, from Basic, not the desktop, as instructed above.

Listed here are some of the commands that will help you find your way around the monthly disc while in Basic...

the application. Bring up a 1st Word Plus window by clicking on its icon on the icon bar.

The window is a bit more complicated than an Edit window. Most notable is the ruler, which has tab positions and margins marked on it. Now type in the three specimen paragraphs in the first box. Don't worry about mistakes - in fact make a couple of spelling mistakes on purpose. When you reach the end of a paragraph press RETURN twice.

Notice that when the cursor reaches the right margin, denoted by the ']' character on the ruler,

Listed here are some of the commands that will help you find your way around the monthly disc while in Basic:

adfs::Hard_One.\$.FirstWBit *

case of this month's disc, this is fine for programs like in the *Info section, which will run straight away. But for rolling routine it is more of a problem.

Listed here are some of the commands that will help you find your way around the monthly disc while in Basic:

PARAGRAPH TWO REFORMATTED

You need to run the MakeFont program first which will data to the disc. As the disc arrives weite-protected cause am error - to use many of the programs on the Hit is best to transfer then to amother disc and run t there, from Basic, not the desktop, as instructed abo

THE TEXT AS YOU TYPE IT IN

14 18 Reduned

the word that you are typing is forced down to the next line. This is one of the main features of a wordprocessor and is the reason Edit can't be described as one, (when it reaches the end of a line, the cursor simply moves onto the next one and splits the word). This feature can be turned off, by unticking the Wordwrap option from the Edit submenu, but then you might just as well use Edit.

Put the cursor on the first line of the second paragraph and choose Add Ruler from the Layout submenu, an Add Ruler dialogue box will pop up. Don't worry about the options here for the moment, just click on OK. Now from the cursor downwards, to the bottom of the text or the next ruler, this new ruler takes effect

on the text. You can add as many rulers as you like and moving the cursor across ruler boundaries will adjust the ruler display accordingly.

To alter the width of a ruler press and hold Select over the right hand margin character (the]). Drop it about half way along the ruler and let go of Select. This is now the right margin. To reformat your text to this margin place the cursor at the beginning of the paragraph and choose Reformat Paragraph from the Style

When you reformat text, 1st Word Plus may try to hyphenate a word, but it will ask you first. You can move the hyphen left or right in the word with the arrow icons to the position where it looks best, then click on OK. If you don't want that word hyphenated then click on cancel. Click on Disable to turn hyphenation off completely, you can also do this from the Edit submenu.

'Soft' hyphens inserted by 1st Word Plus to break words across lines, those which may well disappear when the text is reformatted are represented by tildes (*) on screen, but in print they come out as ordinary hyphens. This is to distinguish them from hyphens you have inserted yourself in phrases such as 'single-line'.

You can position this margin more accurately by bringing up the Modify Ruler dialogue box. To do this double click on the little fork symbol at the far left of the ruler. Now you can make the ruler length exactly the number of characters you want by typing the value in the Ruler Length box, if you've got time to waste you could even use the arrow characters. Clicking on OK fixes the margin, now position the cursor at

三の

the start of the paragraph and choose Reformat Paragraph, or Reformat Whole Document.

Try putting the cursor in the second paragraph and holding down Select over the fork symbol. A line will be shown down the left-hand side of the page, extending from the start of the current ruler to the end of it.

You can also adjust the left margin. Place the cursor at the beginning of the last paragraph and choose Add Ruler again. This time drag the left margin about 10 characters in. Now if you choose Reformat Paragraph the text will be indented.

Another feature of rulers is whether or not text is 'ragged right' or fully justified between them. Place the cursor at the beginning of the sec-

ond paragraph and bring up the modify ruler dialogue box by double clicking on the fork symbol. Click the justify button on and click on OK. Now if you reformat the paragraph with F7 (the key shortcut for Reformat Paragraph) then the text will be fully justified, extra spaces are put between words to make up the width of the lines to the width of the ruler.

Tables can be laid out in 1st Word Plus using the TAB key. Pressing it will insert spaces until the next tab character on the ruler is reached. You can alter the position of these characters by clicking Select on one to delete it, then clicking elsewhere along the ruler to place a new one. A quick way to delete all of the tabs is to pull the right margin across, let go of it, then pull it back.

Double clicking on a tab will turn it into a hash mark (#) which denotes a decimal tab. When you tab across to one of these anything you type will go to the left of the tab, until you press SPACE or FULL STOP or the text reaches any text or tab character before it. Since printers are capable of a great many effects, 1st Word Plus is able to use these. Adding a style to an area of





SPACED OUT

1st Word doesn't use normal spaces - instead it uses a special code for a space. So for the reformatting to work correctly when importing text into 1st word Plus you must first change all of the spaces to this special code. This can be done in Edit by loading the text and choosing Find from the Edit submenu. In the Find box put a space and in the replace box type \x1e, make sure that the magic characters are turned on. Press RETURN then replace until 'End of File', now save your text into 1st Word Plus and choose Reformat Whole Document from the Style menu.

f you haven't seen Longman Logotron's 1991 catalogue, chances are you aren't making the most of your school's software budget. Consider these brand new programs for the Acorn Archimedes:


- Pendown, a word processor designed specifically for education, with a range of new features offering control as well as freedom
- Revelation, a powerful image processing program which enhances classroom creativity across the curriculum.
- Magpie, a multi-media publishing program which enables children to draw on a wide range of sources to create flexible and exciting projects.

Individually or in combination, these programs are accessible to 6 year olds, yet will challenge 16 year olds and open an expanding universe of learning in support of the National Curriculum.



SHARE OUR VISION

If you want to know more, fill in the coupon below, and we'll send you our new 1991 catalogue plus free vouchers for up to £50 worth of Longman Logotron software.



LongmaN LogotroN Longman Logotron
Dales Brewery
Gwydir Street
Cambridge CBI 2LJ

Tel: (0223) 323656 Fax: (0223) 460208

SEE THE POSSIBILITIES

Please send me my fr Longman Logotron ca worth up to £50.	ee copy of the 1991 talogue, and vouchers
My interest is in Primary Schools Name	Secondary Schools
Address	
Post Code	Tel

text is as simple as selecting it, then choosing a style from the Style menu.

Press and hold Select on the 1 of 1st Word Plus in your text. Then drag the pointer so the black area covers 1st Word Plus. Now press Menu and move over the style submenu and click on Italic. The characters will adjust to show the style put on the text.

Press CTRL-UP to move to the top of the text and press Return twice to make two clear lines. Move back up to the top and type, 'some text from an article in bau', all in lower case. Now

select this line and with Adjust choose Title Word, from the bottom of the Style submenu. This will capitalise all of the words. Also using Adjust choose Bold and Underline, and finally with Select choose Centre. That's how easy it is to add styles to your text.

A very important feature of a wordprocessor is the ability to know where page breaks occur, and to be able to add them yourself. If you click with Select in the grey margin on the left-hand side of the window you can add a page break. When printed, this page break will make Ist Word Plus eject the rest of the current sheet of paper it's on and continue printing on the next page. To delete it click Select again.

1st Word Plus will

automatically insert page breaks when it reaches the end of a page. These can be distinguished from those you put in because they have a small dotted line instead of a solid one. The page length is set up from the Page Layout dialogue box in the Layout submenu. A4 paper can fit 70 lines down the page, whereas computer fanfold paper fits 64.

Now is a good time to save your file - it's a good idea to do so regularly. Bring up a directory viewer of a blank formatted disc, press Menu over the 1st Word Plus window and move over the File option in the Save submenu. Press CTRL-U to delete the standard filename and type in your own, something like MyText will do. Now drag the icon onto the directory viewer and the file will be saved. Ist Word Plus now knows where to put this file and will save it when you click on OK in the future.

There's not much point to doing all this if you're not going to print out your document. Ist Word Plus works in character mode, which means it uses the standard draft of your printer. Here lies a problem. Different printers have different codes. For instance, a bold code on one printer might mean something completely different on another. For this reason several 'printer drivers' are included on the utilities disc.

Put the utilities disc into the drive and bring up its directory viewer by clicking on the floppy icon. Now open the 1WP_Print folder and then the Config folder. Here are configuration modules for some printers. Your printer is probably Epson compatible so you'll need either the Epson_lq, Epson_lx or Epson_rx module.

To load a printer configuration press menu

over the 1st Word Plus icon on the icon bar and choose Show Keypad. Now drag the printer configuration file onto the printer icon shown here. The device window will change to show you the new printer driver that has been installed. To check this printer driver is the correct one for your printer try printing out the PrintTest file in the 1WP docs folder on the program disc.

Make sure your printer is loaded and on-line, then simply drag this onto the printer icon in the keypad window. If all of the styles come out OK then this is the right driver for your printer, if none, or only some of the styles work then try another driver. Take a look at page 131 of your 1st Word Plus manual for a descrip-


tion of which printer each driver is for.


Of course you may have a printer that doesn't feature in this list then you may need to make up your own. But this is a difficult and time-consuming job. In fact somebody has already done it for you. Norwich Computer Services sells a Careware disc full of such drivers.

That's it for the first in the series. Now you know enough about 1st Word Plus to be able to print out anything from your shopping list to a letter to the bank begging for more money, and if you get it to look good enough then they may well be impressed enough to give it to you!

COMPETITION

What application do you wish to see covered in this series of articles? Simply write this on the back of a postcard, together with what you use the application for most commonly and the first five out of the hat on 31 August 1991 will get a free BAU show ticket each. Send your postcards to: Stepping Up, BBC Acorn User, 20-26 Brunswick Place, London, N1 6DJ.







EASY PRINTING

To save yourself the bother of having to load your printer's configuration file from the utilities disc every time you load 1st Word Plus, it is possible to have it done automatically from within the application itself.

Set aside a Ram disc of around 32K and drag the printer configuration file into its directory viewer. Now open the 1st Word Plus application directory by holding down SHIFT when double clicking on the icon. Drag the configuration file from the Ram disc to this new directory viewer, delete the file 1wp print and rename your printer's configuration file to this. Now this is the default printer driver.

uring the second school term this year, my class of thirty Year 3 children prepared to do battle and tackle the Vikings - from within the relative safety of their classroom! At the time of planning my aim was to attempt History Study unit 2 which, as part of invaders and settlers, suggested the Vikings as a suitable subject for study at the year three level.

The topic also slotted neatly into my 'developing themes' approach this year where I have tried to splice each topic into the last as naturally as possible but within the framework of the National Curriculum. Not unnaturally, most of my topics this year have centred around a science theme (as science is a core curriculum

Having just completed Floating and Sinking (and who hasn't!) the children naturally wanted to make and test their own boats as they had completed several problem solving situations involving, for example, making 100g of plasticine float and carry a load. It was not difficult to introduce the Vikings from this angle as these people were excellent boat builders and using polystyrene meat trays, straws and paper, it is possible to make a fair replica of a longship.

The mere mention of the word 'Vikings' heightened the children's natural curiosity which was good as historical topics are frequently difficult to introduce to young children, being so remote in terms of time and divorced from the childrens' own experiences. The first task, as always, was to develop a suitable topicweb (see illustration) which plots the range of tasks and the development of themes.

The next task was to gather and assemble suitable resources with which to provide the necessary vicarious experiences. Important among the list of resource materials was computer software of both the content-based and content-free variety.

The first part of the study revolved around three major information sources: BBC TV's ZigZag programmes, Fernleaf Software's Vikings Pack and Junior Projects No 34 (Scholastic Publications). The former stimulated a number of very interesting activities. As the first phase of any topic concerns information and image gathering, the ZigZag broadcasts were invaluable at providing visual imagery and motivating children to seek further knowledge. There is no

CHRIS DRAGE


prepares to take on the Vikings, with the help of some historical software

computer program anywhere (yet), that can substitute that most vital ingredient - direct experience. Unfortunately, these London children lived too far from what is regarded as the foremost Viking site, the Jorvik Centre at York, to permit a visit. However, this experience was substituted by a video of the Jorvik Viking Centre (included in Fernleaf's topic pack).

One of the first tasks was for the children to set about looking for evidence of Viking settlement in Britain by using place names on maps as a guide. On a map of England the children plotted the occurrence of place names ending with -by, -thorpe, -thwaite, etc. Slowly it became evident that the Vikings predominantly settled in North East England. At this point the Viking England simulation (Fernleaf) was introduced and explained to the children before small groups attempted the first program entitled The Raiders. This software is really suited to nine-year-olds. However, with teacher assistance and careful explanation, the children were able to grasp the point of the software and its operation quite quickly.

The class dramatised the fall of London Bridge at the hands of Viking raiders. This proved very popular and a large mural was painted depicting this event. In another activity, the children painted large scenes from the Viking legend of Thor's visit to the giants. The legend was retold by the children for the assembled school using their paintings as illustrations. A Viking 'whodunnit' play (part of the ZigZag broadcasts), provided an opportunity as to rights and wrongs from a Viking point of view. Technology was also brought into play when the children had to design and create model Viking





longships from simple materials. The resulting models were each tested in a tank of water and given a timed run using a hair drier as a wind source. The results of the tests were described and recorded on charts and the reasons for success and failure discussed.

Here another item of software was brought into play. Display Data (Resource), enabled children to enter data into the computer and have it printed out in the form of a barchart or piechart. Software of this nature really enables children to grasp the significance of the computer as a tool in the classroom.

The latter part of this study involved the children working in groups of five or six on a variety of activities ranging from researching information from books, viewing slides to listening to a taped story and completing a sequencing exercise. Two of these group activities involved the classroom computers. I had created a short piece of text about the Vikings with the now familiar Developing Tray cloze procedure program.

The software requires the children to reconstruct the text from a series of dashes and less common letters. The program stimulates an amazing amount of discussion over strategies and the validity of predictions. A scratchpad can be used to check whether suggestions make sense, to test predictions and make notes. Although inter-group competition was actively discouraged, it soon became apparent that this activity was one of the most popular of those offered as groups vied to outdo each other on points.

Undoubtedly the most popular activity was the simulation offered by the Viking England suite. The children, now familiar with The Raiders were keen to continue with the second part of the suite - Journey's End. In this the children take on the leadership of a Viking party intent on settling in England. Decisions regarding the choice of site, the order in which various tasks, like setting up camp, must be completed, are integral to this part of the suite.

A valuable aspect of this software lies in the fact that children must choose other tasks they consider important apart from those offered by the program. The subsequent discussion revealed a great deal about the children's comprehension of the Vikings. The arrival of another party of Vikings who settle away from the children's 'group' provides opportunities for empathy mellowing the somewhat materialistic attitudes present in The Raiders. The children had to decide whether or not to co-exist peacefully with these strangers.

As a record of their work the children completed maps depicting the siting of their settlement. The teacher has access to a record of each group's decisions via a special teacher's page. The third and fourth parts of the suite, The Move and The Jarl, I judged to be too difficult for this Year 3 class.

When the classroom computers were not engaged in Developing Tray and Viking England, they were seldom idle as children used them continuously for wordprocessing and printing text, headings, captions and subtitles for their project books. Pendown and Signwriter (Pendown Toolbox) both from Logotron, are the



PRODUCT DETAILS

Viking England and the Vikings Resource Pack are available at £35.95 and £55.95 from Fernleaf Educational Software, Fernleaf House, 31 Old Road West, Gravesend, Kent DA11 0LH Tel: (0474) 359037, for the BBC B, B+, Master 128, Compact.

Display Data is available at £10.95 from Resource, Exeter Road, off Coventry Grove, Doncaster DN2 4PY. Tel: (0302) 340331, for the BBC B, B+, Master 128.

Pendown and Pendown Toolbox are available at £39 and £18 from Logotron, Dales Brewery, Gwydir Street, Cambridge, CB1 2LJ Tel: (0223) 323656, for the BBC B, B+, 128, Master Compact.(Archimedes Pendown also available).


Developing Tray is available free of charge from your local authority computing centre.




standard tools in this class. The children really appreciate the various fonts and sizes the software produces on the printer. These are then cut out, coloured in and mounted.

To say that the children gained a great deal from this historical study is to understate the case. Many voted it the best topic they had completed this year while others were so enthusiastic as to persuade their parents to take them to York during the half term just to visit the Yorvik Centre. Through a wide range of vicarious experiences facilitated by a wide range of resources, the children became appreciative of many aspects relating to the Vikings and their way of life which the popular stereotype completely overlooks. Similarly, the knowledge and empathy gained from such an in-depth study highlights one of the major weaknesses of the National History curriculum which does not provide the time nor opportunity for such a study at this level.

The computer, even the humble and aged, eight-bit BBC B utilising a variety of software tools, can play a valuable part in presenting the topic to the children and bringing to the learning situation an aspect which is fresh and highly motivating. Ageing though it is, The Vikings Suite was a complete success but due to the age of the children a good deal of teacher-support was required. Developing Tray also provided the children with a fascinating psycho-linguistic exercise. Other software tools helped children improve or extend their project work. In this topic the classroom computer had a very high profile in the range of activities presented to children.



What does everyone who creates moving pictures want?



A sneak preview.


Render Bender is the graphics package that allows the user to produce remarkable animated graphic sequences using Ray Tracing.

Ray Tracing isn't nearly as complex as it sounds. Basically, in a ray traced sequence, every pixel on the screen takes all relevant light sources into account. Ensuring that all the reflections and refractions are correctly calculated even if the light is reflected off several surfaces. The image could be no more faithful if you were filming real objects in real light. To produce such a superb animated sequence, however, was quite a difficult task – Until now.

Illuminator has changed all that. It is a fully RISC OS graphical front end to Render Bender. Allowing the user to create a series of frames manually, or to give it a start point and an end point, leaving it to generate the frames in between. What you are getting is the ability to take a sneak

preview. You can see what you are going to get, before you get it. After you've created your outline frames in Illuminator, you then transfer the files to Render Bender, the fully

RISC OS Ray Tracing part of the package. Which all means that now, to achieve powerful 3D Animation, you no longer have to be a mathematical genius. You just have to be the proud owner of Render Bender 2.



For more information please write to the address below for a Render Bender fact pack. We're sure you'll find it quite illuminating.

Price - £135.00 inc. Vat.


To upgrade from the original Render Bender to Render Bender 2 send us your original disc plus £74.95.







CUNNING CRUCHING



omputer graphics is an area in which most people dabble at one time or another. This month I have devoted Pieces of Eight to a couple of interesting graphical routines that will allow you to squish, squash and stretch your screens until they feel positively sick!

Of the most popular routines BAU ever published, the screen compression programs LDPIC and SVPIC certainly feature near the top of the list. They were originally developed to squeeze lots of pictures onto the Acorn User gallery disc, a few of which are splattered about these pages. The disc had on it 25 screens (coming to 500k) and a few more utilities. All this, unsquashed, added up to 600K worth of data. Since the BAU 5.25in discs can only store 200K of data then you can immediately see the benefits of such compression routines!

When people saw this routine in action the source code was called for, and it was published in the October 1986 issue. The programs to

PAUL JAMES continues with his collection of Beebstretching routines and shows you how to do the Crunch!


generate the LDPIC and SVPIC code (pronounced 'ludpic' and 'suvpic' believe it or not) are the first two Pieces of Eight listings on the yellow pages this month.


Screen memory on the Beeb is just the same as normal memory - you can even run Basic programs in it - as long as nothing is printed over the top of them, or the screen isn't cleared. The difference is that the video register reads the memory addresses and turns the numbers into a signal suitable to drive a monitor.

To save a screen in mode 5 you would type *SAVE Screen 5800 8000. The parameters 5800 and 8000 are hexadecimal addresses. &5800 is the start and &8000 the end of the screen memory, which is where the video chip finds its data. The ampersands denote that the number is in hexadecimal. Different modes use up different amounts of memory.

For instance the higher resolution Mode 1 takes up the area in memory from &3000 to
















&8000. This is 20K of Ram. Type in listing 1 and save it as SVPIC-S. When you run it (go ahead, try it now) the program will create a machine code file called SVPIC, if you have typed it right. If it isn't, then you will be told.

The second listing when entered and run (first save it as LDPIC-S though) will save a file called LDPIC. If you have ADFS then put these two files in your library. DFS users should leave them on a utility disc or graphics disc. Then typing *SVPIC Picname will save a compressed screen (it may take a while) and *LDPIC Picname will decompress it. As a comparison, I 'Svpiced' a screen from 20,480 bytes down to just 6,310 bytes, about 30 percent of its original size.

Run length encoding is used to compress the screens. This detects sequences of bytes of the



same value and replaces them with two bytes, the first one being the value, the second one the number of times it occurs.

This routine is very good at compressing screens with large areas of the same colour, but for a screen that has lots of dithering effects this routine is not as efficient as it could be. SVPIC gets round this using a rather cunning stunt. It actually tries to compress the screen several times, each time increasing the step it takes to get the next byte. It then uses the step which was most efficient. For example if a lot of the screen is dithered, every other byte being the same, then a step of two will increase the efficiency of the routine greatly. This is the reason why some SVPICed screens may load differently.

Finally here is a short routine that will load a named screen, and then compress it, without overwriting it with text or the cursor.

```
10 MODE 7
20 *CAT
30 INPUT "Name of screen to compress: "s$
40 INPUT "Mode screen is in: "mode%
50 MODE mode%
60 VDU 23;8202;0;0;0;
70 OSCLI. "Load "+s$
80 *SVPIC Crunched
90 MODE 7
100 PRINT "Saved as 'Crunched'"
110 END
```

Type this in and save it as Compress. Running it will ask you for the screen to load and which screen mode it is in. If the screen has any palette changes (meaning VDU 19) then put these in after the line to turn the cursor off (line 60). SVPIC will save these, and when the screen is LDPICed the routine will read the colour translations and ensure that the screen is displayed correctly.


Mode to mode

The second utility this month is a routine that will convert screensaves from one mode to another. **Phil Wilks** found that many art packages used modes 0, 1 or 2, but were unable to load a mode 2 screensave into a mode 0 screen. Trying this will just give you a mess, because each mode uses a different layout.

Phil's program overcomes this and allows you to convert a mode 1 or 2 screen to mode 0 or a mode 2 screen into mode 1, at the gain of extra resolution, but with less colours.

A typical use for this routine would be to transport a screen created in one art package to another one that uses a different mode. Phil suggests you could also use it to see how your colourful mode 2 screen will come out on your black and white printer, by converting it to mode 0, which has two colours. This can be done quickly, in less than a second actually, and you save paper at the same time.

There is one listing to type in. Listing 3 will create the necessary tables for the conversions and the actual machine code routines which are then saved as O.Modecon. When running this set page to &1900. Much of the code replicates itself, so you could save yourself a lot of time by deft use of the copy keys.





New colours for old

In modes 0, 1 and 2 screen memory runs from &3000 to &8000, and screens can be loaded into each of the modes. The difference is in how each byte is decoded to represent a colour on the monitor. In mode 2 the byte is able to represent two pixels, each of which has 16 different possible states, therefore 16 colours can be used. In mode 0, on the other hand, each bit represents one pixel, representing one of two states, either black or white, on your monitor.

Any one byte can hold a maximum of 256 different values (0 to 255). Phil simply worked out a table in which each value corresponds to a value in mode 0, 1 or 2 which will look correct on screen.

In the listing the tables are created, then the machine code routines which use them are assembled. The routine uses black-and-white dot patterns to approximate to screen colours. Converting a mode 1 or 2 screen into mode 0 means loading it into mode 0, then calling the appropriate machine code routine.

As an example, here is a listing to take a named mode 2 screen and translate it into a mode 0 screen.

- 10 *Load Convert
- 20 mode1to0%=&1500
- 30 mode2to0%=&1524
- 40 mode2to1%=&154C
- 50 MODE 0
- 60 VDU 23;8202;0;0;0;
- 70 *LOAD Screen
- 80 CALL mode2to0%
- 90 *Save Newscr 3000 8000
- 100 END

The three code entry points are modelto0%, mode2to0% and mode2to1% respectively. For instance, to convert a mode 2 screen to mode 1 then change line 40 to MODE 1 and line 70 to CALL mode2to1%.

Competition

If you think you can do better than the screens featured here, and we're sure you'll agree that's quite a challenge, then send in your eight-bit masterpieces on disc.

Superior Software will let the five that we judge the best choose a game from its extensive range. So get drawing.

Send in your screens on a disc (any format) with your name and address written on the label. The closing date for entries is the end of September 1991.

The New Generation of Word Processors

ord processing is evolving from the traditional character based word processors of the past to the new graphical based word processors. Even on PCs this evolution is evident with the release of new graphic based word processing products that run under Windows 3 from the largest software houses Microsoft, Wordstar and Lotus.

The new generation of word processors all have certain features in common. They all allow free use of different text sizes and styles. They all offer a range of graphic manipulating tools and, of course, they all operate under a windowing environment.

While most PC users are only just coming to grips with the new style of word processing, Archimedes owners have been able to word process like this for 18 months, since the introduction of Impression.

Archimedes owners had the use of features like a good WIMP environment and outline fonts long before the PC world caught on. And today the machine still offers features such as inter-application data transfer and font anti-aliasing that no other mainstream system can provide, ensuring that the Archimedes architecture will continue to lead the way. Quite simply you

get tomorrow's PC architecture today on the Archimedes.

This image (an old engraving of Charles Dickens) was captured using Scan-Light Junior at 400 dpi. This scanner is ideal for black and white line-art or pictures such as this.

With the release of the new greyscale scanner, Computer Concepts can now supply all the components for Archimedes owners to put together the ultimate word processing system. Our hardware and software products

support all three stages of document production, from capturing pictures, through word processing and document creation to printing.








hile the Archimedes is powerful enough and flexible enough to handle graphics with supreme ease, this is only useful if it is equally easy to input graphics. The Scan-Light family of image scanners offers a range of capabilities and prices to suit any requirement.

There are three members of the Scan-Light family of image scanners. They are supplied with interface board and simple to use software. (Versions are available to fit internally in the A3000). And thanks to direct data exchange, once a picture has been scanned, it can be dropped directly into an Impression document (or other applications) without having to bother with filenames or having to save, then re-load as would be necessary in other

systems.



images from black and white scanners, full grey-map control to alter contrast brightness etc. Over the last 18 months the Scan-Light series has become the most popular available with all types of users - home users, professional, and educational.



This image was captured from a print using the new greyscale Scan-Light Junior 256. This is able to capture, display and reproduce stunning quality half-tone photographs, although it can also scan black and white images at up to 400 dpi.

Scan-Light A4 will scan complete A4 pages, up to 400 dpi. It is shown here fitted to its optional sheet feeder. If installed with a LaserDirect printer, the software offers a quick scan-and-print photocopy facility.

Scan-Light A4 £399 +VAT (£468.82 inc) With sheet feeder £499 +VAT (£586.32 inc)

Scan-Light Junior mono..
£189+VAT (£220.07 inc)
Scan-Light Junior 256...
£220+VAT (£258.50 inc)

Scan-Light
Junior and Junior
256 are hand-held
devices capable of capturing images up
to 105mm wide (4.1inches).

IMPRESSION I






he key part of any system is the word processor. With over 10,000 users (not including the hundreds of educational site-licences installed) Impression Junior and Impression II have become an industry standard for the Archimedes, and it is still growing in popularity. It is probably no co-incidence that the new word processors for other machines are adopting many Impression-like features since it is only logical that, as machines become more powerful, they begin to integrate desk-top-publishing facilities with traditional word processing. Impression is simply the most efficient, compact, fastest product in its class, able to handle the simplest word processing jobs as well as the most complex desk-top-publishing work. It is the only word processor designed to print using either the native character mode of the printer (ideal for text only word processing and dot matrix printers) or using the RISC OS printer drivers for top quality, full page graphics and text. Imagine the freedom of near typeset quality type any face, any size, any position on the page, with the ability to place diagrams or pictures wherever desired. Impression

offers that freedom - perhaps the ultimate evolution of the

word processor.

Impression Junior offers all the key Impression features. Built-in SpellMaster spelling checker, full word processing and DTP abilities, outline fancy font and character font editing, full RISC OS compatibility drives RISC OS printer drivers. It is a small compact program ideally suited for the smaller machine.

Impression Junior £89.95+VAT (£105.69 inc)




What you see on screen is always an exact representation of the final printed page, including fonts, columns and graphics.

$$J_n(x) = \frac{x^n}{2^n n!} \sum_{s=0}^{\infty} \frac{1}{s!(n+1)^s} \left(\frac{1}{4}x^2\right)^s$$

If your word processing requirements include any equations or formulae then our Equasor product integrates with Impression to allow equations to be built up graphically, then just dropped into the Impression document where required.

Impression II is able to handle longer or more complex documents. Enhanced DTP abilities such as instant graphic rotation to any angle, Drawfile frame borders, and guide frames. It also offers unique features for long word processed documents such as contents and index generation, unlimited document length (not RAM limited), styles, in-line graphics etc.



Impression II £169+VAT (£198.57 inc)

MPRESSION III

M

nce the pictures and text have been processed and arranged as required, you need to be able to print them to the highest possible quality in the shortest possible time. Laser printers provide the quality but have traditionally been slow and expensive. The LaserDirect range of printers offers not only the highest quality printing available (to 600 dpi) but also offers by far the fastest printing available on the Archimedes and at a lower cost than traditional lasers.

James Typell

The second secon

LaserDirect Qume. 6 pages per minute 300 dpi. (2Mbyte machine required.)

LaserDirect Qume £999+VAT (£1173.82 inc. Postage extra)

Direct drive laser printers are not a new idea. Apple Mac users have been able to buy direct drive printers for their computers for some time, but while these printers are low cost, they have the reputation of being slow. Here again Archimedes owners win because their machines have the necessary processing power to eliminate the speed problem, and the operating system facilities (such as outline fonts) to

ensure that what you see on screen is really exactly what you will get on the printed page. LaserDirect printers offer print speeds of 5 to 10 times that of a typical LaserJet, at a

lower cost and can also offer 600 dpi printing for a third of the cost of such printers for other machines. Indeed, so significant have been the benefits, direct

drive lasers have now all but eliminated traditional laser printers from the Archimedes market, with the LaserDirect range being the most popular laser printers with Archimedes owners.

rint

Integrated solutions

By using the Computer Concepts software and hardware products with the advanced technology of the Archimedes it is possible to create what must surely be the ultimate word and document processing system. A system that allows high quality half-tone pictures to be captured and incorporated into documents, that integrates word processing and desk-top-publishing and, finally, outputs top quality laser printed pages.

All Computer Concepts products are available direct from Computer Concepts or from all reputable dealers. More detailed brochures are available for most of our products.

LaserDirect HiRes. 8 pages per minute and 300 or 600 dpi. (4Mbytes recommended for 600 dpi.)

LaserDirect HiRes8 £1495+VAT (£1756.62 inc.

Postage extra)



Computer Concepts Ltd

Gaddesden Place Hemel Hempstead Herts HP2 6EX

Tel 0442 63933 Fax 0442 231632


All trademarks acknowledged Educational discounts available

Announcing colour graphics conversion between the Acorn Archimedes and the Apple Macintosh




BBC Micro, Master 128, or Master Compact

Convert to or from a BBC Screen Dump in any appropriate mode, including Teletext. You can dynamically adjust the colours assigned to each logical colour in the original dump, to take account of different palette settings.



Acorn Archimedes

Convert to or from an Archimedes Sprite in any appropriate mode. If the file contains several sprites you can select the one you want from a list of their names.



Macintosh

Convert to or from PICT, Colour PICT, or MacPaint format. Images can be manipulated in drawing and painting programs, or placed in other Macintosh applications, such as PageMaker, for subsequent colour printing.



Microsoft Windows 3.0 on the IBM PC

Also ... convert to or from Windows 3.0 .BMP files with up to 256 colours – the standard format for saving Windows screens, or for creating pictures in Paintbrush on the PC.

	ails of Colour Screen»Mac for converting Acorn Archimedes and Apple Macintosh:
Name	
Position	
Address	
Address	
Address	
Address	Tel

Overseas Subs Magazine only:		
Europe		£35.00 🗅
Rest of World		£45.00 🗅
With Disc:		
	5.25in	3.5in
Europe	£44.00 🗆	£49.00 🗆
Rest of World	£64.00 🗆	£69.00 🗆
(Europe),		please add £1 of the world) to

	Dack Of			
100	Please fil	I in date	e (Back to N	March 1990)
H 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Month			Year - 90 🗆 91 🗖
SA WEST	☐ Magaz	ine	£1.95 🗅	
	□ Disc	£4.95	(5.25in) 🗖	£5.95 (3.5in) 🗆
-				
		ire page		boxes and return ail Order, PO Box 323 7HL
	148			Acceptance of the second
	Name	at at		
	Address.			

Pack Ordore

Educational COMPUTING AND TECHNOLOGY

ARE YOU A TEACHER?

Do you read BBC Educational Computing and Technology? If not, you should.

It's *the* magazine for primary and secondary teachers, giving ideas and advice for computing and technology across the curriculum

Published monthly during term time, a year's subscription costs just £12 for eight issues. To subscribe, send your name and address, with an order number or cheque (made payable to Redwood Publishing) to: BBC Educational Computing and Technology, PO Box 25, Wetherby LS23 7EW marking the envelope AU6.

FOR THE BEST CLASSROOM IDEAS, INFORMATION AND ADVICE

FACT SYSTEMS (BARROW) LTD

UNIT 19, FOCUS 303 BUSINESS CENTRE, SOUTH WAY, WALWORTH IND. EST. ANDOVER, HANTS. SP10 5NY

SPECIAL SUM	IMER OFFER	GAMES
		Alerion £10
Archimedes A540 + TAXAN 7		Alien Invasion £10
+ VIDC Enhancer ONLY	£2950 + VAT (£3466.25)	All in Boxing £10
inc carriage (che	eque/cash only)	Apocalypse £19
A540 4Mb Ram Upgrade		Arcendium £15
A340 4MD Kam Opgrade		
	Base Colour	ARCticulate £19
A3000 Base	£530 £725	Ball Arena £14.50
A3000 Learning Curve	£619 £814	Boogie Buggy £18
410/1 Base	£899 £1094	Break 147/Super Pool £20
420/1 Base	£1099 £1294	Caverns £12.72
420/1 Learning Curve	£1135 £1330	Chess 3D £16
440/1 Base	£1449 £1644	Chocks Away MkII £19
A540 Base	£2649 £2840	Chocks Away Extra Missions £15
		Clares Arcade 3 £10
MONITORS (free lead)	UTILITIES	Drop Ship £14.50
Acorn Stereo Colour Monitor £195		E-Type £14.50
Microvitec Cub 3000 £199	Twin £28	Gum Shoes £18
Philips CM8833 Colour MkII £220	PC-Emulator (NEW v1.60) £89	Holed Out £14
TAXAN 775 multiscan £440	Clares Toolkit Plus £38	Hostages £15
Legresonus	Artisan 2 £47	Inertia £13
ACCESSORIES	Render Bender £61	Interdictor 2 £26
400/1 1Mb RAM (ea) £50	Hearsay £52	Iron Lord £15
400/1 40Mb Hard Disk (ST506) £289	Multi-FS £30	Mad Professor Mariarti £14
A3000 1Mb Upgrade £55	BUSINESS	Micro Drive, Golf £14
A3000 3Mb Upgrade £199	1st Word Plus re1.2 £62	married Delivery Control
A3000 20 Mb Hard Disk (SCSI) £349	Impression Junior £79	nan Barranan
A3000 Serial upgrade £18	Impression II £140	Titityon wie
A3000 Monitor Stand £27	Schema £98	Olympics
ROM Expansion Card £41	Pipedream 3 £119	Overload £10
MIDI Expansion Card £64	Acorn DTP £120	I UWCI DANG PIKII
A3000 User Port/Midi £45	System Delta Plus v2 £52	Keu Sunt 214
LANGUAGES	Flexifile £115	Saloon Cars £20
ISO Pascal, Fortran 77 (ea) £85	7.151777777	The Olympics 214
ANSI 'C' Release 3 £125	EDUCATIONAL	The Real McCoy £20
Assembler £169	Fun School 2 (ea) £16	
RISC Basic Compiler £115	Fun School 3 (ea) £20	
	DI 113/47 - 17 50	White Magic 1/2 (ea) £12
BOOKS (no vat)	Please add VAT at 17.5%	Worra Battle £11.87
RISC OS Prog Ref Manual £75	Carriage:=	PRINTERS (free lead)
BBC Basic Guide £19	Software FREE	STAR LC-10 £159
A3000 Technical Ref Manual £29	Hardware, Other £P.O.A.	STAR LC-200 Colour £208
Assembly Lanaguage £14	OPEN	
Arc Operating System £14	MON-FRI, 10AM-5PM	
Archimedes First Steps £9.95	SAT 10AM-4PM	STAR LC24-200 £259
The same of the sa		And the second s

ANDOVER (0264) 334811

BBC/IBM file transfer BeebDOS 3 £47

IBM PC software to transfer files between the BBC and IBM PC by reading and writing BBC disks on the IBM 360k, 720k, 1.2mb or 1.44mb drive. Many BBC diskette formats are supported including: ADFS (all except 800kE), Watford, Solidisk, Opus, and UDM, DDFS. In addition single density DFS and Torch CPN are supported on some IBM computers.

Please ask for details or try our BeebDOS Test Pack £6 to find if your IBM PC/compatible will support the BBC diskette format you require.

BBC to IBM BASIC BeebPC £40

BeebPC translates programs from BBC BASIC to IBM BASIC. BeebPC is used by many program authors and it greatly reduces the time required to convert a BBC BASIC program for use on the IBM PC.

BeebDOS 3 + BeebPC(BASIC) £71 BBC/IBM Disk transfer £12 per disk

Send us your BBC or IBM disk and tell us the disk type you want us to copy it to. Our transfer charge is £12 for each disk you send us, with 50% discount on ten or more disks.

IBM PC/PS2 Teletext £110.00

Turn your IBM or compatible (including PS2's and laptop/notebook) computer into a sophisticated teletext receiver for only £110.00 including software and teletext adaptor.

If you already have a Ground Control, Morley, or Solidisk teletext adaptor then use one of our kits below to connect and use it on any IBM PC/compatible.

Morley to PC kit £55 Ground Control or Solidisk to PC kit £35

The teletext adaptors can be connected to the parallel (printer) or serial port of the IBM computer. Please specify the type of data lead you require (serial or parallel). Postage and packing is included (within U.K.), please add VAT.

For more information or to order contact:



MICROBOSS LTD 3 HADLEIGH RD FRINTON ESSEX CO13 9HG TEL(0255)671095/(0255)674989



Want a dirt cheap Archimedes Computer ?...

... don't come to us!

However, we can offer you...

- Expert advice on the best Archimedes hardware and software for your needs
- Fast, courteous mail order service, once you have decided what you want to buy
- After sales service from people who know what they are talking about
- A magazine which we publish, called "Archive", to keep you up-to-date
- Special discounts for Archive subscribers on both hardware and software

Why not give us a call and talk to Paul or Adrian?

...Remember, price isn't everything!

Norwich Computer Services

96a Vauxhall Street, Norwich NR2 2SD. Phone 0603-766592. Fax -764011



Program	Page	BBC B	B+/	Master	Master	Electron	6502SP/	ADFS	Econet	Shadow	Archimedes/	Monthly
		B+	128	128	Compact		Turbo			Ram	A3000	disc
★Info	49											
Info 1a												
Info 1b	II Take											
Info 2a	ISTANTA A											
Info 2b											MALES N	
Info 3a			out the late							STEEL STEEL	H	
Info 3b												
Info 4a							ST TENEDO					
Info 5a								EKA JIEU				
Info 6a						KA BIN						
Info 7a	NO PERSONAL PROPERTY.						E WELL			No.		
Info 8a								-				
Info 8b					III							
Info 8c												
Juggling	56											
Juggle1								HE CAN				
Juggle2								3 18 18 1				
Juggle3												
Juggle4												
Wide VDU	63	No. 1				- 18						
Wide1			E Marie			KEN EN						
Shopping	64			SPATE.			100					
Shopping1												
Pieces of Eight	73											
Po81												
Po82												
Po83	TARGET LOS											

★Info

Listing 1	480 DEY	980 LDA y	1480 DEC y
nsung 1	490 BPL colloop	990 ASL A	1490 DEC x
A control of the cont	500 LDA read	1000 ASL A	1500 JSR add
10 REM MakeAts (Infola)	510 CLC	1010 ADC y	1510 JSR addon
20 REM by Garry Quested	520 ADC #64	1020 ASL A	1520 INC x
30 REM for B/B+/M/C/E	530 STA read	1030 ADC x	1530 DEC y
40 REM (c) BAU Sep 91	540 BCC nh	1040 STA n	1540 JSR add
50:	550 INC read+1	1050 TAX	1550 JSR addon
60 MODE 1	560 .nh	1060 RTS	1560 INC y
70 HIMEM=&2900	570 LDA plot	1070 :	1570 JSR calcn
80 code%=&2900	580 CLC	1080 .fives%	1580 PLA
90 maxx%=9	590 ADC #640 MOD 256	1090 EQUB 1	1590 STA temp
100 maxy%=6	600 STA plot	1100 EQUB 5	1600 SEC
110 read=&70	610 LDA plot+1	1110 EQUB 25	1610 SBC #1
120 x=&74	620 ADC #640 DIV 256	1120 EQUB 125	1620 CMP n%, X
130 y=&75	630 STA plot+1	1130 :	1630 BEQ com2c
140 n=&76	640 DEX	1140 .react	1640 LDA temp2+1
150 p=&77	650 BNE rowloop	1150 STX x	1650 BNE com2a
160 temp=&78	660 RTS	1160 STY y	1660 LDA temp2
170 temp2=&79	670 :	1170 .re	1670 CMP #125
180 plot=&80	680 .add	1180 LDX #4	1680 BCS com2a
190 player=&84	690 LDA x	1190 LDA x	1690 LDA #125
200 FOR pass%=0 TO 2 STEP 2	700 BMI nulladd	1200 BEQ re2	
210 P%=code%	710 CMP #maxx%+1	1210 CMP #maxx%	1700 CLC
220 [OPT pass%	720 BCS nulladd	1210 CMP #maxx% 1220 BNE re3	1710 ADC temp2
230 JMP react	730 LDA y		1720 STA temp2
240 JMP showatom		1230 .re2	1730 LDA #0
250 JMP think	740 BMI nulladd	1240 DEX	1740 ADC temp2+1
260 EQUD c%-code%	750 CMP #maxy%+1	1250 .re3	1750 STA temp2+1
	760 BCS nulladd	1260 LDA y	1760 JMP com2b
270 EQUD n%-code%	770 JSR calcn	1270 BEQ re4	1770 .com2a
280 .showatom	780 LDA c%,X	1280 CMP #maxy%	1780 LDA #125
290 AND #3	790 BEQ nulladd	1290 BNE re5	1790 SEC
300 PHA	800 CMP p	1300 .re4	1800 SBC temp2
310 LDA #adat% MOD 256	810 BEQ nulladd	1310 DEX	1810 STA temp2
320 STA read	820 JSR re	1320 .re5	1820 LDA #0
330 PLA	830 STA temp	1330 TXA	1830 SBC temp2+1
340 CLC	840 LDX n	1340 RTS	1840 STA temp2+1
350 ADC #adat% DIV 256	850 LDA n%,X	1350 :	1850 .com2b
360 STA read+1	860 CLC	1360 .com2	1860 LDA temp
370 LDX #4	870 ADC #4	1370 JSR re	1870 SEC
380 .rowloop	88Ø SEC	1380 PHA	1880 SBC n%,X
390 LDY #63	890 SBC temp	1390 INC x	1890 ASL A
400 .colloop	900 TAX	1400 JSR add	1900 STA temp
410 LDA (read),Y	910 LDA fives%,X	1410 STA temp2	1910 ASL A
420 AND player	920 RTS	1420 LDA #0	1920 ASL A
430 STA (plot),Y	930 .nulladd	1430 STA temp2+1	1930 CLC
440 DEY	940 LDA #0	1440 DEC x	1940 ADC temp
450 LDA (read),Y	950 RTS	1450 INC y	1950 STA temp
460 AND player+1	960 :	1460 JSR add	1960 LDA temp2
470 STA (plot),Y	970 .calcn	1470 JSR addon	- 1970 SEC



```
1930 IF con%(i%+1)=0 VDU 67 ELSE VDU 72
1940 ENDPROC
 1980 SBC temp
1990 STA temp2
2000 LDA temp2+1
2010 SBC #0
                                                                                                                                                             3090 NEXT
3100 PRINT"Bytes used: "P%-code%
3110 OSCLI"SAVE AtCode "+STR$"code%+" "
                                                                                                                                                                                                                                                                                                                   910 A%=USR(code%+6)
920 PROCreact(A% AND &FF,(A% AND &FF00)
) DIV &100)
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  1950 :
                                                                                                                                                                                                                                                                                                                          930 ENDPROC
                                                                                                                                                            +STR$"P%
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  1960 DEF PROCshowplayers (p%)
 2010 SEC #0
2020 STA temp2+1
2030 RTS
2040 .com2c
2050 ASL temp2
2060 ROL temp2+1
2070 ASL temp2
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 1960 DEF PROCESSOMPLAYERS (P$)
1970 VDU 5
1980 FOR i%=1 TO playing%
1990 IF i%=p% GCOL 0,3 ELSE GCOL 0,0
2000 MOVE 964i%=80,951
2010 VDU 225
                                                                                                                                                             312Ø END
                                                                                                                                                                                                                                                                                                                          940
                                                                                                                                                                                                                                                                                                                          950 DEF PROCreact(x%,y%)
950 DEF procreact(x%,y%)
950 DEF stillplaying%<2 ENDPROC
970 oldp%=c%?(x%+10*y%)
980 count%(oldp%)=count%(oldp%)-FNn(x%
                                                                                                                                                              3130
                                                                                                                                                            3130 :

3140 DEF PROCCircle(dx,dy)

3150 x=size%*dx

3160 y=1023-size%*dy

3170 MOVE x-16,y+16

3180 VDU 5,128,4
                                                                                                                                                                                                                                                                                                                  980 count%(oldp%)=count%(oldp%)=FNn(x%,y%)
990 n%?(x%+10*y%)=FNn(x%,y%)+1
1000 count%(p%)=count%(p%)+FNn(x%,y%)
1010 c%x4*10*y%)=g%
1020 FROCshowat(x%,y%)
1030 IF oldp%:0 AND count%(oldp%)=0 THE
N count%(oldp%)=-1:stillplaying%=stillpl
aying%-1:FROCshowcols
1040 reactor%=FNre(x%,y%)
1050 IF FNn(x%,y%)>=reactor% PROCexplod
e(x%,y%,reactor%)
1050 BEF PROCexplode(x%,y%,reactor%)
1090 n%?(x%+10*y%)=FNn(x%,y%)-reactor%)
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 2020 NEXT
    2080 ROL temp2+1
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 2030 VDU 4
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 2040 PROCWIND
2050 ENDPROC
2050 :
2070 DEF FNn(i%,j%)=n%?(i%+10*j%)
    2090 .com2d
2100 RTS
                                                                                                                                                             319Ø ENDPROC
     2110
    2110 :
2120 .addon
2130 CLC
2140 ADC temp2
2150 STA temp2
                                                                                                                                                         Listing 2
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 2080 :
2090 DEF PROCWIND
2100 VDU 23;8202;0;0;0;28,0,3,39,0
2110 ENDPROC
                                                                                                                                                                    10 REM Atoms8 (Infolb)
                                                                                                                                                                    20 REM by Garry Quested
30 REM for B/B+/M/E/C
40 REM (c) BAU September 1991
    2160 BCC addon2
2170 INC temp2+1
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 2110 :
2130 DEF FNre(X%,Y%)=USR(code%) AND &FF
2140 :
2150 DATA 1,0,3,3,1,2,1,1,2,3,2,2
    2180 .addon2
2190 RTS
2200 :
                                                                                                                                                                     70 HIMEM=&2900
                                                                                                                                                                                                                                                                                                                      1880 DBF PROCENDION (xk,y%), reactor%)
1980 m3°(x%+18'y%)=PRI(xk,y%)-reactor%
1100 counts(p%)=counts(p%)-reactor%
1110 PROCENOWAL(xk,y%)
1120 IF x%+0 PROCENCE (xk-1,y%)
1130 IF x%+maxxk PROCPERCT(xk-1,y%)
1140 IF y%+maxyk PROCPERCT(xk,y%-1)
1150 IF y%+maxyk PROCPERCT(xk,y%+1)
1160 PROCENOWAL(xk,y%)
1170 EMDPROC
    2210 .bm
                                                                                                                                                                    80 PROCinit
     2220 BOUW 0
                                                                                                                                                                    90 PROCwind
                                                                                                                                                               90 PROCwind

100 playing%=2

110 con%(1)=1

120 con%(2)=0

130 PROCnewgame

140 PROCnewgame
                                                                                                                                                                                                                                                                                                                                                                                                                                                                              Listing 3
     223Ø .bi
     2240 EQUB 0
    2250 .bj
2260 EQUB 0
2270 :
2280 .think
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        10 REM >Coral32 (Info2a)
20 REM By Jan Vlietinck
30 REM For Archimedes only
40 REM (c) BAU September 1991
                                                                                                                                                                 160 PROCmenu
     2290 STA p
2300 LDA #0
                                                                                                                                                        160 FROCMENU
170 stillplaying%=playing%
180 REPEAT
190 gameover%=PALSE
200 FOR P%=1 TO playing%
210 FROCShowplayers(p%)
220 IF counts(p%)=0 FROCplay(p%):IF s
tillplaying%=1 winner%=p%:gameover%=TRUE
                                                                                                                                                                                                                                                                                                                      1180 :
190 DEP PROCNEWGAME
1200 FOR p%=1 TO maxplayers%
1210 count%(p%)=0
1220 NEXT
1230 FOR i%=0 TO maxx%
1240 FOR j%=0 TO maxx%
1250 m%?(i%+10*j%)=0
1260 c%?(i%+10*j%)=0
1270 PROCSHOWAT(i%,j%)
1280 NEXT
1290 NEXT
1290 NEXT
                                                                                                                                                                                                                                                                                                                        1180
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         60 ON ERROR PROCETTOR
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     70 MODE 13:OFF
80 PROCinit
90 PROCcode
100 PROCcoral
     2310 STA bm
    2310 STA bm
2320 STA bm+1
2330 STA x
2340 .thinkloop1
2350 LDA #0
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      110 END
   2350 STA y
2370 .thinkloop2
2380 JSR calcn
2390 LDA c%, X
2400 BEQ valid
2410 CMP p
2420 BNE next
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      120 :
                                                                                                                                                                 23Ø NEXT
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      130 DEF PROCETTOR
                                                                                                                                                               230 NBAT
240 UNTIL gameover%
250 PROCshowplayers(winner%)
260 PROCm("Player "+STR$winner%+" has
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      140 IF ERR = 17 AND NOT INKEY-2 RUN
150 MODE 0
160 IF ERR <> 17 PRINTREPORTS;" at lin
                                                                                                                                                                 n!",0)
270 PROCm("Press a key...",2)
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     ";ERL
170 END
                                                                                                                                                                                                                                                                                                                        1300 ix%=0
    2430 .valid
2440 JSR com2
2450 LDA temp2+1
                                                                                                                                                                 280 wait=GET
290 UNTIL FALSE
                                                                                                                                                                                                                                                                                                                        1310 iy%=0
1320 ENDPROC
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     180 :
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    180 :

190 DEF PROCinit

200 DIM code 1000

210 shift = 3

220 val = 4

230 rnd1 = 5
                                                                                                                                                                 300 END
   2450 LDA temp2+1
2460 CLC
2470 ADC #&40
2480 STA temp2+1
2490 LDA temp2+1
2500 CMP bm+1
                                                                                                                                                                 310 :
320 DEF PROCmenu
330 p%=0
340 PROCshowcols
                                                                                                                                                                                                                                                                                                                        1330 DEF PROCShowat(x%, y%)
1350 !plot=&3000+4*640*(7-y%)+64*x%
1360 A%=PNn(x%, y%)
1370 IF A%=0 col%=0 ELSE col%=c%?(x%+10
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     240 rnd2
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    240 rnd2
250 count
260 scrn
270 addr
280 x
290 y
300 link
                                                                                                                                                                 350 REPEAT
360 PROCshowplayers(p%+1)
                                                                                                                                                                                                                                                                                                                   'y%)
1380 IF col%=0 THEN !player=&AA55 ELSE
!player=!(&3000+40'(col%-1))
1390 CALL code%+3
1400 ENDRO
1410:
     2510 BCC next
                                                                                                                                                         360 FROCshowplayers (ph+1)
370 FROCm("Atcoms",0)
380 PROCm("Press S to start",2)
390 REPEAT
400 key%=INSTR(" 2""3#4$5%6&ss"+CHR$13
6+" "+CHR$137+" "+CHR$13,INKEY$(10))/2
410 UNTIL key%>0
420 IF key%>=1 AND key%c=5 playing%=ke
y%s1
     2520 BNE better
   2520 BNE bette:
2530 LDA bm
2540 CMP temp2
2550 BCS next
2560 .better
2570 LDA temp2
                                                                                                                                                                                                                                                                                                                        1420 DEF PROCINIT
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      310 pc = 320 ENDPROC
                                                                                                                                                                                                                                                                                                                       1430 VDU 19,2,4,0,0,0
1440 VDU 23,224,170,85,170,85,170,85,17
     2580 STA bm
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      330 :
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      340 DEF PROCCOde
     2590 LDA temp2+1
   2600 STA bm+1
2610 LDA x
2620 STA bi
2630 LDA y
2640 STA bi
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    340 DEF PROCCOGE

350 FOR pass=0 TO 2 STEP 2

360 P%=code

370 [OPT pass

380 .coral ADD shift,

390 ADD val,R1,#16
                                                                                                                                                                 430 IF key%=7 p%=(p%+playing%-1) MOD p
                                                                                                                                                                                                                                                                                                                        1450 VDU 23,225,24,60,126,255,24,24,24,
                                                                                                                                                       430 IF key%=0 ph=(ph=1) MOD playing%
440 IF key%=0 ph=(ph=1) mOD playing%
450 IF key%=9 con%(ph=1)=1-con%(ph=1)
460 IF p%>playing%-1 p%=playing%-1
470 IF key%<7 OR key%=9 CLS:PROCehowco
                                                                                                                                                                                                                                                                                                                   1450 VDU 23,225,24,60,126,255,24,24,

24

1460 code%=&2900

1470 OSCLITIOAD AtCode "+STR%"code%

1480 c%=code%+code%19

1490 n%=code%+code%13
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         shift, RØ, #11
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           ADD shift,R0,#11
val,R1,#16
rnd1,R2
rnd2,R3
scrn,scrn%
count,#1<<20
ADD rnd1,rnd1,rnd1,LSL
     2650 .next
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      400 MOV
   2650 .next
2660 INC y
2670 LDA y
2680 CMP #maxy%+1
2690 ENE thinkloop2
2700 INC x
                                                                                                                                                                                                                                                                                                                        1500 maxx%=9
1510 maxy%=6
1520 plot=&80
1530 player=&84
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    410 MOV
420 LDR
430 MOV
440 .loop
                                                                                                                                                                480 UNTIL key%=6
490 ENDPROC
500 :
                                                                                                                                                        500:
510 DEF PROCPlay(p%)
520 IF con%(p%)=0 PROCcomputer(p%) ELS
E PROChuman(p%)
530 ENDPROC
540:
550 DEF PROChuman(p%)
560 SOUND 1,-10,129,3
570 SOUND 1,-10,117,3
580 PROCE("Your move",0)
580 DEFOINGL:
                                                                                                                                                                                                                                                                                                                        1540 maxplayers%=6
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   #2
450 ADD
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             rnd2, rnd2, rnd2, LSL #2
     2710 LDA x
                                                                                                                                                                                                                                                                                                                        1550 playing%=6
1560 DIM con%(maxplayers%),count%(maxpl
     2720 CMP #maxx%+1
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     460 MOV
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               x.rnd1.LSR #24
                                                                                                                                                                                                                                                                                                                     ayers%)
1570 *FX 4,1
1580 ENDPROC
1590 :
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     470 MOV
480 CMP
490 BLS
500 CMP
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             y,rnd2,LSR #24
y,#1
loop
y,#254
     2730 BNE thinkloop1
     2740 LDA bi
     2750 LDX bj
2750 RTS
2770 ]
                                                                                                                                                                                                                                                                                                                       1590 :
1600 DEF PROCm(m$,y$)
1610 PRINTTAB(20,y$)SPC20;TAB(30-LEN(m$
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      510 BHS
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              loop
x,x,#32
    2770 ]
2780 adat%=P%
2790 P%=P%+6400
2800 C%=P%
2810 P%=P%+70
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      520 ADD
                                                                                                                                                        590 PROCindic
600 gotmove%=PALSE
610 REPEAT
620 key%=GET
630 IF key%=136 PROCmovei(-1,0)
650 IF key%=138 PROCmovei(0,-1)
650 IF key%=138 PROCmovei(0,1)
650 IF key%=139 PROCmovei(0,1)
670 IF key%=13 PROCmovei(0,1)
670 IF key%=130 PROCmovei(0,1)
670 IF key%=13
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             x,x,#32
addr,y,y,LSL #2
addr,scrn,addr,LSL #6
RØ,[addr,x]!
RØ,#0
count,count,#1
                                                                                                                                                                 590 PROCindic
                                                                                                                                                                                                                                                                                                                     )/2,y%)m$
162Ø ENDPROC
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      53Ø ADD
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      540 ADD
     2820 n%=P%
2830 P%=P%+70
2840 NEXT pass%
                                                                                                                                                                                                                                                                                                                        1640 DEF PROCSHOWCOLS
1650 RESTORE
1660 FOR 1%=0 TO playing%-1
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      58Ø BNE
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             loop
R1, [addr,# 1]
                                                                                                                                                                                                                                                                                                                       1660 FOR 1%=0 TO playing%-1

1670 ERAD C1%, c2%

1680 FOR j%=0 TO 1

1690 PRINT TAB(i%*3,j%);

1700 COLOUR c1%

1710 COLOUR 128+c2%

1720 IF c1%=c2% VDU 32,32 ELSE VDU 224,
     2850 size%=120
2860 VDU 23,128,24,126,255,255,255,255,
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      590 LDRB
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             R1, [addr, # 1]

R0, [addr, #-1]

R1,R1,R0

R0, [addr, # 320]

R1,R1,R0

R0, [addr, #-320]

R1,R1,R0

R0, [addr, # 319]
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      600 LDRB
  126,24
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      610 ADD
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    610 ADD
620 LDRB
630 ADD
640 LDRB
650 ADD
660 LDRB
                                                                                                                                                                                                                                                                                                                    224
1730 VDU 9
1740 NEXT
1750 VDU 5
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              RØ, [addr,# 319]
                                                                                                                                                                  720
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             R1, R1, RØ
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      670 ADD
                                                                                                                                                                  730 DEF PROCmovei (dx%, dv%)
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             RØ, [addr.#-319]
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      68Ø LDRB
                                                                                                                                                                                                                                                                                                                      1750 VDU 5

1760 GCOL Ø,0

1770 PROCCh(Ø,4)

1770 PROCCh(Ø,-4)

1790 PROCCh(4,0)

1800 PROCCh(-4,0)

1810 GCOL Ø,3

1820 PROCCh(Ø,0)
                                                                                                                                                                 730 DEF PROCESSOR (AX%, dy%)
740 PROCINGIC
750 ix%=(ix%+10+dx%) MOD 10
750 iy%=(iy%+7+dy%) MOD 7
770 PROCINGIC
780 ENDPROC
790 :
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      69Ø ADD
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              R1.R1.RØ
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    690 ADD
700 LDRB
710 ADD
720 LDRB
730 ADDS
740 ADD
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              RØ, [addr,# 321]
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           RØ, [addr,# 321]
R1,R1,RØ
RØ, [addr,#-321]
R1,R1,RØ
RØ,val,count,LSR shift
RØ,[addr]
                                                                                                                                                                  800 DEF PROCINGIC
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      750 STRNEB
                                                                                                                                                                800 DEF PROCINGIC
810 GCDL 4,3
820 MOVE ix**128,4+iy**128
830 PLOT 1,120,0
840 PLOT 1,0,120
850 PLOT 1,0,120
860 PLOT 1,0,-120
870 ENDPROC
880:
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             count, count, #1
                                                                                                                                                                                                                                                                                                                        183Ø VDU 4
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      760 SUBS
3010 IF atoms%=2 PROCcircle(1/3,2/3):PR

Ccircle(2/3,1/3)

3020 IF atoms%=3 PROCcircle(1/2,1/4):PR

Cccircle(1/4,3/4):PROCcircle(3/4,3/4)

3030 FOR row%=0 TO 63

3050 ?1%=?($3000+640*row%+byte%)

3050 ?1%=?($3000+640*row%+byte%)

3050 REXT

3060 NEXT
                                                                                                                                                                                                                                                                                                                      1840 PROCWING
1850 NEXT
1860 COLOUR 128
1870 COLOUR 7
1880 ENDPROC
1890 :
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    708 SUS COURT, COURT, #1
770 BPL loop
780 MOV pc,link
790:
800 .scrn% EQUD 148
810 EQUD -1
820 | NEXT*
830 SYS "OS_ReadVduVariables", scrn%, sc
                                                                                                                                                                                                                                                                                                                        1900 DEF PROCch (dx%, dy%)
                                                                                                                                                                880 :
890 DEF PROCcomputer(A%)
900 PROCm("Thinking...",0)
                                                                                                                                                                                                                                                                                                                      1900 DEF PROCEN(dx*, dy*)
1910 IF count*(i*+1)<0 ENDPROC
1920 MOVE 96*1*+16+dx*, 1003+dy*
                                                                                                                                                                                                                                                                                                                                                                                                                                                                              rn%
84Ø ENDPROC
```

850 :	680 LDA rnd2+3	1820 BNE lowest	2940 scrhi?y=ad DIV 256
860 DEF PROCCOTAL 870 *POINTER	690 LSR A 700 TAY	1830 LDY #8 1840 .lowest	2950 NEXT 2960 ENDPROC
880 MOUSE ON	710 BNE ynot0	1850 LDA (addr2),Y	2970 :
890 MOUSE RECTANGLE 124,4,1028,1012 900 held=FALSE	720 .jloop 730 JMP loop	1860 AND nextmask 1870 BNE lowjmp	2980 DEF FNzp(n) 2990 zp=zp+n
910 REPEAT	740 .ynot0	1880 TYA	3000 =zp-n
920 CLS 930 RECTANGLE 120,0,1036,1020	700 TAY 710 BNE ynot0 720 .jloop 730 JMP loop 740 .ynot0 750 CMP #127 760 BEQ jloop 770 AND #3 780 STA row 790 LDA #0 800 STA addr+1 810 LDA rnd1+3 820 AND #kFE 830 ASL A 840 ROL addr+1 850 ASL A 860 ROL addr+1 870 CLC 880 ADC scrlo,Y 890 STA addr 900 LDA addr+1 910 ADC scrhi,Y 920 STA addr+1 910 ADC scrhi,Y 920 STA addr+1	189Ø CLC 1900 ADC #8	3010 : 3020 DEF FNmem(n)
940 REPEAT	770 AND #3	1910 TAY	3030 P%=P%+n 3040 =P%-n
950 REPEAT 960 MOUSE x,y,z	780 STA row 790 LDA #0	1920 LDA (addr2),Y 1930 AND nextmask	3050 :
970 IF z=0 held=FALSE 980 UNTIL z AND NOT held	800 STA addr+1 810 LDA rnd1+3	1940 BNE lowjmp 1950 TXA	3060 DEF FNmu15(ad) 3070 [OPT pass
990 IF z AND 4 THEN	820 AND #&FE	1960 TAY	3080 LDA ad
1000 IF NOT held POINT x,y	83Ø ASL A 84Ø ROL addr+1	1970 LDA (addr2), Y 1980 AND mask	3090 STA tmp 3100 LDA ad+1
1020 held=FALSE	850 ASL A	1990 BEQ endlow	3110 STA tmp+1
1030 ENDIF 1040 IF z AND 1 THEN	860 ROL addr+1 870 CLC	2000 .lowjmp 2010 JMP doplot	3120 LDA ad+2 3130 STA tmp+2
1050 WAIT	880 ADC scrlo,Y	2020 .endlow	3140 LDA ad+3
1050 rx=x+RND(200)-100 1070 ry=y+RND(200)-100	900 LDA addr+1	2030 JMP alldone 2040 .addline	3150 STA tmp+3 3160 ASL ad
1080 IF rx<124 rx=124	910 ADC scrhi,Y	2050 LDA addr 2060 CLC	3170 ROL ad+1 3180 ROL ad+2
1100 IF ry<4 ry=4	930 LDY #10	2020 and #(3/m-2-meth 4) Mon 256	3190 ROL ad+3
1110 IF ry>1012+4 ry=1012+4	940 LDA (addr),Y	2080 STA addr2 2090 LDA addr+1	3200 ASL ad 3210 ROL ad+1
1130 ENDIF	940 LDA (addr),Y 950 AND mask 960 BEQ squareempty 970 JMF alldone 980 .squareempty 990 LDA col 1000 BNE midrow 1010 LDY #2 1020 .midrow 1031 LDA (addr),Y	2100 ADC #(linelength-4) DIV 256	3220 ROL ad+2
1140 UNTIL z=2 1150 A%=RND(9)	970 JMP alldone 980 squareempty	2110 STA addr2+1 2120 LDX #8	3230 ROL ad+3 3240 LDA ad
1160 B%=RND (200)	990 LDA col	2130 LDY #8	3250 CLC
1170 C%=RND 1180 D%=RND	1000 BNE midrow 1010 LDY #2	2140 LDA col 2150 BNE highest	3260 ADC tmp 3270 STA ad
1190 CALL coral	1020 .midrow	2160 LDY #0	3280 LDA ad+1
1200 REPEAT 1210 MOUSE x,y,z	1030 LDA (addr),Y 1040 AND nextmask	2170 .nignest 2180 LDA (addr2),Y	3300 STA ad+1
1220 held=TRUE	1050 BNE midjmp	2190 AND nextmask	3310 LDA ad+2
1240 UNTIL 2 1240 UNTIL 0	1070 CLC	2210 TYA	3330 STA ad+2
1000 IF NOT held POINT x,y 1010 ELSE 1020 held=FALSE 1030 ENDIF 1040 IF z AND 1 THEN 1050 WAIT 1050 Tx=x=RND(200)-100 1060 IF rx=124 1000 IF rx=124 1100 IF rx=124 1100 IF ry=4 ry=4 1110 IF ry=1012+12 ry=1012+4 1110 IF ry=1012+4 ry=1012+4 1110 IF ry=1012+4 1110 IF ry=1012+12 ry=1012+4 1110 IF ry=1012+0 ry=1012+4 1110 FOINT rx,ry 1110 ENDIF 1110 A%=RND(9) 1150 B%=RND(200) 1170 C%=RND 1190 D%=RND 1190 CALL coral 1200 REPEAT 1210 MOUSE x,y,z 1220 held=TRUE 1230 UNTIL z 1240 UNTIL z 1240 UNTIL 0 1250 ENDFROC	1080 ADC #8	2220 CLC	3340 LDA ad+3
Tigting 4	1100 LDA (addr),Y	2240 TAY	3360 STA ad+3
Listing 4	1110 AND nextmask	2250 LDA (addr2),Y 2260 AND nextmask	3370] 3380 =pags
Listing 4 10 REM Coral8 (Info2b) 20 REM By Jan Vlietinck 30 REM 8 Bit Version by Dave Lawrence	990 LDA col 1000 BNE midrow 1010 LDY #2 1020 .midrow 1030 LDA (addr),Y 1040 AND nextmask 1055 BNE midjmp 1050 TAA 1070 CLC 1080 ADC #8 1090 TAY 1100 LDA (addr),Y 1110 AND nextmask 1120 BEQ endmid 1130 .midjmp 1140 JMP doplot 1150 .endmid 1150 .endmid 1160 LDA row 1170 BEQ cantdotop 1180 LDX #8 1190 LDA BB 1190 LDA col 1170 BEQ cantdotop 1180 LDX #8 1190 LDA col 1210 BNE toprow 1220 LDY #8 1200 LDA col 1210 BNE toprow 1240 LDA (addr),Y 1250 AND nextmask 1260 BNE topimp 1270 TYA 1280 CLC 1290 ADC #8 1300 TAY 1310 LDA (addr),Y 1320 AND mextmask 1330 BNE topimp 1340 TXA	2110 STA addr2+1 2120 LDX #8 2130 LDY #8 2140 LDA col 2150 BNE highest 2160 LDY #0 2170 highest 2180 LDA (addr2),Y 2190 AND nextmask 2200 BNE doplot 2210 TTA 2220 CLC 2230 ADC #8 2240 TAY 2250 LDA (addr2),Y 2260 AND nextmask 2270 BNE doplot 2210 TTA 2220 LDA (addr2),Y 2250 TAY 2290 TAY 2290 TAY 2390 LDA (addr2),Y 2310 AND mask 2320 EEQ alldone 2330 doplot 2340 LDA colour 2350 LDA colours,X 2360 AND mask 2370 PHA 2380 LDY #10 2390 GRA (addr),Y 2400 STA (addr),Y 2410 INY 2420 FLA 2430 GRA (addr),Y 2440 STA (addr),Y 2450 alldone 2450 DEC count 2470 LDA count 2460 CPR #255 2490 SNE imploop	3390 :
20 REM By Jan Vlietinck 30 REM 8 Bit Version by Dave Lawrence	1140 JMP doplot 1150 .endmid	2280 TXA 2290 TAY	3400 DEF PROCCOTAL 3410 REPEAT
40 REM For all 8 Bit machines 50 REM (c) BAU September 1991 60 :	1160 LDA row	2300 LDA (addr2),Y	3420 CLS
50 REM (C) BAU September 1991 60 :	1170 BEQ Cantdotop 1180 LDX #8	2310 AND mask 2320 BEQ alldone	3440 x=RND(160)-1
70 ON ERROR GOTO 150	1190 LDY #8	2330 .doplot	3450 Y=RND(128)-1
80 MODE 2 90 VDU 23;8202;0;0;0;0;	1210 BNE toprow	2350 LDA colours,X	3460 PLOT 69,x*8,y*8 3470 PLOT 69,x*8,y*8+4
100 PROCinit 110 PROCcode	1220 LDY #0	2360 AND mask	3480 NEXT
120 PROCeoral	1240 LDA (addr),Y	2380 LDY #10	3490 !count=counter 3500 !rnd1=RND
130 END 140 :	1250 AND nextmask	2390 ORA (addr),Y 2400 STA (addr),Y	3510 !rnd2=RND 3520 A%=RND(7)-1
150 IF ERR = 17 AND NOT INKEY-2 GOTO 1	1270 TYA	2410 INY	3530 X%=RND(200)+50
160 MODE 7	1280 CLC 1290 ADC #8	2420 PLA 2430 ORA (addr), Y	3540 Y%=(RND(2)-1)*5+1 3550 CALL coral
170 IF ERR <> 17 REPORT:PRINT" at line	1300 TAY	2440 STA (addr),Y	3560 VDU 7
"; ERL 180 END	1310 LDA (addr),Y 1320 AND nextmask	2450 .alidone 2460 DEC count	3570 IPGET 3580 UNTIL FALSE
190 :	1330 BNE topjmp	2470 LDA count	3590 ENDPROC
200 DEF PROCINIT 210 DIM code 800		2480 CMP #255 2490 BNE jmploop	Tinding E
220 xsize=160 230 ysize=128	1360 LDA (addr),Y 1370 AND mask	2500 DEC colcount 2510 BNE nochange	Listing 5
240 counter=xsize*ysize*16	1380 BEQ endtop	2520 LDA coldelay	10 REM >%.Biggest
250 linelength=20*8*4 260 zp=£70	1390 .topjmp 1400 JMP doplot	2530 STA colcount 2540 LDA colour	20 REM By Dave Lawrence 30 REM For Archimedes only
270 count=FNzp(4)	1410 .endtop	2550 CLC	40 REM (c) BAU Sep 91
280 rnd1=FNzp(4) 290 rnd2=FNzp(4)	1420 LDA row 1430 CMP #3	2560 ADC coladd 2570 CMP #7	50 : 60 PROCinit
300 tmp=FNzp(4)	1440 BEQ addline	2580 BCC lessthan7	70 arg\$=FNgetargs
310 x=FNzp(1) 320 y=FNzp(1)	1450 .cantdotop 1460 LDX #12	2590 SBC #7 2600 .lessthan7	80 PROCreadargs(arg\$) 90 IF help% THEN
330 addr=FNzp(2) 340 addr2=FNzp(2)	1470 LDY #12 1480 LDA col	2610 STA colour 2620 .nochange	100 PRINT"Find large files and directo
350 mask=FNzp(1)	1490 BNE botrow	2630 DEC count+1	110 PRINT"Keywords:"'
360 nextmask=FNzp(1) 370 col=FNzp(1)	1500 LDY #4 1510 .botrow	2640 LDA count+1 2650 CMP #255	120 PRINT"Upper case indicates allowab le abbreviation"
380 row=FNzp(1) 390 colour=FNzp(1)	1520 LDA (addr),Y 1530 AND nextmask	2660 BNE jmploop 2670 DEC count+2	130 FOR arg%=0 TO args%-1
400 colcount=FNzp(1)	1540 BNE botjmp	2680 LDA count+2	140 PROCp("-"+arg\$(arg%,0),arg\$(arg%,2
410 coldelay=FNzp(1) 420 coladd=FNzp(1)	1550 TYA 1560 CLC	2690 CMP #255 2700 BEQ exit	150 NEXT 160 ELSE
430 ENDPROC	1570 ADC #8	2710 .jmploop	170 PROCsetup
440 : 450 DEF PROCcode	1580 TAY 1590 LDA (addr),Y	2720 BIT &FF 2730 BMI exit	180 IF verbose% PRINTroot\$; 190 PROCcount(root\$)
460 FOR pass=0 TO 2 STEP 2	1600 AND nextmask	2740 JMP loop	200 IF verbose% PRINTSTRING\$(LENroot\$,
470 P%=code 480 [OPT pass	1610 BNE botjmp 1620 TXA	2750 .exit 2760 RTS	CHR\$127); 210 PROCresults
490 .coral	1630 TAY	2770 :	220 ENDIF
500 STA colour 510 STX coldelay	1640 LDA (addr),Y 1650 AND mask	2780 .masks 2790 EQUB 42	230 END 240 :
520 STX colcount	1660 BEQ endbot	2800 .nextmasks	250 DATA 12
530 STY coladd 540 .loop	1670 .botjmp 1680 JMP doplot	281Ø EQUB 21 282Ø EQUB 42	260 DATA Number,/e,"Number of objects to display (default 30)"
550 OPT FNmul5(rnd1) 560 OPT FNmul5(rnd2)	1690 .endbot 1700 LDA row	2830 : 2840 .colours	270 DATA Type, =types/k, "Filetype[s] to
570 LDA rnd1+3	1710 BNE alldone	2850 EQUB &30:EQUB &03:EQUB &33	count (separated by semicolons)" 280 DATA Exclude,/k,"Filetype[s] to ex
580 BEQ loop 590 CMP #159	1720 LDA addr 1730 SEC	2860 EQUB & OC: EQUB & 3C: EQUB & OF: EQUB & 3	clude (separated by semicolons)" 290 DATA Directories,/s,"Count directo
600 BCS loop	1740 SBC #linelength MOD 256	2870]	ries rather than files"
610 AND #1 620 STA col	1750 STA addr2 1760 LDA addr+1	2880 scrlo=FNmem(128) 2890 scrhi=FNmem(128)	300 DATA Applications,/s,"Count Risc O S applications (identified by !RunImage)
63Ø TAX	1770 SBC #linelength DIV 256	2900 NEXT	
640 LDA masks,X 650 STA mask	1780 STA addr2+1 1790 LDX #16	2910 FOR y=0 TO 127 2920 ad=&3000+(y DIV 4)*linelength+2*(y	310 DATA Root,/k,"Set directory to sta rt from (default \$)"
660 LDA nextmasks,X 670 STA nextmask	1800 LDY #16 1810 LDA col	MOD 4)-10 2930 scrlo?y=ad MOD 256	320 DATA Single,/s,"Only count 'Root' directory (don't recurse)"
		250 50110.13-00 800 800	

PAGES YELLOW

```
330 DATA Format, /k, "Set file size form
                                                                                                                                                                                                                                                2280 ENDCASE
                                                                                                                                                                                                                                                                                                                                                                    740 IF choice%>=2 AND choice%<func%+2
sel%(choice%-2)=NOT sel%(choice%-2):whic
330 DATA Format, /k, "Set file size form at (Decimal, Hextadecimal, Textual)"
340 DATA Path, /s, "Print full pathnames rather than file and path"
350 DATA Split, sp/s, "Print pathnames on a new line"
360 DATA Verbose, /s, "Display directori es searched"
370 DATA Help, /s, "Display this help"
                                                                                                                                                                                                                                               2290 size$=RIGHT$(STRING$(12," ")+size$
12)+" "
                                                                                                                          1270 DEF PROCextracttypes (a$, flag%)
                                                                                                                         1270 DEF PROCENTRACTUPPS(a$,fle
1280 LOCAL semi,type$,type
1290 a$:=";"
1300 REPEAT
1310 semi=INSTR(a$,";")
1320 type$=LEFT$(a$,semi-1)
1330 IF LEFT$(type$,1)="%" THEN
1340 type=EVAL(type$)
1350 EISE
                                                                                                                                                                                                                                                                                                                                                                   h%=2
750 UNTIL choice%=func%+2
760 ENDPROC
                                                                                                                                                                                                                                              12)+" "
2300 IF files% THEN
2310 type$=type$(i%)+" "
2320 ELSE
2330 type$=""
2340 ENDIF
                                                                                                                                                                                                                                                                                                                                                                        780 DEF FNtick(cond%)
790 IF cond% THEN ="#1" ELSE ="#0"
                                                                                                                                                                                                                                              2340 BRDIF

2350 IP path% THEN

2360 path$-path$(1%)+"."+file$(i%)

2370 file$=""

2390 ELSE

2390 file$-LEFT$(file$(i%)+STRING$(12,"
                                                                                                                                                                                                                                                                                                                                                                   810 DEF PROCgetakey
820 PROCstatus("Press a key to return
to menu...")
830 *FX 15,1
   390 DEF PROCD(c$,h$)
400 SYS "OS_PrettyPrint",c$+STRING$(14
-LENG$,CHR$31)+": "+h$+CHR$10+CHR$13+CHR
                                                                                                                          1360 SYS "OS_FSControl", 31, type$ TO ,,t
                                                                                                                       ype
1370 ENDIF
1380 ftypes%(type)=flag%
1390 a$=MID$(a$,semi+1)
                                                                                                                                                                                                                                                                                                                                                                         840 wait=GET
       410 ENDPROC
                                                                                                                                                                                                                                                2400 path$=path$(i%)
                                                                                                                                                                                                                                                                                                                                                                         850 ENDPROC
                                                                                                                           1400 UNTIL a$=""
                                                                                                                                                                                                                                                2410 ENDIF
                                                                                                                                                                                                                                                                                                                                                                         860
      420:
430 DEF FNgetargs
440 SYS "OS_GetEnv" TO A$
450 A$=FNlow(A$)
460 quit=INSTR(A$,"-quit")
470 A$=MID$ (A$, quit+6)
480 spc=INSTR(A$,"")
490 A$=MID$ (A$, spc+1)
                                                                                                                                                                                                                                               2410 FF split% AND files% THEN
2430 FRINTsize$; type$'SPC14; file$; path$
2440 ELSE
2450 PRINTsize$; file$; type$; path$
                                                                                                                                                                                                                                                                                                                                                                        870 DEF FNyn(yn%)
880 IF yn%=0 THEN =" "ELSE ="]"
890 :
900 DEF FNmenu(men$,choice%,stat$)
                                                                                                                           1410 ENDPROC
                                                                                                                         1420 :
1430 DEF PMfiletype(t%)
1440 LOCAL a,b,blk
1450 DIM blk 8
1460 SYS "05,FSControl",18,,t% TO ,,a,b
1470 lblk-a:blk!4=b:blk?8=13
                                                                                                                                                                                                                                                2460 ENDIF
                                                                                                                                                                                                                                                                                                                                                                         910 items%=0
                                                                                                                                                                                                                                                                                                                                                                         920 REPEAT
                                                                                                                                                                                                                                                                                                                                                                  920 REPEAT 930 i%=INSTR(men$,",")
940 IF i%=0 m$=men$;men$="" ELSE m$=LE
FT$(men$,i%-1):men$=MID$(men$,i%+1)
950 IF LEFT$(m$,1)="#" THEN m$=PNyn(VA
LMID$(m$,2))+MID$(m$,3) ELSE m$=" "+m$
960 m$(item$)=m$
                                                                                                                                                                                                                                                2480 ENDWHILE
       500 =A$
                                                                                                                           148Ø =$blk
                                                                                                                                                                                                                                               2490 ENDPROC
 510 :
520 DEP PROCINIT
530 READ args*
540 DIM ftypes%(&FFF), arg$(args*-1,2),
form$(2),block 256
550 form$()="decimal","hexadecimal","t
                                                                                                                         1490 :

1500 DEF PHlow(i$)

1510 LOCAL i%,c%,c$

1520 FOR 1%=1 TO LEN(i$)

1530 C%=RSCHIS(i$,i%,1)

1540 IF c%>=ASC"A" AND c%<=ASC"Z" c%=c%
                                                                                                                                                                                                                                            Listing 6
                                                                                                                                                                                                                                                    10 REM Big8 (Info3b)
20 REM Show biggest files
30 REM by Dave Acton
40 REM for B/B+/M/C/E
50 REM (c) BAU September 1991
                                                                                                                                                                                                                                                                                                                                                                         970 items%=items%+1
                                                                                                                                                                                                                                                                                                                                                                     980 UNTIL men$=""
990 VDD 28,0,24,39,3,12
1000 PROCstatus(stat$)
1010 PROCc("Cursor keys move pointer",1
      ttual*
560 dec%=0:hex%=1:text%=2:formats%=3
570 name=block+&14
580 key$=""
590 FOR arg%=0 TO args%-1
600 READ arg$(arg%,0),arg$(arg%,1),arg
                                                                                                                          1550 o$+=CHR$c%
                                                                                                                          1560 NEXT
1570 =0$
                                                                                                                                                                                                                                                                                                                                                                      1020 PROCc("RETURN selects",18)
                                                                                                                                                                                                                                                                                                                                                                     1020 PROCC("METURN selects",18)
1030 REPEAT
1040 VDU 30
1053 FOR i%=0 TO items%-1
1060 FF choice%=1% VDU 135 ELSE VDU 130
1070 PRINT SPC5;m%(i%)
                                                                                                                          1590 DEF PROCcount (dir$)
                                                                                                                                                                                                                                                     80 VDU 23;8202;0;0;0;
90 *FX 4,1
                                                                                                                          1600 LOCAL ptr,len
1610 ptr=0
1620 REPEAT
1630 SYS "05_GBPB",10,dir$,block,1,ptr,
  $(arg%, 2)
      arg%,2)
610 IF key$<>"" key$+=","
620 key$+=(FNlow(arg$(arg%,0))+arg$(ar
                                                                                                                                                                                                                                                  100 PROCtitle ("BAU File & Directory Co
g%,1))
630 NEXT
640 ENDPROC
                                                                                                                       50 TO ,,,,ptr
1640 IP ptr>=0 THEN
1650 name$=FNstr0(name)
                                                                                                                                                                                                                                                                                                                                                                      1080 NEXT
                                                                                                                                                                                                                                                  120 fdatsize%=100
130 DIM filedat% maxfiles%*fdatsize%
                                                                                                                                                                                                                                                                                                                                                                     1090 key%=GET
1100 IF key%=138 choice%=(choice%+1) MO
                                                                                                                                                                                                                                                 130 DIM Filedate maxiles* rations: 140 DIM next*(maxfiles*)
150 DIM temp* £100,q* £100
160 DIM m$(10)
170 DIM type$(20),func$(20),sel*(20)
180 func*=0
190 REPEAT
                                                                                                                         1550 names=rNst(name)
1660 CASE blockts10 OF
1670 WHEN 1:
1680 IF files% THEN
1690 ftype%=(iblock AND &000FFF00)>8
1700 IF ftype%(ftype%) THEN
1710 len%=blockts8
                                                                                                                                                                                                                                                                                                                                                                  1100 IF key%=138 choice%=(choice%+1) MO D items%
1110 IF key%=139 choice%=(choice%+items %-1) MOD items%
1120 UNTIL key%=13
1130 =choice%
       660 DEF PROCreadargs(arg$)
       670 ftypes%()=TRUE
680 SYS "OS_ReadArgs",key$,arg$,block,
680 SYS "OS ReadArgs", ke

$100

690 number* = FNval(0)

700 types* = FNval(1)

710 exclude* = FNval(2)

720 dirs* = FNval(3)

730 apps* = FNval(5)

750 single* = FNval(5)

750 single* = FNval(7)

770 path* = FNval(7)

780 spli* = FNval(9)

780 verbose* = FNval(10)

800 help* = FNval(11)

810 ENDPROC
                                                                                                                                                                                                                                             200 READ type$(func%)
210 i%=INSTR(type$(func%),"")
220 IF i%>0 func$(func%)=LEFT$(type$(func%),i%-1) ELSE func$(func%)=type$(func
                                                                                                                                                                                                                                                                                                                                                                      1140 :
                                                                                                                          1720 PROCinsert (name$, dir$, FNfiletype(f
                                                                                                                                                                                                                                                                                                                                                                      1150 DEF PROCtitle(t$)
                                                                                                                      1720 FROCInsert(name$,dir$,FNfiletype(f
type%),lend
1730 ENDIF
1740 ENDIF
1750 WEEN 2:
1760 IF dira% OR apps% THEN
1770 IF apps% THEN
1770 IF apps% THEN
1780 SYS "OS File",5,dir$+"."+name$+".!
RunImage" TO count%
                                                                                                                                                                                                                                                                                                                                                                     1160 FOR 1%=0 TO 1
1170 PRINTTAB(0,1%)SPC40
1180 PRINTTAB(0,1%)CHR$131CHR$141SPC(18
LEN(t$)/2)t$
                                                                                                                                                                                                                                                  230 typemen$=typemen$+","+type$(func%)
                                                                                                                                                                                                                                                238 typemens=typemens*","+types(:
246 func%=func%+1
250 UNTIL types(func%-1)="Other"
268 func%=func%-1
270 seldirs="5"
280 which%=0
290 verbose%=FALSE
300 recur%=TRUE
310 ON ERROR PROCERT
310 PEDERT
                                                                                                                                                                                                                                                                                                                                                                      1190 NEXT
1200 ENDPROC
                                                                                                                                                                                                                                                                                                                                                                      1210
                                                                                                                                                                                                                                                                                                                                                                     1220 DEF PROCC(t$,y%)
1230 PRINTTAB(20-LEN(t$)/2,y%)t$;
1240 ENDPROC
1250:
                                                                                                                         1790 ELSE
1800 count%=TRUE
1810 ENDIF
       800 help%
810 ENDPROC
      820 :
830 DEF FNval(arg%)
                                                                                                                       1820 IF count% THEN
1830 SYS "05_FSControl",28,dir$+"."+nam
e$,,1 TO ,,bytes,files
1840 FROCinsert(name$,dir$,"",bytes)
                                                                                                                                                                                                                                                                                                                                                                      1260 DEF PROChiggest(d$,tofind%)
                                                                                                                                                                                                                                           310 ON ERROR PROCERT
320 REPEAT
330 m$="Start search, Select root, Select
type, "*FNtick(verbose%) *"erbose, "*FNt
ick(recur*) +"Recurse, Quit"
340 choice%=FNnenu (m$, choice%, "Dir: "*+
FNfname(seldir$, 33))
350 If choice%= PROChiggest(seldir$, 5
-15*(NOT verbose%)):PROCgetakry
360 IF choice%=1 PROCgetdir
370 IF choice%=2 PROCtypenenu
380 IF choice%=3 Verbose%=NOT verbose%
390 IF choice%=4 recur%=NOT recur%
400 UNTIL choice%=5
410 *FX 4,0
420 MODE 7
430 END
       840 LOCAL val%
850 val%=block!(arg%*4)
                                                                                                                                                                                                                                                                                                                                                                      1270 CLS
                                                                                                                                                                                                                                                                                                                                                                     1270 CLS
1280 tpos%=0
1290 PROCstatus("Searching...")
1300 found%=0
1310 list%=-1
1320 PROCshowlist
       860 IF RIGHT$(arg$(arg%,1))="s" THEN =
  (val%<>0)
870 =val%
880 :
                                                                                                                         1850 ENDIF
1850 ENDIF
1870 IF NOT single% THEN
1880 IF verbose% PRINT".";name$;:len=LE
       890 DEF PROCsetup
900 flag%=-(types%>0)-(exclude%>0)-app
                                                                                                                                                                                                                                                                                                                                                                     1330 z%=FNsearch(d$,0,FALSE)
1340 PROCstatus("Search complete")
                                                                                                                       Nname$
 s%-dirs%
910 files%=(types%>0) OR (exclude%>0)
                                                                                                                         1890 PROCcount (dir$+"."+name$
                                                                                                                                                                                                                                                                                                                                                                      1350 ENDPROC
                                                                                                                                                                                                                                                                                                                                                                  1350 ENDPACE
1360:
1370 DEF FNsearch(f$, depth$, dirflag$)
1380 LOCAL i$, f$, done$, direize$
1390 If depth$1 AND NOT (recur* OR whi
ch$=1) THEN =0
1400 f$=FNtype(f$)
1410 TF.$=1 THEN =PNf{le(f$)}
                                                                                                                          1900 IF verbose% PRINTSTRING$ (len+1, CHR
910 files%=(type%>0) OR (exclude%>0)
OR (flag%=0)
920 IF flag%>1 ERROR 0,"Multiple searc
h parameters"
930 IF number%=0 number%=30 ELSE numbe
r%=number%11
                                                                                                                       $127);
1910 ENDIF
1920 ENDCASE
1930 ENDIF
                                                                                                                          1940 UNTIL ptr=-1
      =numoer%:1
940 IF types%>0 THEN
950 ftypes%()=FALSE
960 PROCextracttypes(FNstr0(types%),TR
                                                                                                                                                                                                                                                                                                                                                                     1400 Ff f%=1 THEN =FNfile(f$)
1420 dirsize%=0
1430 IF depth%=1 AND which%=1 dirflag%=
                                                                                                                          1950 ENDPROC
                                                                                                                                                                                                                                                  430 END
                                                                                                                                                                                                                                                  440
                                                                                                                                                                                                                                                  450 DEF PROCETY
460 IF ERR=17 ENDPROC
470 CLS
                                                                                                                           1970 DEF PROCinsert(file$,path$,type$,s
                                                                                                                       ize)
1980 IF size>size%(number%) THEN
                                                                                                                                                                                                                                                                                                                                                                    TRUE
1440 PROCseldir(f$)
                                                                                                                                                                                                                                                  470 CLS
480 PRINTCHR$129CHR$136"Error: "CHR$13
       980 IF exclude%>0 THEN
                                                                                                                          1990 pos%=number%
2000 REPEAT
       990 ftvpes%()=TRUE
                                                                                                                                                                                                                                                                                                                                                                  1460 REPEAT
1470 PROCSpbp(0,temp%,1,i%)
1480 done%=(q%15<0)
1490 IF NOT done% dirsize%=dirsize%+FNS
earch(f$*"."*PNString(temp%),depth%+1,di
rflag%:PROCseldir(f$):i%=i%+1
1500 UNTIL done%
1510 IF depth%=1 AND which%=1 PROCinser
t(0,0,dirsize%,-2,f$)
1520 =dirsize%
1530 :
1540 DEF PROCseldir(d$)
                                                                                                                                                                                                                                                                                                                                                                      1460 REPEAT
                                                                                                                         2000 REPEAT
2010 pos%-1
2020 UNTIL pos%-0 OR size<size%(pos%)
2030 pos%+1
2040 FOR %%-number% TO pos% STEP -1
2050 file$(i%+1)-file$(i%)
2060 path$(i%+1)-path$(i%)
2070 type$(i%+1)-type$(i%)
2080 size*(i+1)-size*(i%)
2090 MEXT
    1000 PROCextracttypes(FNstr0(exclude%),
                                                                                                                                                                                                                                                  490 REPORT
 1000 PROCextracttypes (FMS
FALSE)
1010 ENDIF
1020 IF root%=0 THEN
1030 root%='8"
1040 ELSE
1050 root%=FNStr0(root%)
1060 ENDIF
                                                                                                                                                                                                                                                 500 PROCgetakey
510 ENDPROC
520 :
530 DEF PROCgetdir
                                                                                                                                                                                                                                                  540 REPEAT
550 CLS
                                                                                                                                                                                                                                                 556 CLS
560 PRINT" Enter directory to search:"
570 INFUT" >"seldir$
580 UNTIL FNtype(seldir$)=2
590 ENDPROC
600:
610 DEF PROCtyppemen
618 DEF PROCtyppemen
618 OGAL orbites ms is
    1060 RNDIF

1070 IF format%>0 THEN

1080 form%=FNlow(FNstr0(format%))

1090 format%=-1

1100 FOR 1%=0 TO formats%-1

1110 IF form%=LEFT%(form%(i%),LENform%)
                                                                                                                          2100 file$(pos%)=file$
2110 path$(pos%)=path$
2120 type$(pos%)=type$
2130 size%(pos%)=size
                                                                                                                                                                                                                                                                                                                                                                     1530 :

1540 DF PROCSeldir(d$)

1550 PROCStatus("*DIR "+FNfname(d$,34))

1560 OSCLI("DIR "+d$)

1570 ENDPROC
                                                                                                                                                                                                                                                  620 LOCAL choice%, m$, i%
                                                                                                                          2140 ENDIF
                                                                                                                          215Ø ENDPROC
    1120 NEXT
                                                                                                                                                                                                                                                  630 choice%=0
                                                                                                                                                                                                                                                                                                                                                                      1580 :
                                                                                                                                                                                                                                                                                                                                                                    1580 :
1590 DEF PROCStatus(t$)
1600 PRINTTAB(0,21)t$;SPC(39-LEN(t$));
1610 ENDPROC
1620 :
1630 DEF FNstring(s$)
1630 DEF FNstring(s$)
1630 DE=1841+178$
1650 st=841-1
1670 REPEAT
    1130 IF format%<0 ERROR 0, "Unknown outp
                                                                                                                          2160
                                                                                                                                                                                                                                                  640 REPEAT
                                                                                                                                                                                                                                                  650 m$=FNtick(which%=0)+"All files,"
660 m$=m$+FNtick(which%=1)+"Directory,
                                                                                                                          2170 DEF PROCresults
  ut format"

1140 ENDIF

1150 IP dirs% single%=TRUE

1160 DIM file% (number%+1), path$ (number%+1), type% (number%+1)

1170 ENDPROC
                                                                                                                         2190 WHILE i%<=number% AND file$(i%)<>"
                                                                                                                                                                                                                                                 670 FOR i%=0 TO func%-1
680 m$=m$+FNtick(which%=0 OR (which%=2
                                                                                                                         2200 CASE format% OF
                                                                                                                          2210 WHEN dec%:
2220 size$=STR$size%(i%)
                                                                                                                                                                                                                                               AND sel%(i%)))+type$(i%)+",
                                                                                                                                                                                                                                                  69Ø NEXT
                                                                                                                       2220 MEEN hexh:
2230 MEEN hexh:
2240 size$="6"+RIGHT$(STRING$(8,"0")+ST
RS cize$($i$), 8)
2250 WHEN texth:
2260 SYS "03_ConvertFixedFileSize", size
$(i$), block, 256
2270 size$=FNstr@(block)
                                                                                                                                                                                                                                                  700 m$=m$+"Main menu"
    1190 DEF FNstr0(a%)
1200 a$=""
                                                                                                                                                                                                                                                                                                                                                                     1670 REPEAT
1680 done%=TRUE
1690 IF p%s%:IF ?(p%-1)=32 p%=p%-1:don
%=FALSE
1700 UNTIL done%
1710 ?p%=13
1720 =$s%
                                                                                                                                                                                                                                             710 choice%=FNmenu(m$,choice%,"Select
type(s) to search for")
720
   1200 a$=""
1210 WHILE ?a%<>0
1220 a$+=CHR$(?a%)
1230 a%+=1
1240 ENDWHILE
1250 =a$
                                                                                                                                                                                                                                                  730 IF choice%<2 which%=choice%
```

1730 : 1740 DEF PNfile(f\$)	2600 q%!5=bytes% 2610 q%!9=pointer%	390 ORRS pc,link,#1<<28 400 .synerr EQUD 16	1520 ADD R2,R2,step 1530 CMP R2,#8
1750 LOCAL load%, exec%, size%, i%, j%, k%, f	2620 z%=FNcall(&FFD1,q%,8)	410 EQUS "Syntax: *LdPic <svpic scr<="" td=""><td>1540 SUBGE R2,R2,#8</td></svpic>	1540 SUBGE R2,R2,#8
t% 1760 load%=q%!2	263Ø ENDPROC 264Ø :	een>"+CHR\$0 420 ALIGN	1550 ADDGE RØ,RØ,R4 1560 CMPGE RØ,#80
1770 exec%=q%!6	2650 DEF FNtype(f\$)	430 :	1570 SUBGE RØ,RØ,#80
1780 size%=q%!10 1790 IF dirflag% THEN =size%	2660 =FNosfile(5,f\$) 2670 :	440 .copyname 450 LDRB RØ, [R1], #1	1580 ADDGE R1,R1,#1 1590 STMIA (3),{R0,R1,R2}
1800 ft%=FNvalidfile(load% AND &FFFF,ex	2680 DEF FNosfile(A%,f\$)	460 STRB RØ, [R2], #1	1600 LDMPD (sp)!, (R0-R4,pc)
ec% AND &FFFF, size%) 1810 IF ft%=-3 THEN =-size%	2690 \$temp%=f\$ 2700 !q%=temp%	470 CMP RØ,#32 480 BGE copyname	1610 : 1620 .writeRØ
1820 PROCinsert(load%, exec%, size%, ft%, f	2710 =FNcall(&FFDD,q%,A%)	490 MOV RØ, #&40	1630 STMFD (sp)!, (R1-R4, link)
\$) 1830 =size%	2720 : 2730 DEF FNcall(r%,q%,A%)	500 MOV R1,ws 510 MOV R2,#0	1640 LDR R1,scrl 1650 LDR R2,scry
1840 :	2740 X%=q% MOD 256	520 SWI "XOS_Find"	1660 ADD R1,R1,R2,ASL #3
1850 DEF PROCinsert(load%, exec%, size%, f t%, f\$)	2750 Y%=q% DIV 256 2760 =USR(r%) AND &FF	530 LDMVSFD (sp)!, (pc) 540 CMP RØ,#0	1670 LDR R2,scr% 1680 ADD R2,R2,R1,ASL #6
1860 IF found%=0 PROCaddfile(found%, loa	2770 :	550 BNE okhandle	1690 ADD R2,R2,R1,ASL #8
d%, exec%, size%, ft%, f\$):list%=found%:next %(list%)=-1:found%=1:PROCshowlist:ENDPRO	2780 DEF FNhex(n%) 2790 =RIGHT\$("00000000"+STR\$~n%,8)	560 MOV RØ,#19 570 MOV R1,ws	1700 LDR R1,scrx 1710 ADD R2,R2,R1,ASL #2
C	2800 :	580 MOV R2,#0	1720 LDR R1, mode
1870 i%=list%	2810 DEF PROCerror(err\$) 2820 PRINTerr\$	590 SWI "XOS_File" 600 LDMPD (sp)!,(pc)	1730 ADD pc,pc,R1,ASL #2 1740 EQUD 0
1880 j%=-1 1890 REPEAT	283Ø ENDPROC	610 .okhandle	1750 B mode0
1900 IF size%>!(FNa(i%)+8) THEN j%=i%:i %=next%(i%)	2840 : 2850 DEF FNvalidfile(load%,exec%,size%)	620 STR R0, handle 630 MOV bits, #1	1760 B mode1 1770 B mode2
%=next%(1%) 1910 UNTIL i%=-1 OR size%<=!(FNa(i%)+8)	2860 LOCAL i%, valid%	640 MOV R2,#8	1770 B mode2
1920 IF j%=-1 AND found%=tofind% ENDPRO	2870 IF which%=0 THEN =-1	650 BL multiread	1790 B mode4
C 1930 IF j%=-1 PROCaddfile(found%,load%,	2880 1%=0 2890 REPEAT	660 MOV bitsreq, RØ 670 MOV R2, #8	1800 B mode1 1810 B mode4
exec%, size%, ft%, f\$):next%(found%)=list%:	2900 IF sel%(i%) valid%=EVAL("FN"+func\$	680 BL multiread	1820 :
list%=found%:found%=found%+1:PROCshowlis t:ENDPROC	(i%)+"(load%,exec%,size%)") ELSE valid%= FALSE	690 STR RØ, mode 700 CMP RØ, #7	1830 .mode0 MOV R4,#&40 1840 .mode0loop
1940 IF found%=tofind% AND j%=list% PRO	2910 IF NOT valid% i%=i%+1	710 BLT realmode	1850 MOV R3,#0
Caddfile(list%, load%, exec%, size%, ft%, f\$)	2920 UNTIL valid% OR (i%=func%)	720 LDMFD (sp)!, (link) 730 ADR RØ, nastymode	1860 TST RØ,R4,ASL #1 1870 ORRNE R3,R3,#1
:PROCshowlist:ENDPROC 1950 IF found%=tofind% k%=list%:list%=n	2930 IF NOT valid% i%=-3 2940 =i%	730 ADR RØ, nastymode 740 ORRS pc, link, #1<<28	1880 TST RØ, R4
ext%(list%) ELSE k%=found%:found%=found%	2950 :	750 .nastymode	1890 ORRNE R3,R3,#&10
+1 1960 PROCaddfile(k%,load%,exec%,size%,f	2960 DEF FNScreen(load%,exec%,size%) 2970 =(load%=&3000 AND size%=&5000) OR	760 EQUD 25 770 EQUS "Unusable mode"+CHR\$0	1900 STRB R3, [R2], #1 1910 MOVS R4, R4, LSR #2
t%,f\$)	(load%=&5800 AND size%=&2800)	780 ALIGN	1920 BNE mode@loop
1970 next%(j%)=k% 1980 next%(k%)=i%	2980 : 2990 DEF FNTeletext(load%,exec%,size%)	790 : 800 .realmode	1930 LDMFD (sp)!,(R1-R4,pc) 1940 :
1990 PROCshowlist	3000 =(load%=&7C00)	810 ADR R1,msizes	1950 .model MOV R4,#&08
2000 ENDPROC 2010 :	3010 : 3020 DEF FNExec(load%,exec%,size%)	820 LDR himem, [R1, R0, ASL #2] 830 SWI &100+22	1960 .modelloop 1970 MOV R3,#0
2020 DEF PROCshowlist	3030 =(load%=0 AND exec%=&FFFF)	840 SWI &100+12	1980 TST RØ, R4, LSL #4
2030 VDU 30	3040 :	850 SWI "XOS_RemoveCursors"	1990 ORRNE R3,R3,#&22
2040 IF list%=-1 PRINTSPC3"None found y et":ENDPROC	3050 DEF FNRom(load%, exec%, size%) 3060 = (load%=&8000)	860 ADR R0,scr% 870 ADR R1,scr%	2000 TST R0,R4 2010 ORRNE R3,R3,#£11
2050 IF verbose% PROCvlist ELSE PROCcli	3070 :	880 SWI "XOS_ReadVduVariables"	2020 STRB R3,[R2],#1
st 2060 ENDPROC	3080 DEF FNBasic (load%, exec%, size%) 3090 = (load% AND &FF)=0 AND load%>=&800	890 MOV R1,#15 900 .palloop	2030 CMP R1,#5 2040 STREQB R3,[R2],#1
2070 :	AND load%<&2000 AND (exec%=load% OR exe	910 SWI &100+19	2050 MOVS R4,R4,LSR #1
2080 DEF PROCelist	C%>&8000)	920 MOV RØ,R1 930 SWI "OS_WriteC"	2060 BNE modelloop 2070 LDMFD (sp)!,(R1-R4,pc)
2090 LOCAL 1%, a%, v% 2100 v%=found%-1	3100 : 3110 DEF FNFKeys(load%, exec%, size%)	940 MOV R2,#4	2070 LDMFD (sp)!, {R1-R4,pc} 2080 :
2110 i%=list%	3120 =(load%=&B00 AND size%<=&100)	950 BL multiread	2090 .mode2 MOV R4,#2
2120 REPEAT 2130 a%=FNa(i%)	3130 : 3140 DEF FNFont(load%, exec%, size%)	960 SWI "OS_WriteC" 970 SWI &100+0	2100 .mode2loop 2110 MOV R3,#0
2140 PRINTTAB(Ø, v%); RIGHT\$(" "+STR	3150 =(load%=&C00 AND size%<=&100)	980 SWI &100+0	2120 TST RØ,R4,LSL #6
\$(a%!8),7); 2150 PRINT" "\$(FNa(i%)+16)	3160 : 3170 DEF FNtypestring(t%)	990 SWI &100+0 1000 SUBS R1,R1,#1	2130 ORRNE R3,R3,#&88 2140 TST R0,R4,LSL #4
2160 i%=next%(i%)	3180 IF t%=-2 THEN ="Directory"	1010 BPL palloop	2150 ORRNE R3,R3,#&44
2170 v%=v%-1 2180 UNTIL i%=-1	3190 IF t%=-1 THEN ="File" 3200 =type\$(t%)	1020 MOV R2,#8 1030 BL multiread	2160 TST RØ,R4,LSL #2 2170 ORRNE R3,R3,#&22
2190 ENDPROC	3210 :	1040 MOV step, RØ	2180 TST RØ,R4,LSL #0
2200 :	3220 DATA Screen, Teletext 3230 DATA Exec, Rom, Basic	1050 MOV R2,#8 1060 BL multiread	2190 ORRNE R3,R3,#&11
2210 DEF PROCVlist 2220 LOCAL i%, a%, v%, ft%	3240 DATA FKeys, Font	1060 BL multiread 1070 MOV countbits, R0	2200 STRB R3,[R2],#1 2210 STRB R3,[R2],#1
2230 v%=found%-1	3250 DATA Other	1080 MOV passcount, step	2220 MOVS R4,R4,LSR #1
2240 i%=list% 2250 REPEAT	T 1 41 - 17	1090 .screenpass 1100 MOV screen, passcount	2230 BNE mode2loop 2240 LDMFD (sp)!, (R1-R4,pc)
2260 a%=FNa(i%)	Listing I	1110 SUB screen, screen, #1	2250 :
2270 PRINTTAB(0, v%*4)\$(FNa(1%)+16) 2280 ft%=!(FNa(1%)+12)	10 REM >LdPicARM (Info4a)	1120 STR screen, scri 1130 MOV RØ, #0	2260 .mode4 MOV R4,#&80 2270 .mode41oop
2290 IF ft%<>-2 PRINT FNhex(1a%);" ";FN	20 REM By Dave Lawrence	1140 STR RØ, scrx	2280 MOV R3,#0
hex(a%!4);" "; 2300 PRINT RIGHTS(STRINGS(10 " ")+PNois	30 REM For Archimedes only 40 REM (c) BAU Sep 91	1150 STR RØ,8cry 1160 .getbit MOV R2.#1	2300 ORRNE R3.R3.#£11
e(a%!8),10);" ";FNtypestring(ft%)	50 :	1170 BL multiread	2310 STRB R3,[R2],#1
2310 i%=next%(i%) 2320 v%=v%-1	60 PROCinit	1180 CMP R0,#0	2320 MOVS R4,R4,LSR #1 2330 BNE mode41cop
2330 UNTIL i%=-1	80 SYS "OS_File", 10, "%. LdPic", &FFC,, c	1200 MOV R2, countbits	2340 LDMFD (sp)!,(R1-R4,pc)
234Ø ENDPROC	ode, P%	1210 BL multiread	2350 :
2360 DEF FNsize(s%)	100 :	1230 MOV R2, bitsreq	2370 STMFD (sp)!, {R1,R3,R4,link}
2370 IF s%>&1000 THEN =STR\$(s% DIV &400	110 DEF PROCINIT	1240 BL multiread	2380 MOV R3,#0
)+"K" 2380 =STR\$(s%)+" bytes"	130 himem=4	1250 .repeat BL WriteRØ 1260 BL updatescr	2400 LDR RØ, fbyte
2390 :	140 count=5	1270 SUBS count, count, #1	2410 .mrloop SUBS bits,bits,#1
2400 DEF FNINAME(I\$,1%) 2410 IF LEN(f\$)<=1% THEN =LEFT\$(f\$+STRI	160 bitsreg=7	1290 BNE repeat 1290 B until	2420 BNE gotsomeDits 2430 LDR R1.handle
NG\$(1%, " "),1%)	170 step=8	1300 .single MOV R2,bitsreq	2440 SWI "XOS_BGet"
2420 =""+RIGHT\$(f\$,1%-3)	180 passcount=9	1310 BL multiread	2450 LDRVS sp,stack
2440 DEF PROCaddfile(i%, load%, exec%, siz	200 bits=11	1330 BL updatescr	2470 MOV bits,#8
e%,ft%,f\$)	210 ws=12	1340 .until CMP screen, himem	2480 MOV RØ, RØ, ASL #24
2460 a%=FNa(i%)	230 link=14	1360 SUBS passcount, passcount, #1	2500 MOVS RØ, RØ, LSL #1
2470 !a%=load%	240 pc=15	1370 BNE screenpass	2510 MOV R3,R3,RRX
2490 a%!8=size%	260 :	1390 LDR R1, handle	2530 BNE mrloop
2500 a%!12=ft%	270 DEF PROCCOde	1400 SWI "XOS_Find"	2540 STR RØ,fbyte
2510 \$(a%+16)=FNfname(f\$,30-36*verbose%	280 FOR pass%=0 TO 2 STEP 2 290 P%=code	1410 LDMFD (sp)!, {pc}	2550 RSB R2,R2,#32 2560 MOV R0,R3,LSR R2
252Ø ENDPROC	300 [OPT pass%	1430 .updatescr	2570 LDMFD (sp)!,(R1,R3,R4,pc)
2530 : 2540 DEF FNa(n%)	310 STMFD (sp)!, (link) 320 STR sp.stack	1440 STMFD (sp)!, {R0-R4, link}	2580 : 2590 msizes FOTD 45000
2550 =filedat%+fdatsize%*n%	330 MOV R2, WB	1460 LDR RØ, mode	2600 EQUD &5000
2560 : 2570 DEF PROCCHAPA(handle) data hytes	340 LDRB R0, [R1]	1470 CMP RØ,#4	2610 EQUD &5000
pointer%)	330 CMF R0, #32	TAON MOANT VA' 41	TOTA DAON GAMMA
	360 BGE copyname	1490 MOVGE R4,#2	2630 EQUD &2800
2580 ?q%=handle%	360 BGE copyname 370 LDMFD (sp)!,(link)	1080 MOV passcount, step 1090 .screenpass 1100 MOV screen, passcount 1110 SUB screen, screen, #1 1120 STR screen, scr1 1130 MOV RO, #0 1140 STR RO, scrx 1150 STR RO, scrx 1150 STR RO, scry 1160 .getbit MOV R2,#1 1170 BL multiread 1180 CMP RO, #0 1190 BEQ single 1200 MOV R2, countbits 1210 BL multiread 1220 MOV count, R0 1230 MOV R2, bitsreq 1240 BL multiread 1250 .repeat BL writeR0 1260 BL updatescr 1270 SUBS count, count, #1 1280 BNE repeat 1290 B until 1300 .single MOV R2,bitsreq 1310 BL writeR0 1320 BL writeR0 1330 BL updatescr 1340 .until CMP screen, himem 1350 BLT getbit 1360 SUBS passcount, passcount, #1 1370 RNE screenpass 1380 MOV R0, #0 1390 LDR R1, handle 1400 SWI "XOS_Find" 1410 LDMED (sp)!, (RO-R4, link) 1450 ADD screen, screen, step 1460 LDMED (sp)!, (RO-R4, link) 1450 ADD screen, screen, step 1460 LDMED (sp)!, (RO-R4, link) 1450 MOVG R4, #1 1490 MOVG R4, #1 1490 MOVG R4, #2 1500 ADR R3, scrinfo 1510 LDMIA (3), (RO, R1, R2)	2630 EQUD &2800 2640 EQUD &2800



```
1600 NEXT C%
1610 FOR H%=0 TO 31
1620 IF voice(H%)<0 THEN
1630 P%=voice(H%)
1640 [OPT 2:B newfill(H%):]
1650 P%=voice(H%)+12
1660 [OPT 2:B newgoff(H%):]
1670 EMDIF
1680 NEXT H%
1690 C%=0
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      90 SYS "Font_FindFont",,font$,size%*16,8;ze%*16,0;0 TO handle
100 SYS "Font_SetFont",handle
110 SYS "Font_SetPalette",,8,15,-7,0,&
■ 2660 EQUD
                                                                                                                                                                                                                                          730 STR
740 ADR
750 STR
                                                                                                                                                                                                                                                                                                  R8, dump
R8, [R6], #4
         2680 .scr%
                                                               EQUD
                                                                                                           148
       2690 .scr% EQUD
2690 EQUD -1
2700 .stack EQUD
2710 .handle EQUD
2720 .fbyte EQUD
2730 .mode EQUD
                                                                                                                                                                                                                                                                                                 R9, R9, ROR #32-(colsh<<reps
                                                                                                                                                                                                                                           760 MOV
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      110 S15 F61
FFFFFF00
120 char=32
130 x=0
140 y=920
                                                                                                                                                                                                                                          770 ADD
780 CMP
790 BLT
                                                                                                                                                                                                                                                                                                 R12,R12,R11
R12,R4
flush
          2740 .scrinfo
                                                                                                                                                                                                                                           800 MOV
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   150 REPEAT
                                                                                                                                                                                                                                                                                                                                                                                                                                                               1000 MEXT #4
1090 C%=0
1700 *PX 225,2
1710 *PX 229,1
1720 OPF
1730 pltchs=" ZZSEXEDGCCVVGGBBHHNNJJMM
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 160 SYS "Font_SetFontColours", handle.8
          2750 .scrx
                                                                     EOUD
                                                                                                                                                                                                                                           810 LDMFD R131. (PC)
         2750 .scrx

2760 .scry

2770 .scrl

2780 ]

2790 NEXT

2800 ENDPROC
                                                                                                                                                                                                                                           820 1
                                                                                                                                                                                                                                        820 ]

830 FOR H%=0 TO 31

840 VOICe(H%)=!(level1+&40+H%*4)

850 IF VOICe(H%)<>0 THEN

860 oldfil(H%)=voice(H%)+(!voice(H%)

### Appropriates
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 170 SYS "Font_Paint", CHR$char, %000100
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      00,x,y
180 SYS "Font_StringBBox",,CHR$char TO
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             minx,miny,maxx,maxy
190 PROCrect(minx,miny,maxx,maxy,1)
200 SYS "Font_CharBBox",handle,char TO
                                                                                                                                                                                                                                                                                                                                                                                                                                                                ,Ll>.:;?/""""
1740 pitchb$=" qQ20wW3#eErR5%tT6~yY7&uU
                                                                                                                                                                                                                                 AND &FFFFFF) *4+8
                                                                                                                                                                                                                                      1740 pitchns="qqzewwiseErRS\tre yY/\( \text{20}\) [(f=1)[E] [1]
1750 channel\( \text{1}\) [1750 channel\( \text{1}\) [1750 channel\( \text{1}\) [1760 FRINT\( \text{1}\) [1
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             200 SYS "Font CharBBox", handle, char, minx, miny, maxx, maxy
210 PROCrect (minx, miny, maxx, maxy, 2)
220 x+96
230 IF x-1200 x=0:y-=128
240 char+=1
250 UNTIL char=127
260 SYS "Font_LoseFont", handle
270 END
280 :
      Listing 8
                    10 REM >Wave (Info5a)
20 REM by J S Graley
30 REM for Archimedes only
40 REM (c) BAU Sep 91
                                                                                                                                                                                                                                                                                                                                                                                                                                                           th care!"'
1790 REPEAT
                                                                                                                                                                                                                                           940
                                                                                                                                                                                                                                                                                                                                                                                                                                                          1790 REPEAT
1800 PERINTAB(0,4) "Channel: "; channel%
1810 i%=INKEY(0)
1820 IF i%=0 i%=256+GET
1830 IF i%=9 OSCLI "CHANNELVOICE "+STR$
channel%" 0':OSCLI "CHANNELVOICE "+STR$
channel%" "-STR$channel%
1850 IF i%>=6181 AND i%<=6188 THEN
                     60 MODE 12
                                                                                                                                                                                                                                           950 ENDIF
               60 MODE 12
70 colsh=4
80 xres=640:xmul=2
90 yres=256:ymul=4
100 height=70
110 width=152
                                                                                                                                                                                                                                          960 NEXT H%
970 [OPT pass
980 .ind
990 B p
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   290 DEF PROCrect(x1,y1,x2,y2,c)
300 SYS "Font_ConverttoOS",,x1,y1 TO ,
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      x1,y1
310 SYS "Font_ConverttoOS",,x2,y2 TO ,
                                                                                                                                                                                                                                 1000 ]
                  120 skipsh=1
     120 skipsh=1
130 repsh=0
140 cclour=4
150 DIM memory 20000
160 DIM voice(31)
170 DIM newfill(31), newgoff(31)
180 DIM oldfill(31), oldgoff(31)
190 SYS "Sound_Configure", 1,416,48 TO
DA, US, DB, Level1
200 VOICES 8
                                                                                                                                                                                                                                                                                                                                                                                                                                                               1850 thannel%=18-8180
1870 ELSE
1870 ELSE
1870 ELSE
1880 P%=INSTR(pitcha$, CHR$i%) DIV 2
1890 IF p%=0 THEN
1900 P%=INSTR(pitchb$, CHR$i%) DIV 2
1910 IF p%=0 P%=12
1910 IF p%=0 P%=12
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                320 GCOL c
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                330 RECTANGLE x+x1,y+y1,x2-x1,y2-y1
340 ENDPROC
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      Listing 10
                                                                                                                                                                                                                                                                                                R12,temp
R7,temp+4
RØ,ind
                                                                                                                                                                                                                                                                                                                                                                                                                                                            1710 F $\partial{P}$ $120 EMDIF $120 EMDIF $120 EMDIF $130 IF $\partial{P}$ $0 THEN $1948 SOUND channel%, $17F, 53+4*p%, -1 $1948 SOUND channel%, $17F, 53+4*p%, -1 $1950 EMDIF $1950 PX 225, 1 $1950 PX 225, 1 $1950 PX 225, 1 $1950 PX 225, 2 $2000 IF $\partial{P}$ $180 PX 225, 1 $1950 PX $195
                                                                                                                                                                                                                                      1070 STR
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    10 REM >LocalTest (Info7a)
20 REM by Dave Acton
30 REM for Archimedes only
40 REM (c) BAU Sep 91
                                                                                                                                                                                                                                      1080 ADR
                                                                                                                                                                                                                                                                                               R13!, (RØ)
oldgoff(H%)
                                                                                                                                                                                                                                       1090 STMFD
               210 FOR pass=0 TO 2 STEP 2
220 P%=memory
230 [OPT pass
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      50 :
60 DIM mem% &100
                                                                                                                                                                                                                                       1130 NEXT H%
                240 .plot
250 LDR
                                                                     R12.temp
                                                                                                                                                                                                                                       1140 [OPT pass
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      70 ?mem%=42
                                                                     R12,temp
R7,temp+4
RØ,temp
R6,data
R6,R6,#1024
R6,R6,R7,ASL #11
R6!,(RØ-R3)
R11,R11,ASL #skipsh
                                                                                                                                                                                                                                    1140 [OPT ]
1150 .scr
1160 EQUD
1170 EQUD
1180 .temp
1190 EQUD
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     70 ?mem%=42
80 mem%!1=£12345
90 $(mem%+5)="Outside the procedure..
                260 LDR
270 STR
280 ADR
290 ADD
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                100 PRINT $(mem%+5)
110 PRINT "?mem%=";?mem%
120 PRINT "mem%!1=&";~mem%!1
                                                                                                                                                                                                                                                                                                0
                300 ADD
                310 LDMIA
                                                                                                                                                                                                                                      1200 EQUD
                                                                                                                                                                                                                                                                                                                                                                                                                                                               2050 P%=voice(H%)+12
2060 [OPT 2:B oldgoff(H%):]
2070 ENDIF
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   130 PROCedure (123, &ABCDE, "Inside the p
                32Ø MOV
                                                                                                                                                                                                                                      1210 .dump
                                                                                                                                                                                                                               1210 dump
1220 EQUD 0
1230 data
1240 j
1250 NEXT pass
1260 FOR N%=0 TO 255
1270 F% (1784*4) = (((FNlin(N%)>>16)+32768)*
*height>>16)*colsh*xres/8
1280 NEXT N%
1290 SYS "OS_ReadVduVariables",scr,scr
1380 Scrcens=10cr
1310 COLOUR 1,152,0,32
1320 COLOUR 1,152,040,0
1340 FOR N%=0 TO 3
1350 COLOUR %+18,0,16,48+16*N%
1360 COLOUR N%+12,240,0,64
1370 NEXT N%
1380 VDU 28,0,31,79,20
1390 FOR C%=1 TO 8
1400 READ X, Y%,5%
1410 FOR N%=6 TO 3
                                                                        R4,R11,R3,R12
R9,R1,ASL R2
R7,temp
R7,#&Ø2
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       rocedure")
140 PRINT $(mem%+5)
150 PRINT "?mem%=";?mem%
160 PRINT "mem%!1=&"; mem%!1
                330 MLA
                                                                                                                                                                                                                                      1220 EOUD
                340 MOV
350 LDR
360 CMP
370 BLE
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   170 END
                                                                                                                                                                                                                                                                                                                                                                                                                                                               2100 :
2110 DEP PROCINS(i$)
2120 FOR i%=1 TO LEN(i$)
2130 SYS "OS_Byte",138,0,ASCMID$(i$,i%)
2140 NEXT
2150 SYS "OS_Byte",138,0,13
2160 EMDPROC
2170 ...
                                                                       R7, data
                38Ø ADR
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   180
               390 ADR R, data
390 Aplotloop
400 LDRB R3, [R12], R11
410 LDR R3, [R7, R3, ASL #2]
420 SUB R8, R0, R3,
430 LDR R2, [R6]
440 LDR R3, [R2]
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   190 DEF PROCedure (?mem%, mem%!1, $ (mem%+
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                200 PRINT $ (mem%+5)
210 PRINT "?mem%=";?mem%
220 PRINT "mem%!1=&"; mem%!1
230 ENDPROC
                                                                                                                                                                                                                                                                                                                                                                                                                                                                2170 :
                                                                                                                                                                                                                                                                                                                                                                                                                                                                2180 DEF FNlin(L%)
                45Ø EOR
                                                                        R3, R3, R9
                                                                                                                                                                                                                                                                                                                                                                                                                                                              2180 DEF FN1in(L%)
2190 neg=-(L% AND 1)
2200 L%=(L% AND NOT 1)
2210 E%=&SFFFFFFF
2220 J%=&40000000
2230 J%=J%/2
2240 SYS*Sound_SoundLog*,E% TO R%
2550 IF R%>L% THEN E%+=J%:GOTO 2230
250 IF R%>L% THEN E%+=J%:GOTO 2230
270 IF neg THEN =-E% ELSE =E%
                46Ø STR
                                                                         R3, [R2]
                                                                       R3, [R2]
R3, [R8]
R3, R3, R9
R3, [R6]
R8, [R6], #4
R3, [R12], R11
R3, [R7, R3, ASL #2]
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       Listing 11
                  470 LDB
                470 LDR
480 EOR
490 STR
500 STR
510 LDRB
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       10 MODE1:VDU23;8202;0;0;0;0:DIMy(63):F
ORy=DT063:y(y)=y*16:NEXT:FORX=DT0319:c=0
:FORY=1T062:GCOL0,c+1:FLOT69,x*4,y(y):c=(c+1)MOD3:NEXT:FORY=1T062:REPERT:z=y(y)+
                  520 LDR
                                                                                                                                                                                                                                 1400 FOR NS-0 TO 3
1420 GCOL 11-N°
1430 RECTANOLE FILL X**xmul, (yres+heigh
*(1-N°/4"-1)*ymul, width*xmul, height*ymul
*(1-N°/4)
1440 NEXT N°
1450 NEXT N°
                  53Ø SUB
                                                                        R8, RØ, R3
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        16-RND(32):UNTILz>y(y-1)ANDz<y(y+1):y(y)
                  540 LDR
                                                                         R2, [R6]
R3, [R2]
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        =z:NEXT:NEXT
                                                                                                                                                                                                                                                                                                                                                                                                                                                                2280 :
2290 DATA 0,83,-120
2300 DATA 160,83,-40
2310 DATA 320,83,40
                550 LDR
560 EOR
                                                                         R3,R3,R9,ROR #32-(colsh<<r
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       Listing 12
      epsh)
570 STR
                                                                        R3, [R2]
                                                                                                                                                                                                                                   1440 NEXT NS
1450 NOU 5:GCOL 2
1460 MOVE (X%+5) *xmul, (yres-Y%+9) *ymul
1470 PRINT"Ch.";C%;
1460 NOU 4:GCOL 1
1490 RECTANGEE X8*xmul, (yres-Y%-1) *ymul
width*xmul, height*ymul
1500 cw=data+1024+2048*(C%-1)
1510 PGR N%=0 TO 2044 STEP 4
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     10 MODE1: VDU23; 8202; 0; 0; 0; : DIMsin(129
                58Ø LDR
                                                                        R3, [R81
                                                                                                                                                                                                                                                                                                                                                                                                                                                                2320 DATA 480,83,120
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        10 MODEL: VDUZJ; $202; $0; $0; $0; DIMBIN [12]

):cc=c+0.3: NEXT: CLS: FORX*=-50T01320STEP24

:MOVEX$, 1024: c%=0:CCOL0, h%=1: h%= (h%=1)MO

D3: FORX*=1024T00STEP= FIRANX*+sin(c%), y%

:c%=c%+1: NEXT: NEXT: IFGET
                                                                                                                                                                                                                                                                                                                                                                                                                                                                2330 DATA 0,158,-120
2340 DATA 160,158,-40
2350 DATA 320,158,40
2360 DATA 480,158,120
                590 EOR
                                                                        R3,R3,R9,ROR #32-(colsh<<r
      epsh)
600 STR
610 STR
620 MOV
                                                                       R3,[R8]
R8,[R6],#4
R9,R9,ROR #32-(colsh<<reps
      h)*2
630 TST
                                                                                                                                                                                                                                                                                                                                                                                                                                                           Listing 9
                                                                        R9,#(1<<colsh)-1
                                                                    R9,#(1<<cr>
RØ,RØ,#4</r>
R12,R4</r>
plotloop</r>
RØ,temp</r>
R13!,(PC)
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       Listing 13
                64Ø ADDNE
                                                                                                                                                                                                                                       1520 cw!N%=dump
                                                                                                                                                                                                                                    1540 cw!n%=dump
1540 cw!n%=creen+colsh*(xres*Y%+X%)/8
1550 cw!4=colour*((iccolsh)^(ic<repsh)-1)/((iccolsh)^1)
1560 cw!8=(colsh*X%) MOD 32
                650 CMP
660 BLT
670 LDR
680 LDMFD
                                                                                                                                                                                                                                                                                                                                                                                                                                                                           10 REM >FontBoxes (Info6a)
20 REM By Dave Lawrence
30 REM For Archimedes only
40 REM (c) BAU September 1991
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      10 MODE12:OFF:DIMx(0),y(0):r=35:s=1:t
=2:REPEATMOUSEx(1),y(1),b:WAIT:SYS6,113,s:SYS6,112,t:SWAPS,b:CLS:CIRCLEx(1),y(1),r:FORi=2706:GCOLd-1:r=x(1-)-y(1):y=y(i-1)-y(i):d=SQR(x*x+y*y)+.1:p=(d-r-r)/d:x
(1)+x*p:y(1)+y*p:CIRCLEFILLx(1),y(1),r:D=dr-r-1:LINEx(1-1),y(1-1),x(1-1),x(1):P=dr-r-1:LINEx(1-1),y(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),x(1-1),
```

Juggling

Listing 1

690 .flush 700 LDR

71Ø LDR

R8. [R6]

R3, [R8] R3, R3, R9

```
120 spritearea!@=spriteareasize
130 spritearea!8=16
140 SYS spriteop,9+256,spritearea
 10 REM >MakeJugSpr (Juggle1)
20 REM by Nick Craig-Wood
30 REM for Arc only
40 REM (c) BAU Sep 91
                                                                                             160 RESTORE
                                                                                        170 DATA %110000, %001100, %000011, %1100
10,%101100,%001011,%101111
180 DATA %100100,%011000
190 :
 90 spriteareasize=8*1024
                                                                                             190 :
200 FOR i%=1 TO 9
210 CLS
110 DIM spritearea spriteareasize
```

1590 STERRO C%, S%

1570 cw!12=width>>repsh 1580 OSCLI "CHANNELVOICE "+STR\$C%+" "+S

```
220 READ c%
230 GCOL c% TINT 255
240 CIRCLE FILL 4*8,4*8,4*8
250 MOVE 0,0: MOVE 4*16,4*16
260 SYS spriteop,14*256,spritearea,"ba
11"+STR$(i%),Ø
11"-5TR$(1%),0
270 SYS apriteop,29+256,spritearea,"ba
11"-5TR$(i%),0
280 NEXT i%
290 CLS
300:
```

70 font\$="Corpus.Medium" 80 size%=50

```
310 PRINT "Calculating masks"
320 SYS spriteop, 40+256, spritearea, "ba
111" TO ...mx%, my%
330 FOR x%=0 TO mx%-1
340 FOR x%=0 TO mx%-1
350 SYS spriteop, 41+256, spritearea, "ba
111", x%, y% TO ..., a%
360 IF a%<>0 THEN a%=1
370 FOR i%=1 TO 9
380 SYS spriteop, 44+256, spritearea, "ba
11"+SYR$(i%), x%, y%, a%
```

390 NEXT 1%	870 FOR 1%=1 TO LEND\$	1900 IF plen%>1 THEN	2880 DEF PROCETACK
400 NEXT Y%	880 a\$=MID\$(p\$,1%,1)	1910 FOR i%=0 TO plen%-2	2890 REM first track the hands
410 NEXT X%	890 CASE a\$ OF	1920 FOR j%=i%+1 TO plen%-1	2900 FOR ptick%=0 TO r2%-1
420 : 430 FOR 1%=1 TO 9	900 WHEN "0","1","2","3","4","5","6"," 7","8","9":	1930 IF pattern%(i%)+i%=pattern%(j%)+j% THEN ok=FALSE	2910 t=PI*ptick%/rtick% 2920 handx%(0,ptick%)=rx%-rhand%*SIN(t)
440 SYS spriteop, 34+256, spritearea, "ba	910 pattern%(plen%)=ASCa\$-ASC"0"	1940 NEXT j%	2930 handy%(0,ptick%)=basey%-rhand%*COS
11"+STR\$(i%), i%*80, i%*80, 8	920 plen%+=1	1950 NEXT i%	(t)
450 NEXT 1%	930 WHEN "Q", "q"	1960 ENDIF 1970 IF NOT OK THEN	2940 handx%(1,ptick%)=lx%-rhand%*SIN(t)
460 :	940 END	1980 PRINT "Pattern involved catching m	2950 handy%(1,ptick%)=basey%+rhand%*COS
470 PRINT "Saving JugSprites"	950 WHEN "E","e"		(t)
480 SYS spriteop, 12+256, spritearea, "Ju gSprites"	960 PROCshowexamples 970 PRINT prompt\$	ore than one ball at a time" 1990 ENDIF	2960 NEXT ptick% 2970 :
490 END	980 ok=FALSE	2000 =ok	2980 REM now make each ball track
	990 OTHERWISE	2010 :	2990 :
Listing 2	1000 PRINT "Unrecognised command: ";a\$	2020 DEF PROCjuggle	3000 FOR p%=1 TO 9
	1010 ok=FALSE	2030 height%()=-1	3010 IF INSTR(p\$,STR\$(p%)) THEN
	1020 ENDCASE	2040 ticks%()=0	3020 PRINT ;p%;
10 REM Juggling (Juggle2)	1030 ENDCASE	2050 p%=-1	3030 sh%=0
20 REM by Nick Craig-Wood	1040 NEXT 1%	2060 hand%=0	3040 h%=p%
30 REM for Arc Only	1050 :	2070 : 2080 REPEAT	3050 IF (h% AND 1) THEN fh%=1-sh% ELSE fh%=sh%
40 REM (c) BAU Sep91 50 :	1060 IF plen%=0 THEN 1070 pattern%(0)=3	2090 dtick=1/rtick%	3060 :
60 REM starting hand is right hand =	1080 plen%=1	2100 REPEAT	3070 REM This makes the tracks for thro
	1090 ENDIF	2110 PROCtickjuggle	w from sh% to fh%, height h%
70:	1100 :	2120 hand%=1-hand%	3080 REM In position p%
80 MODE 15:MODE 13:OFF	1110 IF (plen% AND 1) THEN	2130 a\$=INKEY\$(0)	3090 :
90 screeny%=1024:screenx%=1280	1120 IF 2*plen%>nmax% THEN	2140 UNTIL a\$<>"" 2150 :	3100 IF h%>1 THEN
100 PROCresetbanks	1130 PRINT "Pattern too big"	2160 mego=FALSE	3110 k0%=rtick%/2
110 ON ERROR PROCERTOR	1140 ok=FALSE		3120 k1%=(h%*rtick%-rtick%/2) MOD r2%
120 :	1150 ELSE	2170 REPEAT	3130 ELSE
130 bally%=screeny%/40	1160 FOR i%=0 TO plen%-1	2180 CASE a\$ OF	3140 k0%=0
140 ballx%=bally% 150 rhand%=ballx%*4	1170 pattern%(plen%+i%)=pattern%(i%) 1180 NEXT i%	2190 WHEN "+" 2200 tickspeed%=2*tickspeed%	3150 k1%=rtick% 3160 ENDIF
160 lx%=0.25*screenx%	1190 plen%=2*plen%	2210 IF tickspeed%>rtick% THEN tickspee	3170 sx%=handx%(sh%,k0%): sy%=handy%(sh
170 rx%=0.75*screenx%	1200 ENDIF	d%=rtick%	%,k0%) 3180 fx%=handx%(fh%,k1%): fy%=handy%(fh
180 lx0%=lx%+rhand%	1210 ENDIF	2220 WHEN "-"	
190 lx1%=lx%-rhand%	1220 :	2230 tickspeed%=tickspeed%/2	%, k1%)
200 rx0%=rx%-rhand%	1230 func=0	2240 IF tickspeed%<1 THEN tickspeed%=1	3190 :
210 rx1%=rx%+rhand%	1240 WHILE func<>-1 AND ok	2250 WHEN " ": mego=TRUE	3200 CASE h% OF
220 :	1250 func+=1	2260 WHEN "Q", "q": END	3210 :
230 midx%=0.5*screenx%	1260 CASE func OF	2270 ENDCASE	3220 WHEN 3,4,5,6,7,8,9:
240 chesty%=0.7*screeny%	1270 WHEN 1: ok=FNgetsum	2280 a\$=INKEY\$(0)	3230 FOR ptick%=0 TO h%*rtick%-1
250 shoulderx%=0.15*screenx%	1280 WHEN 2: ok=FNgetav	2290 UNTIL a\$="" OR mego	3240 ti=ptick%/rtick%
260 shouldery%=0.65*screeny%	1290 WHEN 3: ok=FNvalidpat	2300 UNTIL mego	3250 q%=ptick% MOD r2%
270 elbowx%=0.25*screenx%	1300 OTHERWISE: func=-1	2310 ENDPROC	3260 IF ti<0.5 THEN
280 elbowy%=0.37*screeny%	1310 ENDCASE	2320 :	3270 x%=handx%(sh%,q%)
290 headd%=0.12*screeny% 300 heady%=screeny%-headd%	1320 ENDWHILE	2330 DEF PROCtickjuggle	3280 y%=handy%(sh%,q%)
	1330 UNTIL ok	2340 p%=(p%+1) MOD plen%	3290 ELSE
310 bottomy%=0	1340 IF max%>1 THEN	2350 h%=pattern%(p%)	3300 IF ti>h%-0.5 THEN
320 heighty%=0.8*screeny%	1350 yscale=heighty%/0.25/((max%-1)*(ma	2360 ticks%()=ticks%()+rtick%	3310 x%=handx%(fh%,q%)
330 basey%=rhand%+bally%	x%-1))	2370 IF h%>0 THEN	3320 y%=handy%(fh%,q%)
340 :	1360 ELSE	2380 REM find out which ball has landed	3330 ELSE
350 rtick%=32	1370 yscale=heighty%	, and throw a new one if nec.	3340 t=(ti-0.5)/(h%-1)
360 tickspeed%=2	1380 ENDIF	2390 b%=-1: c%=-1	3350 y%=(fy%-sy%)*t+sy%+yscale*t*(1-t)* (h%-1)*(h%-1)
370 nmax%=250	1390 OFF	2400 FOR i%=0 TO nball%-1	
380 DIM pattern%(nmax%) :REM pattern	1400 ENDPROC	2410 IF ticks%(i%)>=rtick%*height%(i%)	3360 x%=(fx%-sx%)*t+sx%
390 DIM height%(9) :REM height of throw	1410 : 1420 DEF PROCshowexamples	THEN 2420 IF height%(i%)>=0 THEN b%=i% ELSE	3370 ENDIF 3380 ENDIF
400 DIM ticks%(9) :REM current	1430 CLS	c%=i%	3390 trackx%(p%,ptick%)=x%
position of throw	1440 PRINT "Example patterns"	2430 ENDIF	3400 tracky%(p%,ptick%)=y%
410 DIM hands%(9) :REM startin	1450 PRINT	2440 NEXT 1%	3410 NEXT ptick%
g hand	1460 PRINT "0 - 9 cascade 0 - 9 balls"	2450 IF b%=-1 THEN b%=c%	3420 :
420 DIM pos%(9) :REM positio	1470 PRINT "31,51,71,91 shower 2,3,4,5	2460 IF b%<>-1 THEN	3430 WHEN 2:
n in pattern ball was thrown 430:	balls"	2470 height%(b%)=h%	3440 FOR ptick%=0 TO h%*rtick%-1
	1480 PRINT	2480 ticks%(b%)=0	3450 trackx%(p%,ptick%)=handx%(sh%,ptic
440 DIM trackx%(9,rtick**9) 450 DIM tracky%(9,rtick**9)	1490 PRINT "How to learn to juggle 3 ba	2490 pos%(b%)=p% 2500 hands%(b%)=hand%	k%) 3460 tracky%(p%,ptick%)=handy%(sh%,ptic
460 DIM handx%(1,2*rtick%)	1500 PRINT "300, 3302, 2330, 330, 333"	2510 ENDIF	k%)
470 DIM handy%(1,2*rtick%)	1510 PRINT	2520 ENDIF	3470 NEXT ptick%
480 r2%=2*rtick%	1520 PRINT "How to learn to juggle 4 ba	2530 :	3480 :
490 :	11s"	2540 FOR ptick%=0 TO rtick%-1 STEP tick	3490 WHEN 1:
500 SpriteAreaSize=8*1024	1530 PRINT "423, 40, 04, 4440, 441, 4"	speed%	3500 FOR ptick%=0 TO rtick%-1
510 DIM SpriteArea SpriteAreaSize	1540 PRINT	2550 PROCstartupdate	3510 t=ptick%/rtick%
520 DIM sprite%(9)	1550 PRINT "How to learn to juggle 5 ba	2560 CLS	3520 trackx%(p%,ptick%)=(fx%-sx%)*t+sx%
530 SpriteArea!0=SpriteAreaSize	11s"	2570 PRINT p\$	3530 tracky%(p%,ptick%)=(fy%-sy%)*t+sy%
540 SpriteArea!8=16	1560 PRINT "51, 15, 55500, 50505, 552, 55550, 5"	2580 :	+2*yscale*t*(1-t)
550 SpriteOp=&2E		2590 GCOL 63 TINT 255	3540 NEXT ptick%
560 SYS SpriteOp,9+256,SpriteArea	1570 PRINT	2600 d%=rhand%/2	3550 :
570 SYS SpriteOp,10+256,SpriteArea,"Ju	1580 PRINT "Some other interesting patt	2610 t%=ptick%+rtick%*hand%	3560 ENDCASE
gSprites"	erns"	2620 LINE midx%-elbowx%,elbowy%, handx% (1,t%),handy%(1,t%)-d%/2	3570 ENDIF
580 FOR i%=1 TO 9	1590 PRINT "423, 55500, 51, 531, 504, 6		3580 NEXT p%
590 SYS SpriteOp, 24+256, SpriteArea, "ba	12"	2630 LINE midx%+elbowx%, elbowy%, handx%	3590 ENDPROC
11"+STR\$(i%) TO ,,sprite%(i%-1)	1600 PRINT "71, 53444, 53, 633, 552, 55	(0,t%),handy%(0,t%)-d%/2	3600 :
600 NEXT i%	550, 5551"	2640 LINE midx%-elbowx%,elbowy%, midx%-	3610 DEF PROCETTOT
610 :	1610 PRINT "333333334515151515141"	shoulderx%, shouldery%	3620 ON ERROR OFF
620 REM possible attributes	1620 PRINT	2650 LINE midx%+elbowx%, elbowy%, midx%+	3630 PROCresetbanks
630 :	1630 PRINT "Fun, but impossible"	shoulderx%, shouldery%	3640 PRINT "*** Error ***"
640 REPEAT	1640 PRINT "123456789, 97531, 678, 747"	2660 LINE midx%-shoulderx%, shouldery%, midx%, chesty%	3650 REPORT: PRINT " at "; ERL
650 PROCgetpattern	1650 PRINT		3660 END
660 PRINT "Computing throws ";	1660 ENDPROC	2670 LINE midx%+shoulderx%,shouldery%,	3670 :
670 PROCtrack	1670 :	midx%,chesty%	3680 DEF PROCresetbanks
680 PROCjuggle	1680 DEF FNgetsum	2680 LINE midx%, heady%-headd%, midx%, bo ttomy%	3690 SYS "OS_Byte",19 :REM wait
690 UNTIL FALSE	1690 ok=TRUE		for Vsync
700 END	1700 sum=0: max%=-1	2690 CIRCLE midx%, heady%, headd%	3700 SYS "OS_Byte",112,0 :REM reset
710 :	1710 FOR i%=0 TO plen%-1	2700 :	logical bank
720 DEF PROCgetpattern	1720 a%=pattern%(i%)	2710 FOR i%=0 TO nball%-1	3710 SYS "OS_Byte",113,0 :REM reset
730 PRINT TAB(0,1);	1730 sum+=a%	2720 IF height%(i%)>=0 THEN	physical bank
740 PRINT "Whilst the program is juggl	1740 IF a%>max% THEN max%=a%	2730 t%=ticks%(i%)+ptick%	3720 bank%=1
ing"	1750 NEXT 1% 1760 =ok	2740 h%=height%(i%)	3730 ENDPROC
750 PRINT " + speeds it up"	1770 :	2750 x%=trackx%(h%,t%)	3740 :
760 PRINT " - slows it down"		2760 y%=tracky%(h%,t%)	3750 DEF PROCStartupdate
770 PRINT "and SPACE enters another pa	1780 DEF FNgetav	2770 IF hands%(i%) THEN x%=screenx%-x% 2780 SYS SpriteOp,34+512,SpriteArea,spr	3760 bank%=3-bank%
ttern"	1790 ok=TRUE		3770 SYS "OS_Byte",112,bank% :REM chang
780 PRINT	1800 nb=sum/plen%	ite%(1%),x%-32,y%-16,8	e logical bank
790 prompt\$="Enter Pattern (Q to Quit	1810 IF nb-INT(nb)<>0 THEN	2790 ENDIF	3780 ENDPROC
E for Examples)"	1820 PRINT "Pattern was for ";nb;" ball	2800 NEXT 1%	3790 :
800 PRINT prompt\$	81"	2810 :	3800 DEF PROCendupdate
810 ON	1830 ok=FALSE	2820 PROCendupdate	3810 SYS "OS_Byte",19 :REM wait
820 REPEAT	1840 ENDIF	2830 NEXT ptick%	for Vsync
830 INPUT p\$	1850 nball%=INT(nb)	2840 ENDPROC	3820 SYS "OS_Byte",113,bank% :REM chang
840 ok=TRUE	1860 =ok	2850 :	e physical bank
850 IF LEND\$>nmax% THEN PRINT "Pattern too big": ok=FALSE: p\$="3"	1870 : 1880 DEF FNvalidpat	2860 REM This makes the tracks for the hands and the balls	383Ø ENDPROC
860 plen%=0	1890 ok=TRUE	2870 :	

PAGES

7	950 CLC	2090 STA ptrack1	3230 CMP #255
Listing 3 10 REM JugAsm (Juggle3) 20 REM by Nick Craig-Wood 30 REM for B/B+/M/C 40 REM (c) BAU Sep91 50: 60 WODB4 70 Sy%=255 80 Sx%=255 90 mix*=4*0.5*Sx%+128 100 elboxy%=4*0.25*Sx% 110 elboxy%=4*0.3*Sy% 120 r%=16 :REM number of sub ticks/tick k 130 r2%=2*r%	960 ADC apl 970 STA apl	2100 LDA ptrackh	
10 REM JugAsm (Juggle3)	970 STA apl 980 LDA #0	2110 ADC s3 2120 STA ptrackh	3240 BNE tkj1 3250 LDA c 3260 CMP #255
20 REM by Nick Craig-Wood	990 ADC aph	2120 STA ptrackh 2130 LDY 80 2140 LDA (ptrackl), Y 2150 STA px 2160 LDA (ptrackl), Y 2170 LDA (ptrackl), Y 2180 STA DY 2190 LDY 84% 2200 LDA (pballl), Y 2210 CHP 80 2220 BEQ ptbl	3270 BEQ tkjnothrow
30 REM for B/B+/M/C	1000 STA aph	2140 LDA (ptrackl),Y	3280 .tkj1
50 :	1010 TXA 1020 AND #67	2150 STA px 2160 TNY	3290 ASL A
60 MODE4	1030 STA shifts	2170 LDA (ptrackl),Y	3310 ASL A
70 Sy%=255	1040 LDA #16	2180 STA py	3320 STA pballl
90 midx%=4*0.5*Sx%+128	1050 STA Count 1060 :	2190 LDY #st% 2200 LDA (phalll) Y	3330 LDA #balls DIV 25
100 elbowx%=4*0.25*Sx%	1070 .sprloop	2210 CMP #80 2220 BED ptbl 2230 LDA px 2240 EOR #255 2255 STA px 2260 .ptbl 2270 LDA py 2280 EOR #255 2295 STA py 2300 JSR wait 2310 LDY #0x% 2330 LDA (pball1),Y 2330 TAX 2340 LDY #0x% 2350 LDA (pball1),Y 2360 TAY 2370 LDA (pball1),Y 2360 TAY	3350 LDY #ht%
110 elbowy%=4*0.37*Sy%	1080 LDY #0	2220 BEQ ptb1	3360 LDA h
120 r%=16 :REM number of sub ticks/tic	1090 LDA (ail),Y	2230 LDA px	3370 STA (pball1),Y 3380 LDY #ts%
130 r2%=2*r%	1110 INC ail	2250 STA px	3390 LDA #0
130 r2%=2*r% 140 ht%=0 :REM height of throw 150 st%=1 :REM starting hand of throw 160 ts%=2 :REM current position of thr	1120 LDA (ail),Y	2260 .ptb1	3400 STA (pball1),Y
150 St%=1 :REM starting nand of throw	1130 STA 81	2270 LDA py	3410 LDY #ps% 3420 LDA p
ow	1150 TYA	2290 STA py	3430 STA (pball1),Y
170 ps%=3 :REM position in pt ball was	1160 LDX shifts	2300 JSR wait	3440 LDY #st%
thrown 180 ox%=4: oy%=5 :REM old position of	1170 CPX #0	2310 LDY #0x%	3450 LDA hand 3460 STA (pball1),Y
ball	1190 .sprshift	2330 TAX	3470 .tkjnothrow
190 tl%=6: th%=7: REM place to find tr	1200 LSR s0	2340 LDY #oy%	3480 LDA #0
ajectory in memory 200 sx%=320: sv%=256: bv%=40*8	1210 ROR 81 1220 ROR &	2350 LDA (pball1),Y	3490 STA ptick 3500 .tkjloopt
ajectory in memory 200 sx%=320: sy%=256: by%=40*8 210 PROCesm	1230 DEX	2370 LDA 1	3510 JSR plotlines
220 RESTORE	1240 BNE sprshift	238Ø CLC	3520 JSR plotballs
210 FROCASM 220 RESTORE 230 FOR 1%=0 TO 31 STEP 4 240 READ stabli% 250 NEXT 1% 250 DATA 6781F8007.6FFFFFC3F.6FFFFFFFF	1250 .sprnosnitt 1260 STA 82	2390 ADC #1 2400 CPY #255	3530 LDA 8
250 NEXT 1% 260 DATA &F81FE007, &FE7FFC3F, &FFFFFE7F	1270 LDA (apl),Y	2410 BEQ ptb3	3550 CLC
260 DATA &F81FE007, &FE7FFC3F, &FFFFFE7F	1280 EOR 80	2420 JSR sprite	3560 ADC ptick
,&FFFFFFFF 270 DATA &FE7FFFFF,&FC3FFE7F,&E007F81F	1290 STA (api),Y 1300 LDY #8	2430 .ptb3 2440 lpa i	3570 STA ptick
,600000000	1310 LDA (apl),Y	2450 CLC	3590 BCC tkjloopt
280 : 290 FOR j%=1 TO 9	1320 EOR 81	2460 ADC #1	3600 LDA hand
300 CLS: VDU 5: MOVE 112 1008, PRINT .	1340 LDY #16	2470 LDX px 2480 LDY pv	3610 EOR #1
290 FOR j%=1 TO 9 300 CLS: VDU 5: MOVE 112,1008: PRINT ; j%;: VDU 4 310 A%=0: X%=0: Y%=0: CALL sprite	998 ADC aph 1000 STA aph 1000 STA aph 1010 TXA 1020 AND \$E7 1030 STA shifts 1040 LDA #16 1050 STA count 1060 : 1070 sprloop 1080 LDY 80 1093 LDA (ail),Y 1100 STA s0 1111 INC sil 1112 LDA (ail),Y 1130 STA s1 1140 INC sil 1150 TYA 1160 LDX shifts 1170 CPX 80 1180 BEQ sprnoshift 1190 sprshift 1200 LSR s0 1210 ROR s1 1220 ROR s1 1230 DEX 1240 RNE sprshift 1250 Sprnoshift 1250 SPR s0 1210 ROR s1 1230 DEX 1240 RNE sprshift 1250 SPR s0 1290 STA (apl),Y 1280 EOR s0 1290 STA (apl),Y 1300 LDY #8 1310 LDA (apl),Y 1300 LDY #8 1310 LDA (apl),Y 1300 LDY #8 1310 LDA (apl),Y 1300 SNE spr1 1410 INC apl 1400 RNE spr1 1410 INC apl 1450 AND #87 1460 RNE spr2 1470 CLC 1480 LDA apl 1510 LDA aph 1510	2356 TAY 2376 LDA 1 2380 CLC 2399 ADC #1 2400 CFX #255 2410 BEQ ptb3 2420 JSR sprite 2430 .ptb3 2440 LDA 1 2450 CLC 2460 ADC #1 2470 LDX px 2480 LDY py 2490 JSR sprite 2500 LDY #0x* 2510 LDA px 2520 STA (pball1), Y 2530 LDY #0y* 2540 LDA py 2550 STA (pball1), Y 2550 .notplotball 2570 LDA #8 2580 CLC 2599 ADC pball 2600 STA pball 2610 LDA 1	3630 LDA #129
310 A%=0: X%=0: Y%=0: CALL sprite	1360 EOR 82	2500 LDY #ox%	3640 LDX #0
330 ?(stab+i%+32*i%)=?(scr%+8*(i% MOD	1370 STA (api),Y 1380 :	2510 LDA px 2520 STA (pballl) Y	3650 LDY #0 3660 JSR OSBYTE
2)+((i% DIV 2)AND7)+24+by%*(i%DIV16))	1390 INC apl	2530 LDY #oy%	3670 STX c
320 FOR i%=0 TO 31 330 ?(stab+i4+32*j%)=?(scr%+8*(i% MOD 2)+((i% DIV 2)AND7)+24+by%*(i%DIV16)) 340 NEXT i% 150 NEXT i%	1400 BNE spr1	2540 LDA DY	3680 CPY #&FF
360 a\$="JugCode "+STR\$"start%+" "+STR\$	1410 INC apn 1420 .spr1	2550 STA (pball1),Y 2560 notplotball	3690 BNE tkj9
350 NEXT j% 360 a\$="JugCode "+STR\$"start%+" "+STR\$ Tendcode	1430 INC ayl	2570 LDA #8	3710 .tkj9
370 PRINT "Saving code as ";a\$	1440 LDA ayl	2580 CLC	3720 RTS
390 CHAIN "Juggle"	1460 BNE spr2	2590 ADC pball1 2600 STA pball1	3740 .calchand
400 END	1470 CLC	2610 INC i	3750 LDY b
410 : 420 DEF PNr. Y8-Y8-11Y8-1	1480 LDA apl	2620 LDA i	3760 LDA hands, Y
430 :	1500 STA apl	2640 BEQ ptb8	3780 INY
440 DEF PROCasm	1510 LDA aph	2650 JMP ptbloop	3790 LDA hands, Y
Tendcode 370 PRINT "Saving code as ";a\$ 380 OSCLI("save "+a\$) 390 CHAIN "Juggle" 400 END 410: 420 DEF FNr: X%=X%+1: =X%-1 430: 440 DEF PROCasm 450 PRINT "Assembling" 450 Scr%=58800: code=45480; ltab=code-8: stab=65200; ytab=5000 470 balls=64600: pt%=64800: start%=648	1520 ADC #(Dy%-8) DIV 256 1530 STA aph	2660 .ptb8 2670 RTS	3800 STA 82 3810 TNV
8: stab=&5200: ytab=&5000	1540 .spr2	2680 :	3820 STY b
470 balls=&4F00: pt%=&4E00: start%=&4E	1550 DEC count	2690 .tickjuggle	3830 LDA #0
480 hands=pt%-4*r2%: tr%=hands-2*45*r%	1560 BNE sprloop 1570 RTS	2710 INC p 2710 LDA p	3850 ROL A
490 FOR v%=0 TO 255	1580 :	2720 CMP n	3860 ASL 80
500 a%=scr%+(y% DIV 8)*by%+(y% AND 7)+ 3*8	1590 .plotballs 1600 LDA #0	2730 BCC tkj0 2740 LDA #0	3870 ROL A 3880 STA 81
3*8 510 ytab?y%=a% MOD 256 520 2(utab 256 utab) -> DTV 256	1610 STA i	2750 STA p	3890 LDA 80
520 ?(ytab+256+y%)=a% DIV 256	1620 STA pball1	2760 .tkj0	3900 CLC
530 NEXT y% 540 :	1500 LDA #0 1610 STA i 1620 STA pball1 1630 LDA #balls DIV 256 1640 STA pballh 1650 LDA LDA UT #bhlop 1660 LDY #bhl	2770 TAY 2780 LDA pt%,Y	3910 ADC #128 3920 STA 80
550 p=&70: hand=&71: nball=&72: n=&73:	1640 STA pballh 1650 .ptbloop	2790 STA h	
s=&74: c=&75	1660 LDY #ht%	2800 LDA #255	3940 ADC #0
560 OSBYTE=&FFF4: OSWRCH=&FFEE: X%=&76	1670 LDA (pball1),Y	2810 STA b	3950 STA 81
: count=FNr: shifts=FNr	1690 BNE ptb9	2830 LDA #0	3970 ASL 82
580 ail=FNr: aih=FNr: s0=FNr: s1=FNr:	1700 JMP notplotball	2840 STA i	3980 ROL A
590 phalll=FNr: phallh=FNr: i=FNr: px=	1710 .ptb9 1720 LDV #tg%	2850 STA pballs 2860 LDA #balls DIV 256	3990 ASL 82
FNr: py=FNr: ptick=FNr	1730 LDA #Ø	2870 STA pballh	4010 STA 83
600 ptrackl=FNr: ptrackh=FNr: h=FNr	1740 STA ptrackh	2880 .tkjloop	4020 LDA s2
620 P%=code	1750 LDA (pDalli),1	2900 LDA (pball1),Y	4030 SEC 4040 SBC #40
630 [opt pass	1770 ROL ptrackh	2910 STA 80	4050 STA 82
640 jmp tickjuggle	1780 ASL A	2920 LDY #ts%	4060 LDA 83
660 lda s	1800 ASL A	2940 CLC	4080 STA 83
670 AND #&80	1810 ROL ptrackh	2950 ADC #1	4090 RTS
680 BNE nowait	1820 ASL A	2960 STA (pball1),Y	4100 :
700 JSR OSBYTE	1840 CLC	2980 LDA 80	4120 LDA ptick
710 .nowait	1850 ADC ptick	2990 CMP #255	4130 ASL A
730 This plots the sprite in A at X.Y	1860 STA ptrackl	3000 BNE tkjtest	4140 ASL A 4150 STA b
740 .sprite	1880 ADC ptrackh	3020 STA c	4160 LDA hand
750 ASL A	1890 STA ptrackh	3030 JMP tkjnotest	4170 CMP #0
770 ASL A	1910 ROL ptrackh	3050 LDA s1	4190 LDA b
780 ASL A	1920 LDY #ht%	3060 CMP 80	4200 CLC
790 ASL A	1930 LDA (pball1),Y	3070 BCC tkjnotest	4210 ADC #2*r2%
810 LDA #stab DIV 256	1950 ASL A	3090 STA b	4230 .pt11
820 ADC #0	1960 AS1 A	3100 .tkjnotest	4240 LDA 1tab+0
840 STY avl	1970 STA 80	3110 LDA #8	4250 STA 80
850 LDA #ytab DIV 256	1990 STA 81	3130 ADC pball1	4270 STA 81
860 STA ayh	2000 LDY #t1%	3140 STA pballl	4280 LDA 1tab+2
880 LDA (ayl).Y		3150 INC 1	429Ø STA 82
000 000 7	2010 LDA (80),Y 2020 STA 82	3160 LDA i	4300 LDA Itabia
890 STA api	2010 LDA (80),Y 2020 STA 82 2030 INY	3160 LDA i 3170 CMP nball	4300 LDA 1tab+3 4310 STA 83
900 STA ADI 900 INC Ayh	2010 LDA (80),Y 2020 STA 82 2030 INY 2040 LDA (80),Y	3160 LDA i 3170 CMP nball 3180 BNE tk/loop	4300 LDA 1tab+3 4310 STA 63 4320 JSR wait
990 STA apl 900 INC ayh 910 LDA (ayl),Y 920 STA aph	2010 LDA (80),Y 2020 STA 82 2030 INY 2040 LDA (80),Y 2050 STA 83 2060 CLC	3160 LDA 1 3170 CMP nball 3180 BME tkjloop 3190 LDA h 3200 CMP #0	4300 LDA 1tab+3 4310 STA 63 4320 JSR wait 4330 JSR leftarm 4340 JSR calchand
900 STA BD1 900 INC ayh 910 LDA (ayl),Y 920 STA BD1 930 TXA	2010 LDA (60),Y 2020 STA s2 2030 TNY 2040 LDA (60),Y 2050 STA s3 2060 CLC 2070 LDA ptrack1	2795 STA h 2808 LDA #255 2810 STA b 2820 STA c 2830 LDA #0 2844 STA i 2855 STA pball1 2866 LDA #balls DIV 256 2870 STA pball1 2868 .tkjloop 2890 LDY #bt% 2900 LDA (pball1),Y 2910 STA a0 2920 LDY #ta% 2930 LDA (pball1),Y 2940 CLC 2955 ADC #1 2968 STA (pball1),Y 2970 STA a1 2980 LDA #0 2990 LDY #ta% 2930 LDA (pball1),Y 2940 CLC 2955 ADC #1 2960 STA a1 2960 LDA #0 2970 STA a1 2980 LDA #0 2990 STA b1 3010 LDA i1 3020 STA c 3030 JWP tkjnotest 3040 .tkjtest 3040 LDA i1 3050 CMP #0 3060 LDA i1 3060 .tkjnotest 3080 LDA i1 3090 STA b 3100 .tkjnotest 3110 LDA #8 3120 CLC 3130 ADC pball1 3140 STA pball1 3150 INC i 3160 LDA i 3170 CMP mball 3180 BWE tkjloop 3190 LDA h 3200 CMP #0 3210 BDC tkjnothrow 3220 LDA b	4300 LDA Itab+3 4310 STA a3 4320 JSR wait 4330 JSR leftarm 4340 JSR calchand 4350 JSR leftarm

4370 STA ltab+0	110 lx0%=lx%+rh%: lx1%=lx%-rh%	95Ø CLS	1700 REPEAT
4380 LDA 81	120 rx0%=rx%-rh%: rx1%=rx%+rh%	960 PRINT "Example patterns"	1710 REPEAT
4390 STA ltab+1 4400 LDA s2	130 midx%=4*0.5*Sx%+128	970 PRINT 980 PRINT "0 - 9 cascade 0 - 9 balls"	1720 ?s=s%+128*xs%: CALL code 1730 a\$=CHR\$(?c)
4410 STA 1tab+2	140 chesty%=4*0.7*Sy% 150 shoulderx%=4*0.15*Sx%	990 PRINT "31,51,71,91 shower 2,3,4,5	1740 UNTIL a\$<>""
4420 LDA 83	160 shouldery%=4*0.65*Sy%	balls"	1750 mego=FALSE 1760 REPEAT
4430 STA ltab+3 4440 LDA ltab+4	170 elbowx%=4*0.25*Sx% 180 elbowy%=4*0.37*Sy%	1000 PRINT 1010 PRINT "How to learn to juggle 3 ba	1750 REPEAT 1770 IF a\$="+" OR a\$="F" OR a\$="f" THEN
4450 STA s0	190 headd%=4*0.12*Sy%	11s"	8%=2*8%: IF 8%>r% 8%=r%
4460 LDA ltab+5 4470 STA s1	200 heady%=4*Sy%-headd% 210 bottomy%=0	1020 PRINT "300, 3302, 2330, 330, 333" 1030 PRINT	1780 IF a\$="-" OR a\$="S" OR a\$="s" THEN s%=s%/2: IF s%<1 s%=1
4480 LDA 1tab+6	220 hty%=0.8*Sy%	1040 PRINT "How to learn to juggle 4 ba	1790 IF a\$="X" OR a\$="x" THEN xs%=1-xs%
4490 STA 82 4500 LDA ltab+7	230 basey%=rh%+16 240 r%=16	11s" 1050 PRINT "423, 40, 04, 4440, 441, 4"	1800 IF a\$=" " THEN mego=TRUE 1810 IF a\$="Q" OR a\$="Q" THEN END
4510 STA s3	250 s%=2 :REM speed of ticking throug	1060 PRINT	1820 a\$=INKEY\$(0)
4520 JSR wait 4530 JSR rightarm	h subticks 260 xs%=1 :REM extra fast mode	1070 PRINT "How to learn to juggle 5 ba 11s"	1830 UNTIL a\$="" OR mego 1840 UNTIL mego
4540 JSR calchand	270 m%=256:REM max length of pt	1080 PRINT "51, 15, 55500, 50505, 552,	1850 ENDPROC
4550 JSR rightarm 4560 LDA so	280 r2%=2*r%: r4%=4*r% 290 ht%=0: st%=1: ts%=2: ps%=3	55550, 5" 1090 PRINT	1860 : 1870 DEF PROCTrack
4570 STA ltab+4	300 ox%=4: oy%=5: t1%=6: th%=7	1100 PRINT "Some other interesting patt	1880 REM first track the hands
4580 LDA 81	310 PROCgetcode	erns"	1890 FOR ptick%=0 TO r2%-1
4590 STA ltab+5 4600 LDA s2	320 DIM tp%(9) 330 a%=0	1110 PRINT "423, 55500, 51, 531, 504, 6	1900 t=PI*ptick%/r% 1910 a%=hands+4*ptick%
4610 STA ltab+6	340 FOR i%=0 TO 9	1120 PRINT "71, 53444, 53, 633, 552, 55	1920 a%?0=lx%+rh%*SIN(t)
4620 LDA 83 4630 STA ltab+7	350 tp%(i%)=tr%+2*r%*a% 360 a%=a%+i%	550, 5551" 1130 PRINT "3333333334515151515141"	1930 a%?1=basey%-rh%*COS(t) 1940 a%?2=rx%+rh%*SIN(t)
4640 RTS	370 NEXT 1%	1140 PRINT	1950 a%?3=basey%+rh%*COS(t)
4650 : 4660 .leftarm	380 FOR i%=0 TO 9 390 a%=balls+8*i%+tl%	1150 PRINT "Interesting, but impossible !"	1960 NEXT ptick% 1970 REM now make each ball track
4670 LDA s0	400 ?a%=tp%(i%) MOD 256	1160 PRINT "123456789, 97531, 747, 678"	1980 sh%=0
4680 CMP #&FF 4690 BEQ leftarmend	410 a%?1=tp%(i%) DIV 256 420 NEXT i%	1170 PRINT 1180 ENDPROC	1990 FOR h%=1 TO max% 2000 IF INSTR(p\$,STR\$h%)=0 THEN GOTO 23
4700 OPT FNline(midx%-elbowx%,elbowy%)	430 REPEAT	1190 :	90
4710 .leftarmend 4720 RTS	440 PROCgetpt 450 PRINT "Computing throws ";	1200 DEF FNgetsum 1210 ok=TRUE	2010 PRINT ; h%; 2020 IF (h% AND 1) THEN fh%=2-sh% ELSE
4730 :	460 PROCtrack	1220 sum%=0: max%=-1	fh%=sh%
4740 .rightarm 4750 LDA s0	470 PROCjuggle 480 UNTIL FALSE	1230 FOR i%=0 TO n%-1 1240 a%=pt%?i%	2030 k0%=r%/2: k1%=h%*r%-r%/2 2040 IF h%=1 THEN k0%=0: k1%=r%
4760 CMP #&FF	490 END	1250 sum%=sum%+a%	2050 a%=hands+sh%+4*(k0% MOD r2%): sx%=
4770 BEQ rightarmend	500 :	1260 IF a%>max% THEN max%=a% 1270 NEXT i%	a%?0: sy%=a%?1 2060 a%=hands+fh%+4*(k1% MOD r2%): fx%=
4780 OPT FNline(midx%+elbowx%,elbowy%) 4790 .rightarmend	510 DEF PROCGETPT 520 PRINT TAB(0,1);	1280 =ok	a%?0: fy%=a%?1
4800 RTS	530 PRINT "Whilst the program is juggl	1290 : 1300 DEF FNgetav	2070 IF h%<=2 THEN GOTO 2270
4810 : 4820 .endcode	ing" 540 PRINT " F make it go faster"	1310 Ok=TRUE	2080 FOR ptick%=0 TO h%*r%-1 2090 ti=ptick%/r%
4830]	550 PRINT " S makes it go slower"	1320 nb=sum%/n%	2100 IF ti>=0.5 THEN GOTO 2150
4840 NEXT pass 4850 ENDPROC	560 PRINT " X toggles slow/fast mode" 570 PRINT "and SPACE enters another pa	1330 IF nb-INT(nb)<>0 THEN PRINT "patte rn was for ";nb;" balls!": ok=FALSE	2110 a%=hands+sh%+4*(ptick% MOD r2%) 2120 x%=a%?0
4860 :	ttern"	1340 nball%=INT(nb)	2130 y%=a%?1
4870 DEF FNline(x%,y%) 4880 [OPT pass	580 PRINT 590 prompt\$="Enter pattern (Q to Quit	1350 =ok 1360 DEF FNvalidpat	2140 GOTO 2230 2150 IF ti <h%-0.5 2200<="" goto="" td="" then=""></h%-0.5>
4890 LDA #25	E for Examples)"	1370 ok=TRUE	2160 a%=hands+fh%+4*(ptick% MOD r2%)
4900 JSR OSWRCH 4910 LDA #4	600 PRINT prompt\$ 610 REPEAT	1380 FOR i%=0 TO n%-2 1390 FOR j%=i%+1 TO n%-1	2170 x%=a%?0 2180 y%=a%?1
4920 JSR OSWRCH	620 INPUT p\$	1400 IF pt%?i%+i%=pt%?j%+j% THEN ok=FAL	2190 GOTO 2230
4930 LDA #(x% MOD 256) 4940 JSR OSWRCH	630 IF LEND\$>m% THEN PRINT "pattern to o big": ok=FALSE: p\$="3"	SE 1410 NEXT j%	2200 t=(ti-0.5)/(h%-1) 2210 y%=(fy%-sy%)*t+sy%+yscale*t*(1-t)*
4950 LDA #(x% DIV 256)	640 n%=0	1420 NEXT 1%	(h%-1)*(h%-1)
4960 JSR OSWRCH 4970 LDA #(y% MOD 256)	650 FOR i%=1 TO LEND\$ 660 a\$=MID\$(p\$,i%,1): IF a\$>="a" AND a	1430 IF NOT ok THEN PRINT "Pattern invo lved catching more than one ball at a ti	2220 x%=(fx%-sx%)*t+sx% 2230 ?(tp%(h%)+2*ptick%)=x%
4980 JSR OSWRCH	\$<="z" THEN a\$=CHR\$(ASCa\$-32)	me"	2240 ?(tp%(h%)+2*ptick%+1)=y%
4990 LDA #(y% DIV 256) 5000 JSR OSWRCH	670 IF a\$<"0" OR a\$>"9" GOTO 710 680 pt%?n%=ASCa\$-ASC"0"	1440 =ok 1450 :	2250 NEXT ptick% 2260 GOTO 2390
5010 LDA #25	690 n%=n%+1	1460 DEF PROCjuggle	2270 IF h%<=1 THEN GOTO 2340
5020 JSR OSWRCH 5030 LDA #5	700 GOTO 780 710 IF a\$="Q" THEN END	1470 CLS: PRINT p\$: VDU 23,1,0;0;0;0; 1480 GCOL 0,1	2280 FOR ptick%=0 TO h%*r%-1 2290 a%=hands+sh%+4*(ptick% MOD r2%)
5040 JSR OSWRCH	720 IF a\$<>"E" THEN GOTO 760	1490 MOVE midx%, chesty%	2300 ?(tp%(h%)+2*ptick%)=a%?0
5050 LDA s0 5060 JSR OSWRCH	730 PROCshowexamples 740 PRINT prompt\$	1500 PLOT 5,midx%-shoulderx%,shouldery% 1510 PLOT 5,midx%-elbowx%,elbowy%	2310 ?(tp%(h%)+2*ptick%+1)=a%?1 2320 NEXT ptick%
5070 LDA s1	750 UNTIL 0	1520 MOVE midx%, chesty%	2330 GOTO 2390
5080 JSR OSWRCH 5090 LDA s2	760 PRINT "Unrecognised command: ";a\$ 770 UNTIL 0	1530 PLOT 5,midx%+shoulderx%,shouldery% 1540 PLOT 5,midx%+elbowx%,elbowy%	2340 FOR ptick%=0 TO r%-1 2350 t=ptick%/r%
5100 JSR OSWRCH	780 NEXT 1%	1550 MOVE midx%, heady%-headd%: PLOT 5,m	2360 ?(tp%(h%)+2*ptick%)=(fx%-sx%)*t+sx
5110 LDA s3 5120 JSR OSWRCH	790 IF n%=0 THEN pt%?0=3: n%=1: p\$="3" 800 IF (n% AND 1)=0 THEN GOTO 860	idx%,bottomy% 1560 MOVE midx%+headd%,heady%	% 2370 ?(tp%(h%)+2*ptick%+1)=(fy%-sy%)*t+
5130]	810 IF 2*n%>m% THEN PRINT "pattern too	1570 FOR t=0 TO 2.05*PI STEP PI/10	sy%+2*yscale*t*(1-t)
5140 =pass	big": UNTIL Ø 820 FOR i%=0 TO n%-1	1580 PLOT 5,midx%+headd%*COS(t),heady%+ headd%*SIN(t)	2380 NEXT ptick% 2390 NEXT h%
Tintim at A	830 pt%?(n%+i%)=pt%?i%	1590 NEXT t	2400 ENDPROC
Listing 4	840 NEXT 1% 850 n%=2*n%	1600 GCOL 3,1 1610 PLOT 69,midx%-elbowx%,elbowy%: PLO	2410 : 2420 DEF PROCgetcode
10 REM Juggle (Juggle4)	860 IF NOT FNgetsum THEN UNTIL 0	T 69,midx%+elbowx%,elbowy%	2430 scr%=&5800: code=&5400: ltab=code-
20 REM by Nick Craig-Wood 30 REM for B/B+/M/C	870 IF NOT FNgetav THEN UNTIL 0 880 IF NOT FNvalidpat THEN UNTIL 0	1620 FOR i%=0 TO 9 1630 a%=balls+8*i%	8: stab=&5200: ytab=&5000 2440 balls=&4F00: pt%=&4E00: start%=&4E
40 REM (c) BAU Sep 91	890 UNTIL TRUE	1640 a%?ht%=255	00
50:	900 IF max%>1 THEN yscale=hty%/0.25/((1650 a%?ts%=0	2450 hands=pt%-4*r2%: tr%=hands-2*45*r%
60 MODE4 70 VDU 23;8202;0;0;0;	max%-1)*(max%-1)) ELSE yscale=hty% 910 rn%=r%*n%	1660 a%?ox%=255 1670 NEXT i%	2460 p=&70: hand=&71: nball=&72: n=&73: s=&74: c=&75
8Ø Sy%=255: Sx%=255	920 ENDPROC	1680 ?p=nball%-1: ?hand=0: ?nball=nball	2470 *load jugcode
90 rh%=Sy%/12 100 lx%=0.25*Sx%: rx%=0.75*Sx%	930 : 940 DEF PROCshowexamples	%: ?n=n% 1690 !ltab=-1: ltab!4=-1	248Ø ENDPROC

Wide VDU

			Wide ID
Tinting 1	140 lines=INT(&5000/(characters*8))	310 [OPT pass	480 EQUB 0
Listing 1	150 origin=&C00-2*lines-30	320 .newtable	490 :
	160 zp=&A8	330]	500 .table_4_CRTC
10 REM WideSrc (Wide1)	170 curMode=&355	340 FOR line=0 TO lines-1	510 EQUB 1:EQUB characters/2
20 REM by John Robinson	180 CRTCregister=&FE00	350 [OPT pass AND 6	520 EQUB 2:EQUB ((characters DIV 2)+57
30 REM for B only	190 CRTCdata=&FE01	360 EQUB (line*characters*8) DIV 256) DIV 2
40 REM (c) BAU Sep 91	200 osbyte=&FFF4	370 EQUB (line*characters*8) MOD 256	530 EQUB 4:EQUB 34
50 :	210 osargs=&FFDA	380]	540 EQUB 6:EQUB lines
60 PROCinitialise	220 gsinit=&FFC2	390 NEXT line	550 EQUB 7:EQUB (lines DIV 2)+18
70 PROCassemble	230 oswrch=&FFEE	400 [OPT pass	560 EQUB 9:EQUB 8
80 PROCBave	240 wrchv=oswrch:1 AND &FFFF	410 .tableCRTC	570 EQUB Ø
90 END	250 ENDPROC	420 EQUB 1:EQUB characters	580 :
100 :	260 :	430 EQUB 2:EQUB (characters DIV 2)+57	590 .goldv EQUB &4C
110 DEF PROCinitialise	270 DEF PROCassemble	440 EQUB 4:EQUB 34	600 .oldv EQUW 0
120 DIM code &200	280 FOR pass=4 TO 7 STEP 3	450 EQUB 6:EQUB lines	610 .newmodeflag EQUB 0
130 characters=102 :REM Change th	290 P%=origin	460 EQUB 7:EQUB (lines DIV 2)+18	620 :
is if necessary	300 0%=code	470 EQUB 9:EQUB 8	630 .init_start

ı				
1	■ 640 LDA #1	990 :	1370 JMP exit	1730 STY &34D Text window width i
ı	650 LDX #zp	1000 .newwrch	1380 :	n bytes
1	660 LDY #0	1010 PHA	1390 .setUpXtraWide	1740 STX &34C
1	670 JSR osargs	1020 TXA	1400 LDA curMode	1750 LDA #0
1	68Ø LDY zp+1	1030 PHA	1410 BNE mode4table	1760 STA &361 Not a graphics mode
1	690 LDX zp	1040 TYA	1420 TAX	any more
1	700 STY &F3 Pointer used by GSR	1050 PHA	1430 BEQ redefine_CRTC	1770 LDA #lines-1
1	EAD	1060 TSX	1440 :	1780 STA &309 Bottom row of text
١	710 STX &F2	1070 LDA &103,X	1450 .mode4table	window, in character rows
1	720 CLC	1080 LDX newmodeflag	1460 LDX #table_4_CRTC-tableCRTC	1790 LDA #characters-1
4	730 LDY #0	1090 BEQ checknewmode	1470 :	1800 LDX curMode
1	740 JSR gsinit	1100 JSR goldv	1480 .redefine_CRTC	1810 BEQ nochangechars
ı	750 BEQ no_bad_syntax	1110 LDX #0	1490 LDA tableCRTC,X	1820 LDA #(characters DIV 2)-1
١	760 BRK	1120 STX newmodeflag	1500 BEQ finished_CRTC	1830 :
	770 EQUB 254	1130 ORA #0	1510 STA CRTCregister	1840 .nochangechars
ı	780 EQUS "Syntax: *Wide"+STR\$character	1140 BEQ do_XtraWide	1520 INX	1850 STA &30A Rightmost column of
	8	1150 CMP #4	1530 LDA tableCRTC, X	text window, in characters
1	790 EQUB 0	1160 BNE exit	1540 STA CRTCdata	1860 LDY #newtable DIV 256
۱	800 :	1170 .do_XtraWide	1550 INX	1870 LDX #newtable MOD 256
1	810 .no bad syntax	1180 JSR setUpXtraWide	1560 BNE redefine_CRTC	1880 STY &E1 OS pointer to multi
	820 LDA #&90 Set *TV parameters	1190 :	1570 :	plication tables
1	830 LDX #0	1200 .exit	1580 .finished_CRTC	1890 STX &E0 This isn't on the M
1	840 LDY #1	1210 PLA	1590 LDY #characters*8 DIV 256	aster so this program can't work
1	850 JSR osbyte	1220 TAY	1600 LDX #characters*8 MOD 256	1900 RTS
	860 LDY wrchv+1 Save old vector con	1230 PLA	1610 LDA curMode	1910 :
1	tents	1240 TAX	1620 BEQ noDiv2	1920]
	870 LDX wrchv	1250 PLA	1630 TYA Mode 4; Lines are h	1930 NEXT pass
1	880 STY oldv+1	1260 RTS	alf as long, so we	194Ø ENDPROC
	890 STX oldv	1270 :	1640 LSR A must divide new lin	1950 :
-	900 LDY #newwrch DIV 256	1280 .checknewmode	e length by 2	1960 DEF PROCsave
1	910 LDX #newwrch MOD 256	1290 LDX &DA+&190 Equivalent to read	1650 TAY	1970 save\$="*SAVE Wide"+STR\$characters+
	920 STY wrchv+1 Install new routine	using OSBYTE &DA length of VDU queue	1660 TXA	" "+STR\$ code+" "+STR\$ 0%+" "+STR\$ (init
١	930 STX wrchv	1300 BNE execexit	1670 ROR A	start OR &FFFF0000)+" "+STR\$"(origin OR
	940 LDA #22 Go into mode 0	1310 CMP #22	1680 TAX	&FFFF0000)
	950 JSR oswrch (that's the OF mode	1320 BNE execexit	1690 :	1980 PRINT save\$;" ? (Y/N) ";
	Ø)	1330 STA newmodeflag	1700 .noDiv2	1990 IF (GET OR &20) =ASC "y" THEN PRINT
	960 LDA #0	1340 :	1710 STY &353 Screen width in byt	"Yes":OSCLI save\$:PRINT "OK" ELSE PRINT
	970 JSR oswrch	1350 .execexit	es	"No"
١	980 RTS	1360 JSR goldv	1720 STX &352	2000 ENDPROC

Shopping

Listing 1

```
1750 PROCshowname(name$)
1760 line=0
                                                                                                                                      600 FOR opt=0 TO 4
610 READ opt$(opt)
                                                                                                                                                                                                                                                                      1180 PRINTTAB(7,10); "Please enter today
       10 REM Trolley (Trolley1)
20 REM By Dave Lawrence
30 REM For BBC B/B+/M/C/A
40 REM (c) BAU September 1991
                                                                                                                                       62Ø NEXT
                                                                                                                                                                                                                                                                      1190 REPEAT
                                                                                                                                                                                                                                                                                                                                                                                                        1770 item=0
                                                                                                                                      620 NEXT
630 doy=0
640 m$=""
650 FOR i=0 TO 11
660 READ m$, dim
670 mons$=mons$+m$
680 doy(i)=doy
690 doy=doy+dim
700 NEXT
                                                                                                                                                                                                                                                                                                                                                                                                      1780 | $=PKmustbe("list:")
1790 | $=Fkmustbe("last:")
1800 REPEAT
1810 REPEAT
1810 REPEAT
1810 UNTIL c%>31
1840 PTR#in=PTR#in-1
1850 items=PKmustbe("item:")
1860 total=VALFKmustbe("total:")
1860 PROCInform("Loading", item$)
1880 PROCIdear(item)
1890 $(Data+item*Size)=item$
1890 $(Data+item*Size)=item$
1890 IQata+item*Size+Fotal)=total
1910 IP total<00 PROCIoaddates
1920 itemsitem+1
                                                                                                                                                                                                                                                                      1200 IF day <> old PRINTTAB(10,12); CHR$13
                                                                                                                                                                                                                                                                                                                                                                                                         1780 15=FNmustbe("list:"
                                                                                                                                                                                                                                                                   1;"[ ";CHR$130;FNtotext(day);CHR$131;"
70 arc=(HIMEM>£10000)
80 IF NOT arc AND PAGE>£1300 THEN PAG
E=£1300:CHAIN "TO:11ey"
90 ON ERROR time$="":GOTO 110
                                                                                                                                                                                                                                                                  1210 key$-GET$
1220 old-day
1230 IF INKEY-1 add%=7 ELSE add%=1
1240 IF key$-CHR$136 day=day-add%:IF da
y<last day=last
1250 IF key$-CHR$137 day=day+add%
1260 UNTIL key$-CHR$131
1270 FROCC18
1280 d$=FROtoext(day)
1290 out=OPENOUT("Date")
1300 PROCESTORY (Out & GSCHP$13)
     90 ON ERROR times
100 times=TIMEs
110 ON ERROR OFF
120:
130 MODE 7
140 PROCcursor(0)
                                                                                                                                       700 NEXT
                                                                                                                                       710 items=0
720 dosave=FALSE
730 sorted=TRUE
740 PROCclear(items)
                                                                                                                                       750 *FX 4,1
760 *FX 225,140
770 *FX 229,1
      15Ø PROCinit
                                                                                                                                                                                                                                                                      1300 PROCstrput(out, d$+CHR$10)
      160 PROCScreen
170 PROCdate
                                                                                                                                                                                                                                                                      1310 CLOSE#out
1320 =d$
                                                                                                                                                                                                                                                                                                                                                                                                         1920 item=item+1
    170 PROCdate
180 ON ERROR PROCETOR: GOTO 190
190 REPEAT
200 Opt=PRMenu
210 IF opt=1 PROCload
220 IF opt=2 PROCBATE
230 IF opt=3 PROCBAVE
240 IF opt=4 PROClist
250 UNTIL opt=5
260 *FX 4,0
270 *FX 225,1
280 *FX 225,0
290 MODE 7
                                                                                                                                                                                                                                                                                                                                                                                                       1920 item=item+1
1930 UNTIL EOF#in
1940 CLOSE #in
1950 dosave=FALSE
1960 =item
1970 :
                                                                                                                                                                                                                                                                1320 =d$
1330 :
1340 DEF FNmenu
1350 PROCC1s
1360 FOR opt=0 TO 4
1370 FRINTTAB(11,5+opt*2);CHR$130;"<";L
EFT$(opt$(opt),1);">";CHR$131;opt$(opt)
1380 NEXT
1390 PRINTTAB(13,16);"Select Option:";
1400 PROCCURBOR(1)
1410 REFEAT
1420 K$=GET$
1430 IF K$=CHR$27 K$="E"
1440 opt=INSTR(" LleessPpQq",k$)DIV2
1450 UNTIL opt<>0
                                                                                                                                       780 ENDPROC
                                                                                                                                       790 :
800 DEF PROCcursor(c%)
810 VDU 23;10,255-c%*63;0;0;0;
820 ENDPROC
                                                                                                                                                                                                                                                                                                                                                                                                         1980 DEF FNmustbe(str$)
                                                                                                                                       840 DATA Load new file, Edit list, Save
                                                                                                                                                                                                                                                                                                                                                                                                         1990 LOCAL ins
                                                                                                                                                                                                                                                                                                                                                                                                       2000 in$=FNgetline(in)
2010 IF LEFT$(in$, LENstr$) <> str$ PROCer
:("File format error")
2020 =FNskip(in$)
                                                                                                                                840 DATA Load new file, Edit 118t, Save file, Produce 11st, Quit program 850 DATA Jan, 31, Feb, 28, Mar, 31, Apr, 30, May, 31, Jun, 30 860 DATA Jul, 31, Aug, 31, Sep, 30, Oct, 31, Nov, 30, Dec, 31
                                                                                                                                                                                                                                                                                                                                                                                                       2030 :
2040 DEF PROCinform(a$,b$)
2050 PRINTTAB(0,23); CHR$131; CHR$157; CHR
      290 MODE 7
                                                                                                                                      870 :
880 DEF PROCSCREEN
890 FOR 1=0 TO 1
900 VDU 31,0,1,132,157
910 PRINTTAB(10)CHR$134CHR$141"Shoppin
List"
920 NEXT
       300 END
                                                                                                                                                                                                                                                                                                                                                                                                     2050 PRINTAB(0,22);CHR$131;CHR$1517;CHR
$129;a$;CHR$34;D$;CHR$34;STRING$(
39-POS," ")
2060 ENDFROC
2070 :
2080 DEF FNgetline(f)
2090 1$=""
                                                                                                                                                                                                                                                                      1450 UNTIL opt<>0
      320 DEF PROCerr(err$)
330 IF arc ERROR 1,err$
340 $£100=CHR$0+CHR$1+err$+CHR$0:CALL
                                                                                                                                                                                                                                                                      1460 PROCcursor(0)
1470 =opt
1480 :
1490 DEF PROCload
      350 ENDPROC
                                                                                                                                       930 VDU 31,0,24,129,157,131
                                                                                                                                                                                                                                                                      1500 PROCcls
1510 new$=PNlist("load",list$)
                                                                                                                                       940 PROCshowname ("")
                                                                                                                                                                                                                                                                                                                                                                                                         2100 REPEAT
                                                                                                                                                                                                                                                                                                                                                                                                      2100 RPPEAT
2110 C=B0GTHf
2120 IF c>31 1$=1$+CHR$c
2130 UNTIL c<32
2140 line=line+1
2150 =1$;
2160 IF
2170 DEF FNakip(1$)
2180 1=INSTR(1$,"")-1
      370 DEF PROCERTOR
                                                                                                                                                                                                                                                                      1510 news=NNIBC("load",118
1520 Fr meys="" ENDFROC
1530 items=FNloadlist(new$)
1540 list$=new$
1550 PROCclear(items)
1560 sorted=TRUE
1570 ENDFROC
                                                                                                                                       950 ENDPROC
380 CLOSE #0
390 VDU 26,31,0,22,131,157,129,31,0,23
,131,157,129
400 VDU 28,3,23,39,22,7
                                                                                                                                       960
                                                                                                                                 960 :
970 DEF PROCShowname(a$)
980 PRINTTAB(2,24);CHR$131;CHR$34;a$;C
HR$34;STRING$(10-LENa$,"");
990 ENDPROC
      410 REPORT
420 PRINT'"
                                             Press space to continu
                                                                                                                                   1000 : 1010 DEF PROCC1s
1010 DEF PROCC1s
1020 VDU 28,0,23,39,2,12,26
1030 ENDPROC
                                                                                                                                                                                                                                                                   1590 DEP FMlist(pr$,1$)
1600 PRINTTAB(11,5); "Enter file to ";pr
$;TAB(15,8);"----";TAB(14,7);CHR$1
                                                                                                                                                                                                                                                                                                                                                                                                         2190 REPEAT
      440 VDU 28,0,23,39,22,12,26
450 ENDPROC
                                                                                                                                                                                                                                                                                                                                                                                                       2190 1-1:1
2210 1-1:1
2210 UNTIL MID$(1$,1,1)<>" "
2220 -HID$(1$,1)
2230 : HID$(1$,1)
2230 : 2240 DBF FRmonthnum(m$)
2250 LOCAL mm%
2250 LOCAL mm%
2260 mm%=INSTR(mons$,m$)-1
                                                                                                                                                                                                                                                                 $\text{Stab}(18.8);"\top-\(\frac{1}{2}\); CER$1
30;1$;
1610 PROCCURSOr(1)
1620 REPEAT
1630 k$=\text{GET$}
1640 IP k$=\text{CHR$127} AND 1$<\text{"" 1$=\text{LEFT$}($$1$,\text{LEN1$}-1); VDU 127
1650 IF ASCK$>32 AND ASCK$<\text{127} AND \text{LEN1}$
$\text{1650 IF ASCK$>32 AND ASCK$<\text{127} AND \text{LEN1}$
$\text{1660 IF ASCK$>12} AND \text{LEN1$}(\text{LEN1$},\text{CHR}$\); CHR$
$\text{127}; :\text{15}=\text{""}
1670 UNFIL k$=\text{CHR$27} OR k$=\text{CHR$$13}
1680 IF k$=\text{CHR$27} \text{SE}\); \text{15}=\text{""}
1690 PROCCURSOR(0)
1700 =\text{15}
1710 :
                                                                                                                                1040:

1050 DEF PROCdate

1060 IF time$="" OR time$="Fri,31 Dec 1

999.23:59:59" today$=FNgetdate ELSE toda

y$=MID$(time$,5,11)

1070 PRINTTAB(26,24);today$;
       480 Name=0
490 Total=24
       500 Dates=28
       510 Size=96
                                                                                                                                                                                                                                                                                                                                                                                                         2270 IF mn%<0 PRINT"Unknown month : ";m
                                                                                                                                     1080 today=FNfromtext(today$)
1090 ENDPROC
       520 IF arc maxitems=500 ELSE maxitems=
                                                                                                                                                                                                                                                                                                                                                                                                      S:END
130
530 maxslots=8 : REM up to 17
                                                                                                                                                                                                                                                                                                                                                                                                         228Ø =mn% DIV 3
                                                                                                                                                                                                                                                                                                                                                                                                       2280 =mn% DIV 3

2290 :

2300 DEF FNlow(u$)

2310 IF u$="" THEN =""

2320 LOCAL 1$,i,c

2330 1$=""

2340 FOR i=1 TO LENU$
                                                                                                                                     1100 DEF FNgetdate
1120 in=OPENIN("Date")
1130 IF in=0 a$="01 Jan 1991" ELSE a$=F
      540 maxlen=23
550 scrmax=20
                                                                                                                                  Ngetline(in)
1140 CLOSE #in
      570 DIM Data maxitems*Size, count maxit
                                                                                                                                     1150 day=FNfromtext(a$)
     580 DIM opt$(4),doy(11)
590 DIM date(maxslots-1),num(maxslots-
                                                                                                                                                                                                                                                                                                                                                                                                     2350 C=ASCMID$(u$,i,1)
2360 IF C>=ASC"A" AND C<=ASC"2" 1$=1$+C
HR$(C+32) ELSE 1$=1$+CHR$c
                                                                                                                                                                                                                                                                      1720 DEF FNloadlist (name$)
                                                                                                                                     1160 last=day
1170 old=-1
                                                                                                                                                                                                                                                                      1730 in=OPENIN(name$)
1740 IF in=O PROCerr("File not found")
```

```
2370 NEXT
2380 =1$
                                                                                                         3350 c%=count?1%
3360 IF c%=nome c%="" ELSE IF c%=0 c%="
X" ELSE SSSTRS(count?1%)
3370 =LEFT$(1$+CHR$131+CHR$9+FNitem(1%)
+STRING$(40, "),maxlen+9)+RIGHT$(" "+
c%,3)+" "+CHR$156
3380:
3390 DEF PROCbar(ypos,switch)
3460 VDU 31,1,ypos+3:IF switch VDU 133,
157,135 ELSE VDU 32,32,32
                                                                                                            3350 c%=count?1%
                                                                                                                                                                                                                    4250 IF pos<scrmax-1 pos=pos+1:ENDPROC
                                                                                                                                                                                                                                                                                                                              5250 PROCinform("Sorting", FNitem(i))
                                                                                                                                                                                                                                                                                                                              5260 NEXT
5270 SOTTED=TRUE
5280 ENDPROC
5290 :
    2390 :
                                                                                                                                                                                                                     4270 PRINTTAB(0,2+scrmax); FNline(top+po
    2400 DEF PROCloaddates
                                                                                                                                                                                                                   s);
4280 ENDPROC
 2400 DEF PROCLOADDATE
2410 date=0
2420 REPEAT
2430 as=FNgetline(in)
2440 IF LEFT$(a$,5)="date:" PROCADDATE
(FNakip(a$))
                                                                                                                                                                                                                                                                                                                              5300 DEF PROCsavelist(name$)
                                                                                                                                                                                                                                                                                                                             5300 DEF PROCavelist(name$)
5310 out=OPRNOUT(name$)
5320 PROCwrite("list:",">"+name$)
5330 PROCwrite("list:",">"+name$)
5330 PROCwrite("last:",'today$)
5340 FOR item=0 To items-1
5350 PROCinform("Saving", FNitem(item))
5360 BPUT#out, 10
5370 PROCwrite("item:",FNitem(item))
5380 PROCwrite("total:",STR$(FNtotal(item)))
                                                                                                                                                                                                                      4300 DEF PROCgotoend
                                                                                                                                                                                                                     4310 IF items>=scrmax-1 PROCsettoppos(i
                                                                                                                                                                                                                   tems-scrmax+1,scrmax-1):ENDPROC
4320 pos=items
    2450 UNTIL a$="" OR BOF#in
                                                                                                          107,135 BLSE VDU 32,32,32
3410 VDU 31,7,ypos+3:IF switch VDU 135
ELSE VDU 32
3420 ENDPROC
3430 SEP PROCedit
    2460 ENDPROC
                                                                                                                                                                                                                    4330 IF pos=maxitems pos=pos-1
4340 ENDPROC
   2470 : 2480 DEF PROCAdddate(date$)
2480 DEF PROCAdddate(date$)
2500 num=INSTR(date$, "(")
2500 num=VAIMID$ (date$, num+1)
2520 PROCSetdate(item, date, date$, num)
                                                                                                                                                                                                                    4360 DEF PROCup
4370 IF top+pos<0 ENDPROC
4380 IF ctl PROCsettoppos(0,0):ENDPROC
4390 IF pos<>0 pos=pos-1:ENDPROC
4400 PROCscroll(-1)
4410 PRINTAR(0,3);FNline(top);
4420 ENDPROC
4430 :
                                                                                                            3450 PROCcls
3460 IF items=0 list$="NewList":PROCsho
                                                                                                                                                                                                                                                                                                                              5390 mem=Data+item*Size+Dates
5400 i=0
                                                                                                          3400 if items=0 list
wname(list$)
3470 top=0
3480 pos=0
3490 PROCshow(top)
3500 PROCbar(pos,1)
3510 REPEAT
                                                                                                                                                                                                                                                                                                                              5410 REPRAT
5420 date=mem!(i*4)
5430 IF date<>0 PROCwritedate(date)
    2530 date=date+1
    254Ø ENDPROC
    2550 DEF PROCClear(i%)
2570 IF i%>=maxitems ENDPROC
2580 LOCAL i
2590 FOR i=0 TO Size-1 STEP 4
                                                                                                                                                                                                                                                                                                                              5440 i=i+1
                                                                                                                                                                                                                     4440 DEF PROCsettoppos(t%,p%)
                                                                                                                                                                                                                                                                                                                              5450 UNTIL date=0 OR i=maxslots
                                                                                                                                                                                                                     4450 top=t%:pos=p%
                                                                                                                                                                                                                                                                                                                              5460 NEXT
                                                                                                          JS10 REPEAT
3520 cur=top+pos
3530 IF cur=items VDU 31,8+LENFNitem(cu
r),3+pos:RROCcursor(1)
3540 keys-GET$
3550 PROCcursor(0)
3560 ctrl=INKEY-2
3570 cldtop-top
                                                                                                                                                                                                                    4460 IF top<>oldtop PROCshow(top)
4470 ENDPROC
                                                                                                                                                                                                                                                                                                                             5470 CLOSE #out
5480 ENDPROC
    2600 i! (Data+i%*Size) =0
    261Ø NEXT
   2610 NEXT
2620 ?(Data+i%*Size)=13
2630 count?i%=none
2640 ENDPROC
                                                                                                                                                                                                                     4490 DEF PROCgoto(where)
4500 IF where>items-1 ENDPROC
                                                                                                                                                                                                                                                                                                                               5500 DEF PROCWritedate(d%)
                                                                                                                                                                                                                                                                                                                              5510 LOCAL date$,n%
                                                                                                                                                                                                                     4510 pos=where-top
                                                                                                                                                                                                                                                                                                                              5520 dateS=FNtotext(d% DIV 256)
                                                                                                                                                                                                                     4520 IF pos<0 PROCsettoppos(where,0)
                                                                                                             3570 oldtop=top
                                                                                                                                                                                                                                                                                                                              5530 n%=d% MOD 256
    2660 DEF PROCSwap(a%,b%)
                                                                                                             3580 oldpos=pos
                                                                                                                                                                                                                     453Ø ENDPROC
                                                                                                                                                                                                                                                                                                                              5540 IF n%<>1 date$=date$+" ("+STR$n%+"
   2670 LOCAL 1%,t%
2680 FOR 1%=0 TO Size-1 STEP 4
2690 t%=1%!(Data+a%*Size)
2700 1%!(Data+a%*Size)=1%!(Data+b%*Size
                                                                                                            3590 update=FALSE
                                                                                                                                                                                                                     4540
                                                                                                         3590 upoate=FALSE
3600 IF cur=items PROCendoflist ELSE PR
OCmidlist
3610 IF key$==CHR$140 AND key$<=CHR$149
PROCgoto(ASCkey$-140)
3620 IF key$=CHR$139 PROCdowm
3630 IF key$=CHR$139 PROCup
                                                                                                                                                                                                                    4550 DEF PROCDUY(i%,n%)
4560 countri%=n%
4570 update=TRUE
4580 ENDPROC
                                                                                                                                                                                                                                                                                                                             5550 PROCwrite("date:",date$)
5560 ENDPROC
                                                                                                                                                                                                                                                                                                                              5570
                                                                                                                                                                                                                                                                                                                              5580 DEF PROCwrite(f$,d$)
   2710 i%! (Data+b%*Size)=t%
                                                                                                                                                                                                                                                                                                                             5590 PROCetrput(out, LEFT$(f$+STRING$(8,
'"),8)+d$+CHR$10)
5600 ENDPROC
5610 :
                                                                                                                                                                                                                    4590
    2720 NEXT
                                                                                                                                                                                                                     4600 DEF PROCEBuy (i%, n%)
                                                                                                                                                                                                                    4600 DEF PROCEDBY(1%, n% 4610 LOCAL c% 4620 c%=count?i% 4630 IF c%=none c%=0 4640 c%=c%+n% 4650 IF c%=none c%=254 4660 IF c%=0 c%=none
   273Ø ENDPROC
                                                                                                            3640 IF update PRINTTAB(0,3+pos); FNline
    2740
    2750 DEF FNitem(i%)
                                                                                                            3650 IF pos<>oldpos PROCbar(oldpos,0):P
                                                                                                                                                                                                                                                                                                                              5620 DEF PROCetrput(file, str$)
   2760 IF i%>=maxitems
2770 =$(Data+i%*Size)
2780:
                                             ns THEN =""
                                                                                                           ROCbar(pos,1)
3660 UNTIL key$=CHR$27
3670 ENDPROC
                                                                                                                                                                                                                                                                                                                             5630 LOCAL 1%
5640 FOR 1%=1 TO LENSTT$
5650 BPUT #file,ASCMID$(str$,i%,1)
   2790 DEF FNtotal(i%)
2800 =!(Data+i%*Size+Total)
                                                                                                                                                                                                                    4670 PROCbuy(i%,c%)
4680 ENDPROC
                                                                                                                                                                                                                                                                                                                              5660 NEXT
                                                                                                          3680 :
3690 DEP PROCmidlist
3700 IF key$=cHR$13 PROCedittext
3710 IF key$="1" AND key$<="9" PROChuy
(cur.VALkey$)
3720 IF key$="" PROCdbuy(cur.1)
3730 IF key$="" PROCdbuy(cur.1)
3740 IF key$="" PROCdbuy(cur.n)
3740 IF key$=CHR$127 PROCbuy(cur.none)
3750 IF key$="" PROCDbuy(cur.n)
                                                                                                                                                                                                                                                                                                                          5660 NEXT
5670 ENDPROC
5680:
5690 DEF PROCprint(a$)
5700 IF tofile PROCstrput(out,a$+CHR$10
):ENDPROC
   2810 :
                                                                                                                                                                                                                    4690
   2820 DEF PROCsetdate(i%,d%,d$,n%)
                                                                                                                                                                                                                    4700 DEF PROCSAVE
4710 IF items=0 ENDPROC
4720 FOR item=0 TO items-1
   2830 mem=Data+1%*Size+d%*4
2840 days=FNfrontext(d$)
2850 mem!Dates=days*256 OR n%
                                                                                                                                                                                                                    4730 IF count?item<>none dosave=TRUE
                                                                                                                                                                                                                                                                                                                             5710 PRINTA$
5720 ENDPROC
                                                                                                                                                                                                                    4740 NEXT
                                                                                                            3750 IF key$="X" PROCbuy(cur,0)
3760 ENDPROC
                                                                                                                                                                                                                    4750 IF dosave=FALSE ENDPROC
                                                                                                                                                                                                                    4750 IF dosave=FALSE ENDPROC
4760 PROCCIS
4770 new$=FNlist("save",list$)
4780 IF new$="" ENDPROC
4790 out=OPENOUT(new$)
4800 CLOSE#out
                                                                                                                                                                                                                                                                                                                             5740 DEF PROCLIST
5750 IF items=0 ENDPROC
5760 PROCCIS
   2880 DEF FNfromtext(a$)
   2890 DEF FMITOMERY(as)
2890 LOCAL (dy,mo,yr,day,year
2900 IF MID$(a$,3,1) <>" " OR MID$(a$,7,
1) <>" " PRINT*Unknown date : ";a$:END
2910 dy=VALMID$(a$,1,2)
2920 yr=VALMID$(a$,6,4)
2930 mo=PNmonthnum(MID$(a$,4,3))
                                                                                                          3780 DFF PROCendoflist
3790 IF key$=CHR$21 OR (key$>=" " AND k
ey$<=CHR$127) PROCusekey(items,key$)
                                                                                                                                                                                                                                                                                                                          5760 PROCCle
5770 to$=FNlist("save", "SL"+LEFT$(today
$,2)+RIGHT$("00"+STR$(1+FNmonthnum(MID$(
today$,4,3))),2))
5780 PROCcheckout
5790 VDU 28,0,23,39,2,12
5800 tofile=TRUB
5810 low$=TNlow(to$)
5820 IF low$="vdu:" OR low$="" tofile=F
ALSE
                                                                                                            3800 IF key$=CHR$13 PROCnewitem
3810 ENDPROC
                                                                                                                                                                                                                    4810 list$=new$
                                                                                                                                                                                                                    4810 list$=new$
4820 PROCShowname(list$)
4830 PROCcheckout.
4840 PROCsortlist
4850 PROCsavelist(list$)
4860 dosave=FALSE
4870 ENDPROC
   2940 day=dy-1+doy(mo)-(FNleap(yr) AND m
                                                                                                            3830 DEF PROCedittext
  2950 IF yr=1990 THEN =day
2950 FOR year=1990 TO yr-1
2970 day=day+doy-FNleap(year)
2980 NEXT
                                                                                                           3840 DEF PROCEDITIONS
3840 REPEAT
3850 VDU 31,8+LENFNitem(cur),3+pos
3860 PROCCURSOr(1)
                                                                                                                                                                                                                                                                                                                             5830 IF low$="printer:" tofile=FALSE:VD
                                                                                                            3870 ekey$=GET$
                                                                                                                                                                                                                    4880 :
   299Ø =day
                                                                                                            3880 PROCcursor(0)
                                                                                                                                                                                                                    4890 DEF PROCcheckout
                                                                                                           3890 IF ekey$=CHR$21 OR (ekey$>=" " AND ekey$<=CHR$127) PROCusekey(cur,ekey$) 3900 UNTIL ekey$=CHR$13 AND FNitem(cur)
                                                                                                                                                                                                                 4900 FOR item=0 TO items-1
4910 TF count?item:none PROCpurchase(i
tem,count?item):count?item=none:sorted=F
ALSE:dosave=TRUE
                                                                                                                                                                                                                                                                                                                             5840 IF tofile out=OPENOUT(to$)
5850 PROCprint(list$+" shopping list on
   3010 DEF FNtotext (day)
   3020 LOCAL dy,mo,yr,got
3030 yr=1990
3040 got=FALSE
3050 REPEAT
                                                                                                                                                                                                                                                                                                                             "+today$+CHR$10)
5860 FOR item=0 TO items-1
                                                                                                           3910 key$=""
3920 ENDPROC
                                                                                                                                                                                                                   4920 NEXT
                                                                                                                                                                                                                                                                                                                             587Ø dates=Ø
                                                                                                                                                                                                                    493Ø ENDPROC
                                                                                                                                                                                                                                                                                                                             5880 FOR slot=0 TO maxslots-1
  3050 diy=doy-FNleap(yr)
3070 IF day>=diy yr=yr+1:day=day-diy EL
                                                                                                            3930 :
                                                                                                                                                                                                                    4940
                                                                                                                                                                                                                                                                                                                             5890 entry=Data!(item*Size+Dates+slot*4
                                                                                                            3940 DEF PROCusekey(i%,k$)
                                                                                                                                                                                                                    4950 DEF PROCpurchase(i%,n%)
4950 mem=Data+i%*Size
4970 mem!Total=mem!Total+n%
4980 mem=mem+Dates
                                                                                                        3940 DEF PROCUSEREY(1%,k$)
3950 8$=FNItem(1%)
3960 IF k$=CHR$127 AND $$<>"" VDU 127:8
$=LEFF$(a$, LENS$-1)
3970 IF k$>=" "AND k$<CHR$127 AND LENS
$<maxlen s$=s$+k$:FRINTK$;
3980 IF k$=cHR$21 PRINTSTRING$(LENS$,CH
R$127);:s$=""
3990 $(Data+1%*Size)=s$
4800 ENDPROC
4810 ...
 SE got=TRUE
                                                                                                                                                                                                                                                                                                                             5900 date(slot)=entry DIV 256
   3080 UNTIL got
3090 mo=12
                                                                                                                                                                                                                                                                                                                             5910 num(slot)=entry MOD 256
5920 IF entry<>0 dates=dates+1
   3090 mo=12
3100 REPEAT
3110 mo=mo-1
3120 dtm=doy(mo)-(FNleap(yr) AND mo>1)
                                                                                                                                                                                                                    4990 slot=-1
                                                                                                                                                                                                                                                                                                                             593Ø NEXT
                                                                                                                                                                                                                    5000 REPEAT
                                                                                                                                                                                                                                                                                                                             5940 IF dates>1 PROCcalculate
                                                                                                                                                                                                                 5000 Slot=slot+1
5010 Slot=slot+1
5020 entry=mem!(slot+4)
5030 UNTIL entry=0 OR (entry DIV 256)=t
oday OR slot=maxslots
5040 IF slot=maxslots PROCshuffle(mem,m
                                                                                                                                                                                                                                                                                                                             5950 NEXT
3120 dtm=doy(mo) -(FNleap(yr) AND mo>1)
3130 WNTL day>-dtm
3140 dy=day-dtm+1
3150 =RIGHTS("00"+STR$dy,2)+" "+MID$(mo
no$,mo*3+1,3+" "+STR$yr
3160:
3170 DEF FNleap(y)
3180 IF (y MOD 400)=0 THEN =TRUE
3190 IF (y MOD 100)=0 OR (y MOD 4) <>0 T
HEN =FALSE
                                                                                                                                                                                                                                                                                                                          5950 NEXT
5960 VDU 3
5970 IF tofile CLOSE#out ELSE PRINT'"Pr
ess any key to continue":IFGET
5980 VDU 12,26
5990 ENDPROC
                                                                                                                                                                                                                 axslots):slot=maxslots-1:entry=0
5050 mem!(slot*4)=today*256 OR (n% MOD
                                                                                                           4030 IF FNitem(items)="" ENDPROC
4040 IF items/maxitems items=items+1
4050 PROCClear(items)
                                                                                                                                                                                                                 2561
                                                                                                                                                                                                                                                                                                                             6010 DEF PROCealculate
                                                                                                                                                                                                                                                                                                                             6020 IF dates=0 ENDPROC
6030 period=date(dates)-date(0)
6040 i=dates-1
                                                                                                                                                                                                                    5060 ENDPROC
                                                                                                                                                                                                                   5060 ENDPROC
5070:
5080 DEF PROCShuffle(from,words)
5090 LOCAL 1%
5100 FOR 1%=0 TO words-1
5110 from!(i%*4)=from!(i%*4+4)
                                                                                                            4060 PROCshow(top)
                                                                                                           4070 PROCESSON (CO)
4070 PROCED (CO)
4080 dosave=TRUE
4090 ENDPROC
   3200 =TRUE
   3210
                                                                                                                                                                                                                                                                                                                             6050 used=0
6060 REPEAT
    3220 DEF PROCshow(first)
                                                                                                                                                                                                                                                                                                                            6070 IF i>=0 used=used+num(i)
6080 i=i-1
6090 UNFIL ic0
6100 IF used=0 ENDPROC
6110 last=num(dates)
6120 IF last=0 last=1
6130 i=dates
6140 BPERT
                                                                                                           4110 DEF PROCECTOL1(dir%)
                                                                                                                                                                                                                    5120 NEXT
                                                                                                          4110 BEF PROCERTOIL(dir%)
4120 FROChar(pos,0)
4130 VDU 28,0,scrmax+2,39,3
4140 IF dir%=1 VDU 31,0,scrmax-1,10
4150 IF dir%=1 VDU 30,11
4150 VDU 26
4170 top-top+dir%
4180 FROChar(pos,1)
4190 ENDPROC
                                                                                                                                                                                                                   5130 from! (1%*4)=0
5140 ENDPROC
   3260 PRINTTAB(0, i+3); FNline(first+i);
                                                                                                                                                                                                                   5140 ENDPROC
5150 :
5160 DEF PROCSORTLIST
5170 IF SORTED ENDPROC
5180 LOCAL i,j,k
5190 FOR i=0 TO items-1
3270 i=i+1
3280 UNTIL i+first-1=items OR i=scrmax
OR i+first-1=maxitems-1
3290 ENDPROC
                                                                                                                                                                                                                                                                                                                             614Ø REPEAT
                                                                                                                                                                                                                                                                                                                         6140 REPEAT
6150 IP num(i)=0 i=i-1
6160 UNTIL num(i)<>0
6170 timegap=(date(i)-date(0))/i
6180 IF last*period/used*date(dates)<to
day+timegap/2 PROCPrint(" "+FNitem(item)
   3300 :
3310 DEF FNline(1%)
                                                                                                                                                                                                                   5210 FOR j=i TO items-1
5220 IF FNtotal(j)>FNtotal(k) k=j
5230 NEXT
5240 PROCSwap(i,k)
   3320 LOCAL 1$,c$
3330 1$=CHR$129+CHR$9+CHR$9
                                                                                                           4210 DEF PROCdown
                                                                                                          4220 IF top+pos>=items ENDPROC
4230 IF top+pos>=maxitems-1 ENDP
4240 IF ctrl PROCgotoend:ENDPROC
 3340 IF 1%=items 1$=1$+"=>" ELSE IF 1%<
10 1$=1$+"f"+CHR$(48+1%) ELSE 1$=1$+" "
                                                                                                                                                                          ENDPROC
```



Pieces of Eight

	1070 LDY #600	2160 CMP (670),Y	570 LDA &7B
Listing 1 10 REM SVPicSrc (Po81) 20 REM by David Acton/Bruce Smith 30 REM FOR B/BH/M/E 40 REM (C) BAU Sep 91 50: 60 PROCassemble 70 PROCassemble 20 SND 100: 110 DEF PROCassemble 120 FOR passe0 TO 3 STEP 3 130 P%=62E000 140 (OPT pass	1090 STY £77	2170 BCS over8	580 JSR oswrch
10 REM SVPicSrc (Po81)	1090 .back11 1100 INC &77	2180 SEC 2190 ROL &7A	590 LDX #&09 600 .nextbyte
20 REM by David Acton/Bruce Smith	1110 JSR addthem	2190 ROL 67A 2200 INX 2210 SNE back10 2220 Jover8 2230 JSR addthem 2240 BPL back10 2250 STX 67A 2260 LDX #608 2270 LDA 67A 2280 JSR transfer 2290 LDX #655 2300 LDY #600 2310 LDA 68A0 2320 JSR 6FFF4	610 LDA buffer,X 620 JSR oswrch
40 REM (C) BAU Sep 91	1130 LDA 677	2220 .over8	630 DEX
50 : 60 PROCassemble	1150 BEQ setcarry	2240 BPL back10	640 BPL nextbyte 650 .nochange
70 PROCchecksum	1160 LDA (&70),Y	2250 STX &7A 2260 LDX #608	660 LDA #&84 670 LDX #&00
90 END	1180 BEQ back11	2270 LDA &7A	680 LDY #&00
100 : 110 DEF PROCassemble	1190 .setcarry 1200 SEC	2280 JSR transfer 2290 LDX #&55	690 JSR osbyte 700 STX &7C
120 FOR pass=0 TO 3 STEP 3	1210 JSR subthree	2300 LDY #£000	710 STY &7D 720 LDX #&0F
140 [OPT pass	1230 LDX &88	2320 JSR &FFF4	730 .loop
150 STY &84 160 LDA #&01	1230 LDX &88 1240 JSR transfer 1250 LDA &78 1260 LDX &7A 1270 JSR transfer 1280 LDX &7A 1270 JSR transfer 1280 LDA &70 1290 SEC 1300 SEC &7E 1310 STA &70 1320 LDA &71 1330 SEC \$600 1340 STA &71 1350 .forward 1360 JSR addthem 1370 BFL allagain 1380 DEC &7F 1390 BFL doall 1400 RTS 1410 .subtwo 1420 LDX \$608 1430 LDA \$600 1440 JSR transfer 1450 LDA \$600 1460 LDY &75 1470 JMP &FFCE 1490 .subthree 1490 RTS 1510 BRE nohigh 1540 INC &80 1510 BNE return 1520 INC &80 1510 BNE nohigh 1540 INC &81 1550 .nohigh 1560 LDA &83 1570 BEO noput 1580 LDY &75 1590 LDA &83 1570 BEO noput 1580 LDY &75	2330 TXA 2340 LDX #£08	740 LDA #£13 750 JSR oswrch
170 STA &83 180 LDA #&02	1260 LDX &7A 1270 JSR transfer	2350 JSR transfer 2360 LDX #&0F	760 TXA 770 PHA
190 STA &82	1280 LDA £70	2370 .back17	780 JSR oswrch
200 JSR writecat 210 LDA #600	1290 SEC 1300 SEC &7E	2380 TXA 2390 STA &8B	790 LDX #&04 800 JSR subroutine1
220 STA &83 230 LDA #&FF	1310 STA &70 1320 LDA &71	2400 PHA 2410 LDX #&8B	810 JSR oswrch 820 LDA #£00
240 STA 486	1330 SBC #&00	2420 LDY #600	830 JSR oswrch
250 STA &87 260 LDA #601	1340 STA £71 1350 .forward	2430 LDA #60B 2440 JSR 6FFF1	840 JSR oswrch 850 JSR oswrch
270 STA &82 280 .restart	1360 JSR addthem 1370 BPL allagain	2450 LDA &8C 2460 LDX #&04	860 PLA 870 TAX
290 LDA #602	1380 DEC &7F	2470 JSR transfer	88Ø DEX
300 STA &88 310 LDA #603	1390 BPL doall 1400 RTS	2480 PLA 2490 TAX	890 BPL loop 900 LDX #&08
320 STA 479 330 .redo	1410 .subtwo 1420 LDX #&08	2500 DEX 2510 BPL back17	910 JSR subroutine1 920 STA &7E
340 LDA #600	1430 LDA #800	2520 RTS	930 LDX #&08
350 STA &80 360 STA &81	1440 JSR transfer 1450 LDA #&00	2530] 2540 NEXT	940 JSR subroutine1 950 STA &88
370 JSR subone	1460 LDY &75	255Ø ENDPROC	960 LDA &7E
380 LDA &81 390 CMP &87	1470 JMP &FFCE 1480 .subthree	2570 DEF PROCchecksum	980 .redo
400 BCC forward10 410 BNE roll	1490 ROL &74 1500 DEC &73	2580 C%=0 2590 FOR X%=62E00 TO 62FAE	990 JSR swap
420 LDA &80	1510 BNE return	2600 C%=C%+?X%	1010 SEC
430 CMP &86 440 BCS roll	1520 INC &80 1530 BNE nohigh	2610 NEXT 2620 IF C%=50668 THEN ENDPROC	1020 SBC #&01 1030 STA &70
450 .forward10 460 LDA &80	1540 INC &81 1550 .nohigh	2630 VDU 7	1040 .rightback
470 STA &86	1560 LDA &83	2650 END	1060 BCC forward
480 LDA &81 490 STA &87	1570 BEQ noput 1580 LDY &75	Listing 2	1080 JSR subroutine1
500 LDA &82 510 STA &85	1590 LDA &74 1600 JSR &FFD4	2540 NATY 2550 EMDPROC 2560: 2570 DFF PROCChecksum 2580 C%=0 2590 FOR X%=22800 TO &2FAE 2600 C%=C%+7X% 2610 NEXT 2620 IC C%+50668 THEN ENDPROC 2630 VDU 7 2640 PRINT"Checksum error!" 2650 END Listing 2 10 REM LDPicSrc (F082) 20 REM by David Acton/Bruce Smith 30 REM for B/B+/M/E0 40 REM (c) BAU Sep 91 50: 60 PROCVars 70 PROCABsemble 80 PROCChecksum 90 *5AVE Ldpic 22800 2F35 100 END 110: 120 DEF PROCVars 130 ombyt=sefff4:omfind=&FFCE 140 omvch=&FFFEE:ombget=&FFD7 150 ENDPROC 160: 170 DEF PROCABsemble 180 FOR DASS=0 TO 3 STEP 3 190 Ph=22800 200 [OPT pags	1090 STA &77
520 LDA &88	1610 .noput	20 REM by David Acton/Bruce Smith	1110 JSR subroutine1
530 STA &89 540 LDA &79	1620 LDA #&08 1630 STA &73	30 REM for B/B+/M/E0 40 REM (c) BAU Sep 91	1120 STA &78 1130 LDY #&00
550 STA &8A 560 .roll	1640 .return 1650 RTS	50 :	1140 .goback
570 SEC	1660 .transfer	70 PROCassemble	1160 STA (&70),Y
580 ROL &79 590 INC &88	1670 LSR A 1680 PHA	80 PROCchecksum 90 *SAVE Ldpic 2E00 2F35	1170 JSR addmove 1180 DEC &77
600 LDA &88 610 CMP #&09	1690 JSR subthree	100 END	1190 BNE goback
620 BNE redo	1700 PLA 1710 DEX	120 DEF PROCVATS	1210 .forward
630 INC &82 640 LDA &82	1720 BNE transfer 1730 RTS	130 osbyte=&FFF4:osfind=&FFCE 140 oswrch=&FFEE:osbget=&FFD7	1220 LDX &7A 1230 JSR subroutine1
650 CMP #£09 660 BNE restart	1740 .copy 1750 LDA &7C	150 ENDPROC	1240 LDY #800 1250 STA (670) V
670 LDA #401	1760 STA &70	170 DEF PROCassemble	1260 JSR addmove
680 STA &83 690 LDA &85	1770 LDA £7D 1780 STA £71	180 FOR pass=0 TO 3 STEP 3 190 P%=&2E00	1270 .anead 1280 LDA &71
700 STA &82	1790 RTS	200 [OPT pass	1290 BPL rightback
720 STX &73	1810 LDA &70	220 CLC	1310 BEQ carryon
730 JSR transfer 740 LDX #&08	1820 CLC 1830 ADC &7E	230 ADC &F2 240 TAX	1330 JMP redo
750 LDA &89	1840 STA 670	250 LDA &F3 260 ADC #400	1340 LDA #600 1350 LDV 675
770 JSR transfer	1860 ADC #600	270 TAY	1360 JMP osfind
780 LDA &8A 790 STA &79	1870 STA &71 1880 RTS	280 LDA #&40 290 JSR osfind	1370 .subroutine2 1380 DEC &73
800 JSR subone	1890 .writecat	300 CMP #600	1390 BNE noget
820 .subone	1910 CLC	320 BRK	1410 JSR osbget
830 LDA &82 840 STA &7E	1920 ADC &F2 1930 TAX	330] 340 ?P%=&D6:P%=P%+1	1430 LDA #£08
850 SEC	1940 LDA &F3	350 \$P%="No Screen File"	1440 STA &73
870 STA 47F	1960 TAY	370 [OPT pass	1460 ASL &74
880 .doall 890 JSR copy	1970 LDA #&80 1980 JSR &FFCE	380 BRK 390 .noerror	1470 RTS 1480 .subroutine1
900 LDA &7F	1990 STA &75	400 STA 675	1490 STX &79
920 .allagain	2010 STA £73	420 STA 473	1510 SEC
930 LDY #&00 940 LDA (&70),Y	2020 LDA #&84 2030 LDX #&00	430 LDX #408 440 JSR subroutine1	1530 SEC &79 1530 STA &79
950 LDY 67E	2040 LDY #&00	450 STA 67A	1540 LDA #600 1550 STA 676
970 BEQ over16	2060 STX &7C	470 JSR subroutine1	1560 .nextbit
980 CLC 990 JSR subthree	2070 STY &7D 2080 JSR copy	480 STA 67B 490 LDA #6A0	1570 JSR subroutine2 1580 ROR &76
1000 LDX 67A	2090 LDY #&00	500 LDX #&55	1590 DEX
1020 LDA (470),Y	2110 STX &7A	520 TXA	1610 LDX &79
1030 JSR transfer 1040 JMP forward	2120 STX &7F 2130 .back10	180 FOR pass=0 TO 3 STEP 3 190 FP=62800 200 [OPT pass 210 LDA #506 220 CLC 230 ADC EF2 240 TAX 250 LDA &F3 260 ADC #600 270 TAY 280 LDA #440 290 JSR osfind 300 CMF #600 310 BME noerror 320 BMR 330] 940 *Ph=6D6:FP%=Pk+1 350 FP%=6D6:FP%=Pk+1 350 FP%=FP*+LEN(SP%) 370 [OPT pass 380 BMR 390 .noerror 400 STA &F5 410 LDA #601 420 STA &F3 430 LDX #608 440 JSR subroutine1 450 STA &F7 470 LDX #608 470 JSR subroutine1 480 STA &F7 490 LDX #608 470 JSR subroutine1 480 STA &F7 490 LDX #608 590 LDX #655 510 JSR osbyte 520 TAX 530 CMF &FB 540 BSD nochange 550 LDX #616	1620 BEQ return 1630 .trynext
1050 .over16	2140 STX &7E	550 LDA #&16	1640 CLC 1650 ROR #76
1000 SIN W/O	ALJO DUA C/A	JOD DDA VONTOII	200 100 270

```
1170 LDA odd20%, Y

1180 STA (pointer%, X)

1190 INC pointer%, X)

1200 INC loop2

1210 INC pointer%+1

1220 BPL loop2

1230 RTS

1230 RTS

1250 LDA #0

1260 STA pointer%

1270 TAX

1280 LDA #30

1290 STA pointer%+1
                                                                                                                                                                                                                        170 odd10%=£1700

180 odd20%=£1840

190 odd21%=£1800

200 pointer%=£70

210 PRINTTAB(0,10)"Please wait - creat

ing conversion tables"

220 mask%=£88
   1660 DEX
1670 BHE trynext
1680 .return
1690 LDA &76
1700 RTS
1710 .swap
1720 LDA &77
1730 STA &70
1740 LDA &77
1740 LDA &77
1740 RTS
1770 .addmove
1780 LDA &70
1780 LDA &70
1780 LDA &70
1780 LDA &70
1780 LDA &77
1800 ADC &7E
1810 STA &70
1820 LDA &71
1830 ADC #AGO
1840 STA &71
1850 RTS
1850 NTS
1850 NTS
1870 | DATTER
                                                                                                                                                                                                                                                                                                                                                                                                                                                           650 IF C%=40 THEN D%=D%+48:E%=E%+48
660 IF C%=8 THEN D%=D%+16:E%=E%+32
670 IF C%=34 THEN D%=D%+3:E%=E%+33
680 IF C%=2 THEN D%=D%+3:E%=E%+3
690 IF C%=32 THEN D%=D%+1:E%=E%+3
700 IF pix%=0 THEN S%=S%*2:E%=E%*4:D%=
                                                                                                                                                                                                                                                                                                                                                                                                                                                           **4
710 NEXT pix%
720 even21%?screen%=E%
730 odd21%?screen%=D%
740 NEXT screen%
750 ENDPROC
                                                                                                                                                                                                                                    230 FOR screen%=0 TO 255
                                                                                                                                                                                                                                 1290 STA pointer%+1
1300.loop1
1310 LDA (pointer%,X)
1320 AND #63
1330 TAY
1340 LDA even21%,Y
1350 STA (pointer%,X)
1360 INC pointer%,X)
1360 INC pointer%
1370 LDA (pointer%,X)
1380 AND #63
1390 TAY
1400 LDA odd21%,Y
1410 STA (pointer%,X)
1420 INC pointer%,X)
1420 INC pointer%,X
1430 ENE loop1
1440 INC pointer%+1
                                                                                                                                                                                                                                                                                                                                                                                                                                                              760 :
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    1290 STA pointer%+1
                                                                                                                                                                                                                                                                                                                                                                                                                                                              770 DEF PROCcode
                                                                                                                                                                                                                                                                                                                                                                                                                                                           770 DEF PROCCODE
780 P%=£1500
790 [
800 .ch10
810 LDA #0
820 STA pointer%
830 TAX
                                                                                                                                                                                                                        300 IF C%=128 AND (D1x% MOD 2)=1 THEN D%=D%+15%=E%+3
310 IF C%=128 AND (D1x% MOD 2)=0 THEN D%=D%+15%=E%+1
320 IF C%=8 THEN D%=D%+1::E%=E%+2
330 IF pix%<3 THEN 5%=5%*2:D%=D%*4:E%=
                                                                                                                                                                                                                                                                                                                                                                                                                                                    830 TAX
840 LDA #830
850 STA pointer%+1
860 .loop
870 LDA (pointer%, X)
880 TAY
890 LDA evenl0%, Y
990 STA (pointer%, X)
910 INC pointer%, X)
910 INC pointer%, X)
930 STA (pointer%, X)
930 TAY
940 LDA oddl0%, Y
950 STA (pointer%, X)
960 INC pointer%, X)
960 INC pointer%
970 ENE loop
980 INC pointer%+1
990 BPL loop
1000 RTS
1010 .ch20
1020 LDA #8
1030 STA pointer%+1
1040 TAX
1050 LDA #830
1050 STA pointer%+1
                                                                                                                                                                                                                                %*4
340 NEXT pix%
350 evenl0%?screen%=E%
360 odd10%?screen%=D%
370 NEXT screen%
380 mank%=42
390 FOR screen%
410 D%=0
410 D%=0
410 D%=0
                                                                                                                                                                                                                                                                                                                                                                                                                                                              840 LDA #&30
      1880 NEXT
       189Ø ENDPROC
      1900 :
1910 DEF PROCchecksum
1920 C%=0
1930 FOR X%=&2E00 TO &2F32
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  1440 BNE 100p1
1440 INC pointer%+1
1450 BPL 100p1
1460 RTS
1470 ]
1480 ENDPROC
                                                                                                                                                                                                                      400 Shecreen%
410 Dhe0
420 Eke0
420 Eke0
430 FOR pixk=0 TO 1
440 Che5% AND mask%
450 IF Ck=42 THEN Dh=Dk+15:E%=E%+15
460 IF Ck=42 THEN Dh=Dk+7:E%=E%+15
470 IF Ck=40 THEN Dh=Dk+7:E%=E%+13
480 IF Ck=8 THEN Dh=Dk+7:E%=E%+13
480 IF Ck=42 THEN Dh=Dk+10:E%=E%+5
500 IF Ck=21 THEN Dh=Dk+10:E%=E%+5
510 IF Ck=22 THEN Dh=Dk+10:E%=E%+5
510 IF Ck=22 THEN Dh=Dk+8:E%=E%+16:D%
ED%+16
530 NEXT pix%
540 even26%*screen%=E%
550 odd20%*screen%=D%
550 Od20%*screen%=D%
560 NEXT screen%
570 FOR screen%=0 TO 63
580 Sh=screen%
590 Dh=0
600 Ek=0
610 FOR pixk=0 TO 1
620 Ck=6 AND mask%
      1940 C%=C%+?X%
1950 NEXT
      1960 IF C%=37790 THEN ENDPROC
1970 VDU 7
1980 PRINT"Checksum error!"
1990 STOP
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   1500 DEF PROCchecksum
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             1500 botal%=0
1510 botal%=0
1520 POR i%=61500 TO F%-1
1530 botal%=botal%+?1%
1540 NEXT i%
1550 IF total%<-)14701 PRINT"Checksum er
ror in assembler.":VDU7:END
Listing 3
            10 REM Mode Convertor (Po83)
20 REM by Phil Wilkes
30 REM for B/B+/M/E
40 REM (c) BAU Sep 91
50 :
60 MODE 4
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             1560 total%=0
1570 FOR %==1600 TO 4=18FF
1580 total%=+0tal%++71%
1590 NEXT 1%
1590 NEXT 1%
1500 IF total%-104072 FRINT"Checksum e rror in tables ":YDU7:END
1610 ENDPROC
1620 -
                                                                                                                                                                                                                                                                                                                                                                                                                                                      1050 LDA #830

1060 STA pointer%+1

1070 .loop2

1080 LDA (pointer%,X)

1090 AND #63

1100 LDA even20%,Y

1110 LDA even20%,Y

1130 INC pointer%,X)

1140 LDA (pointer%,X)

1150 AND #63

1160 TAY
        70 PROCtables
80 PROCcode
90 PROCchecksum
100 PROCsave
110 END
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  1620 :
           120 :
130 DEF PROCtables
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  1630 DEF PROCsave
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  1640 *SAVE CONVERT 1500 1900
1650 ENDPROC
                                                                                                                                                                                                                                   610 FOR pix*=0 TO 1
620 C%=5% AND mask%
630 IF C%=42 THEN D%=D%+51:E%=E%+51
640 IF C%=10 THEN D%=D%+49:E%=E%+50
           140 even10%=&1600
150 even20%=&1800
```

160 even21%=&1880

Notes

New LOW PRICES branded disks at bulk prices

BENCHMARK & BRAND

ALL 3.1/2" DISKS COME WITH LABELS ALL 5.1/4" DISKS COME WITH LABELS, WRITE PROTECTS AND SLEEVES

Disk Type	Qty	25	50	100	200	500	1000
31/2" DS/DD 1MB	£	17.00	29.00	41.00	75.00	163.00	309.00
312" DS/HD 2MB	£	33.60	61.00	67.00	132.00	320.00	630.00
514" DS/DD 96/48 TPI	£	11.00	18.00	28.00	51.00	122.00	225.00
514" DS/HD 1.6MB	£	18.00	31.50	52.50	99.00	228.00	394.00

ALL OUR DISKS ARE 100% CERTIFIED GUARANTEED ERROR FREE

ALL BENCHMARK 31/2" DS/DD DISCS ARE NOW MANUFACTURED THE WORLD'S LEADING MAKER

DISK STORAGE BOXES LOCKABLE

DIOIT OT OTHAGE BOXED EOC	
3 1/2" 50 Capacity	£3.70
3 1/2" 100 Capacity	£4.70
5 1/4" 100 Capacity	£4.70
3 1/2" 240 Capacity (stackable)	£18.50

THESE PRICES ONLY IF BOUGHT WITH DISKS



ALL PRICES INCLUDE VAT & P&P. UK ORDERS ONLY





Manor Court Supplies Ltd

Telephone: 0597 87 792 Fax No: 0597 87 416 Dept AU9, Glen Celyn House, Penybont, Llandrindod Wells, Powys, LD1 5SY

EDUCATION AND GOVERNMENT ORDERS WELCOME

UNBRANDED DISKS AT SAME PRICES

GENEALOGY

(See review in Feb '87 and Aug. '89)

FAMILY HISTORY SYSTEM The most popular program ever written for us. Enables £20.95 you to produce a full family tree and many other genealogical listings. BBC/Master/Compact version £19.95 — Archimedes version £25.95 £25.95

PAYROLL

EXTENDED PAYROLL Now in its eighth year. The only BBC program for was tax and National Insurance for up to 400 employees covering four weekly and Monthly pay whether contracted of data per employee in two parts and some contracted that per employee in two parts are contracted to the contracted that per employee in two part 9th successful year es acceptable employee information

, or compilation of pay from hourly lat pension deductions, sick pay, SSP, SMP pre and post tax adjustments and even no pay. Three mes, two different types of payslip printout and an optional coin analysis. An annual contract keep you up to date with the budget changes. Send for demo disc 652 50

BOOKKEEPING

(see review in March '89 Acorn User)

- CASHBOOK Double entry bookkeeping for home or club use. All data kept in memory. Three character analysis code enables you to know where the money comes from and where it goes. 48 transactions per A4 page. Analysis summary up £14.95
- CASHBOOK D As 1) + random access giving 2000 items. CASH/BANK or VAT/BANK headings. Password control. String or numeric searches. For schools, clubs & non
- ACCOUNT As 2) + Credit facility and statements. For small businesses working
- £35.95 ACCOUNT-PLUS As 3) + Invoicing, Orders, Quotations etc. Full sorting of data by options. Automated statements, mailing labels. Multiple automatic nominal ledgers. or independent schools and VAT businesses who wish to cut the effort. £59.95
- TAXMAN This new program which has been under development for three years allows you to enter all your transactions and to printout end of year results with balance sheet and even calculate tax due. The Inland Revenue love it and so do Results can be taken from our other accounting programs and entered into TAXMAN making a superb combination.
- £59.95 Micro-Trader is a full accountancy package with features right through to final balance sheet. Stock Centrol at £75.00 extra. For shops/firms, accountants wanting £235.00 full accounting facilities. Payroll can be integrated £88.13

MAILING
218 addresses in memory or up to 1875 on random access disc. Multiple selected £14.95 and repeat labels, mail merge, full sorts. Ideal for subscription lists, promotions, any kind of mailing.

Ask for detailed brochure for more software and other items Demo discs available for £2.50 each, Micro-Trader £25. Prices include VAT add 81p p/p PLEASE NOTE OUR MOVE & CHANGE OF ADDRESS FROM CORNWALL



(FAX AVAILABLE)

Kildonan Courtyard, Barrhill, S. Ayrshire Scotland. KA26 OPS. Tel: 0465 82288



£23.95



!!!EVERYTHING'S A BARGAIN!!!

T.M.J. Computer Software

39 Farmstead Road, Corby, Northants, NN18 OLE. Telephone: 0536 69011 On Line BBS DARKHAVEN 0604 413716

*** All prices are inclusive of VAT and POSTAGE***

All prices	are inclusive
Product	Price
Power Band	£19.99
Iron Lord	£16.99
Saloon Cars	£19.99
Nevryon	£16.99
Wonderland	
Master Break	£16.99
E-Type	£16.99
Chocs Away	£19.99
Chocs Away Extra Missions	£16.99
Ball Arena	
Crisis	£16.99
Twin World	£16.99
Mig 29 Fulcrum	£34.99
Holed Out 1 & 2	£14.99

Product	Price
Arc Pinball	£21.99
Boogie Buggie	£19.99
Fun School 2 (All age groups)	£15.99
Impression 2	£160.00
Arcticulate	£19.99
Arc-term 7	
Man. U. Football	£20.99
The Real McCoy 2	£25.99
Real McCoy + Real McCoy 2	£49.00
The Real McCoy	
Pres A3000 Monitor Stand	£31.00

MON - FRI 9am-noon, 1.30-6.30pm SATURDAY 9.30-12.30



EUROPEAN ORDERS WELCOME. Tel. Orders Welcome Please send S.A.E. for full price list. Visa or Access welcome

£29.95



rion Computers Lt

PLEASE REMEMBER when comparing prices - WE DO NOT CHARGE CARRIAGE

on standard delivery within the UK. Next Day Courier Service £6.00 Carriage on Export Orders charged at cost.

Dept. BAU9, Units 18e & 18f Boxer Place, Moss Side Employment Centre, Leyland, Preston, PR5 3QL. Tel: (0772) 623000 Fax: (0772) 622917 Callers Most Welcome. We are situated 3 miles from M6 J28. All offers subject to availability. Government & Educational Orders Welcome. Minimum Order Value £10.00. Minimum Educational Order Value £15.00

Acorn Computers

£399.00
£599.00
£699.00
£699.00
£1099.00
£1299.00
£1699.00
£2995.00

Special Offer when purchased with computer!!

A3000 - £35.00 discount off subsequent items bought with computer, plus either 2Mb Upgrade F.O.C., 4Mb for £100.00 A410/1 - 20Mb HD + Upgraded to 4Mb F.O.C.

A420/1 - 42Mb HD + Upgraded to 4Mb F.O.C.

A440/1 - ARM 3 F.O.C.

A540 - 4Mb Ram Upgrade F.O.C.

We will try to match or beat any price advertised in this magazine, please phone for best prices.

We operate the Acorn Education Scheme.

Monitors

Acorn Colour Monitor (AKF17)	£200.00
Philips CM8833 II Colour Monitor	£209.00
Microvitec CUB 3000	£199.00
Taxan MultiVision 775 (0.28 d.p.)	£389.00
Taxan MultiVision 795A (0.26 d.p.)	£469.00

Cables

Arc to Monitor + Audio 2m (Not 8833 II)	£8.65
Arc to 8833 Mk II Monitor Cable + Audio	£8.65
Arc Parallel Printer Cable 1.8m	£5.25
Arc to BBC Serial Cable 2m	£6.95
Arc Keyboard Extension Cable 2m	£7.75
Arc Mouse Extension Cable 2m	£7.75
Arc Keyboard Replacement Cable	£6.95
Arc Mouse Replace. Cable (State Type)	£6.95
We can supply almost any cable made to	order.

Please call for details.

A400/1 Accessories

Items marked with an * can be used on A300/540				
1Mb Ram Upgrade	£39.00			
2Mb Ram Upgrade	£75.00			
3Mb Ram Upgrade	£105.00			
Above memory fitted for £10.00				
Acorn SCSI Card	£239.00*			
Arm 3 Upgrade	£349.00			
Com. Con. Scan-Light Mk II A4	£369.00*			
Com. Con. Sheet Feeder for above	£149.00*			
Com. Con. Scan-Light + Feeder	£454.00*			
Com. Con. Scan-Light Junior	£174.00*			
Com. Con. Scan-Light 256	£205.00			
Lingenuity SCSI Card	£169.00*			
VIDC Enhancer	£27.00			
Econet Module	£48.00*			
Beebug Disc Buffer	£29.00			

A3000 Accessories

Orion 1 Mb Ram Upgrade	£55.00
. •	
(Expandable to 4Mb using only a total of	8 chips)
Orion 3 Mb Ram Upgrade	£156.00
Serial Upgrade	£18.00
PRES Disc Buffer Board	£48.95
PRES Monitor Stand	£24.95
PRES System Housing	£69.50
CC Scanlight Junior A3000	£174.00
CC Scanlight A4 Mk II A3000	£369.00
CC Sheetfeeder for A4 Scanner	£149.00
CC Scanlight A4 + Sheetfeeder	£454.00
CC Scanlight 256	£205.00
RTFM Joystick Interface + S/W Disk	£34.95
Serial Port Joystick Interface	£18.95
Voltmace DeltaCat Joystick	£26.00

Books (No Vat)

Programmers Hererence Manuals	£//.00
BASIC V Guide	£19.45
A3000 Technical Guide	£28.95
A540 Technical Guide	£65.00
Basic V: A Dabhand Guide	£9.95
Archimedes First Steps	£9.95
Archimedes Assembly Language	£14.95
Budget DTP: A Dabhand Guide NEW	£12.95
Extra Manuals	
Acorn D.T.P.	£10.00

Printers

1st Word Plus Release 2

ANSI C Release 3

C.C. Qume Laser Direct	£859.00
C.C. 600 DPI Expansion Card	£309.00
Canon LBP4 Laser for above	£699.00
C.C. 600 DPI LBP8 Laser Direct	£1319.00
(Free Impression II with Qume/LPB	8 Laser Direct)
Canon Bubblejet BJ10e	£249.00
Star LC10	£125.00
Star LC 200 Colour	£175.00
Star LC24-200 Mono	£205.00
Star LC24-200 Colour	£249.00
Citizen 120D+ (Parallel)	£115.00
Citizen 124D	£165.00
Citizen Swift 9	£162.00
Citizen Swift 24	£225.00

Ribbons

Please call for latest prices on original and compatible branded ribbons. We do not sell "White Box" compatible ribbons.

Orion Hard Drives

Orion SCSI drives are high speed, typically 750K per second, and the external drives come in a small case. Price includes SCSI expansion card. Please call for current prices. We can supply most drive capacities.

Arc Software

Impression II (CC)		£129.00	
Impression Junior (CC)		£74.00	
Impression Business Supplement	NEW	£42.00	
Desktop Folio (ESM)	NEW	£79.00	
Schema (Clares)		£99.00	
Pipedream 3 (Colton)		£119.00	
Flexifile (Minerva)		£119.00	
ANSI C Release 3 (Acorn)		£125.00	
Multistore II (Minerva)		£199.00	
Rhapsody II (Clares)	NEW	£44.95	
Tracker (Serial Port)		£38.95	
Arc DFS (Dabs Press)		£22.95	
Dot Matrix Colour Printer Driver (Ace)		£13.00	
Poster + Fonts (4Mation)		£79.00	
Nevryon (4th Dim.)		£14.45	
No Excuses (Arcana)	NEW	£14.45	
Speech (Superior)		£14.45	
ARCticulate (4th Dim.)	NEW	£18.00	
Boogie Buggy (4th Dim.)	NEW	£18.00	
Break 147/Superpool (4th Dim)	NEW	£18.00	
Chocks Away Extra Missions	NEW	£14.45	
Chocks Away Compendium	NEW	£28.00	
Fine Racer (Eterna)	NEW	£14.45	
Gumshoes (4th Dim.)	NEW	£18.00	
Interdictor 2 (Clares)		£26.00	
Mig-29 Fulcrum (Domark)	NEW	£29.00	
The Real McCoy 1 or 2 (4th Dim.)		£21.50	
Iron Lord (Cygnus)		£14.45	
Twin World (Cygnus)		£14.45	
Saloon Cars (4th Dim.)	NEW	£18.00	
Wonderland (Virgin)	NEW	£24.50	
The Clipart Col. Vol. 1 (Graph. Fac.)		£19.95	
PC-Emulator V. 1.60 (Acorn)		£94.00	
Investigator II (Serial Port)		£22.95	
Please ring for current prices on software			

NOT listed here

250

500

1000

Bulk Diskettes

£10.00

£20.00

All our Disks come complete with labels etc. and are 100% certified error free. In the event that a disk fails it will be replaced immediately. Quantity

25



50 51/4 DS/DD 96tpi N/A £14.00 £26.00 £60.00 £115.00 £210.00



MF/2DD 1Meg £9.75 £19.50 £34.00 £77.50 £145.00 £270.00 Sony Bulk £12.50 £25.00 £45.00 £106.25 £200.00 £375.00

100

Discounts available for trade orders - Phone for prices

computer such as the Archimedes is ideally suited to those applications that need high-resolution colour graphics. The only real drawback is the considerable time needed to design detailed and colourful graphics for programs of this sort.

With colour printing technology in a reasonably advanced state, it is now also possible to include full colour diagrams and pictures in documents, via desktop publishing programs such as *Impression* 2. The results can be excellent; just look at the articles in this magazine for proof.

With the addition of a single podule to convert the incoming



Setting up and using the Techno-I hardware and soft-ware is simplicity itself. The built-in test routines allow anyone non-technical to make sure they have the system set up correctly. All the software complies to Risc OS guide lines so anyone already familiar with the desktop environment should be able to use it.

The quality of picture is as good as that from any other colour digitiser on the market. The best results are obtained if you use a multisync monitor because at such a high resolution, the colour dithering works particularly well.

One problem that did arise was a slight disagreement

I-GRABBING

ROB MILLER tries out Techno-I, the Arc podule that grabs your graphics for you

video signal into a machine recognisable form, the Archimedes can be used to 'grab' pictures from a video recorder or camera, and then display them or save them as sprites.

Techno-I from Technomatic Ltd, is the latest colour digitiser for the Archimedes. The package consists of a single-width podule (boxed for the A3000), a disc containing the driver software and a comprehensive manual.

Fitting the Techno-I podule is simply a case of removing the lid from the Archimedes, pushing the podule into an empty slot on the backplane and replacing the machine's lid. For A300 series owners, a backplane will be required if not already fitted to the computer. A special version of the Techno-I podule has been designed for A3000 owners. This comes in its own case and slots into the expansion slot on the back of the computer.

Techno-I will take a number of different sources, including a standard VCR or video camera. These are connected via a standard BNC socket.

An S-VHS upgrade is available (£119.85 inc. VAT) for the podule which allows S-

VHS-compatible equipment, such as the Canon Ion Videostill camera, to be used for better picture quality. No connecting cables are provided with the package so it's worth checking with Technomatic which sort of cable will be best suited to your requirements.

Once the board is fitted and the software loaded, digitising can begin. Two Risc OS applications are provided on the accompanying disc.

!Telly allows you to monitor the incoming video signal via an on-screen viewfinder. The viewfinder can be either 1/16 or 1/4 screensize. Both ratios give a recognisable picture, but the former runs faster.

Any desktop mode can be used and 256-colour modes will give a 'colour' picture in the view-finder. Although picture quality improves with resolution, the speed at which the viewfinder is updated is greatly reduced, making Mode 15 a good compromise.

Full software control over the brightness, contrast and colour levels is provided via slider controls. Gamma correction – correcting the luminance transfer characteristic of a video system – can be applied to the picture to preserve the original luminance.

The main application on the disc, *Techno-I*, provides tools to grab and process video pictures. Installing the software is simply a case of double-clicking on the *Techno-I* icon. A 1/16 screensize viewfinder similar to the !Telly application is displayed.

Unlike !Telly, the Techno-I application will only work in 256-colour modes. If an attempt is made to run the application in, for example, Mode 12, the menu-bar icon is crossed out to show that the current mode is unsuitable.

The size to which pictures are converted can be set to anything from 1 x 1 to 1280 x 1024 pixels. The screen mode of the resulting sprite is set automatically by Techno-I; anything higher than 256 pixels vertically is taken to be aimed at a multisync display.

Grabbing a picture is just a case of waiting until the view-finder displays the required image and then quickly clicking on the Digitise icon. Troubke is, if you're using a moving picture source, timing when to click the mouse button can take a bit of practice.

between the podule and the backplane fitted to the A440/1 being used for the review. The way in which Techno-I communicates through the IIC interface can corrupt the Archimedes Cmos Ram settings, making the machine impossible to use. This only happened occasionally and Technomatic promises to replace any boards that have the compatibility problem.

One final niggle; the metal work on the podule was decidely second-rate. The screw holes didn't line up correctly with the Arc's casing, and the brackets connecting the metal work to the podule were rather flimsy. A few more pounds could have been spent in improving this.

The package is surprisingly good value compared to the rest of the field. The podule takes up only one podule slot, whereas most other colour digitisers take two.

PRODUCT DETAILS

Techno-I is from Technomatic, 468 Church Lane, London NW9 8UF Tel: 081-205 9558, at £292.58 on the Arc, £327.83 on the A3000.

Archimedes Software

E & OE

Desktop Publishing

Acorn Desktop Publisher	£108.00
Fonts	
Newhall	£39.00
Starter	£39.00
Symbol	£39.00
Impression 2 (Ver 2.10)	£132.00
Impression Junior	£72.00
Ovation	£95.00
Poster	£78.00
ShowPage	£130.00
Tempest	£99.00

Art & Graphics

ArcLight	£38.00
Artisan 2	£44.00
Atelier	£72.00
Euclid 2	£46.00
Font FX	28.00
H.P. Jet Printer Driver	£12.00
Mogol	£15.00
Pro Artisan	£73.00
Render Bender	£58.00
Revelation	£66.00
Snippet	£29.00
Tracer	£46.00

Word Processors

Easi Writer ((NEW)£140.00		
First Word Plus (Rel 2)	£68.00		
Impression 2 (Ver 2.10)	£132.00		
Impression Junior	£72.00		
Pipedream 3	£110.00		
Protext (Ver 5)	£114.00		

Business

£36.00

£96.00

£49.00

£203.00

£99.00

£43.00

£46.00

£35.00

Games/Adventures

ArcPinball		£19.	00
Ballarena		£14.	00
Blaston		£15.	00
BlowPipe		£15.	00
Boogie Buggy		£19.	00
Chess 3D		£19.	00
Chocks Away(Mk2)		£19.	00
Chocks Away Missions I	Disk	£15.	00
Drop Ship		£15.	00
Fine Racer		£15.	00
Hostages		£15.	00
Interdictor II		£27.	00
IronLord		£15.	STATE OF
Mig-29 Fulcrum		£28.	00
Master Break		£15.	
Nevryon		£15.	00
No Excuses		£19.	00
PowerBand		£19.	100
Professor Mariati		£15.	00
	EW)	£15.	00
Real McCoy 2		£23.	
	EW)	£19.	
Tactic		£14.	230
	EW)	£??.	
Twin World		£15.	
World Championship Bo	xing	£19.	
WorldScape		£15.	5620
Joystick Interface		£20.	E I
Alice In Wonderland		£25.	-
Corruption		£14.	00
Education			
	3 173		

081 534 1198



Credit Cards Welcome

Please make all cheques payable to "Arxe Systems Ltd"

Arxe Systems Ltd, Dept A4, PO Box 898, London, E7 9RG

Schema £95.00 Squirrel £108.00

Languages & Tools

Alphabase

Equasor

Genesis II

Presenter 2

Desktop Office

Financial Accountant

Knowledge Organiser

HotLink Presenter

Acorn ANSI 'C' Release 3	£125.00
ArcDFS	£23.00
Archimedes Basic Compiler	£73.00
Arcterm 7	£61.00
Cambridge Pascal	£61.00
Fortran 77	£84.00
Investigator 2	£21.00
ISO Pascal Rel 2	£87.00
MultiFS	£30.64
PC Emulator	£87.00
Risc Basic	£112.00
Toolkit Plus	£37.00
Twin	£25.00

Coming this Autumn....

The new High Density Disc Interface from Arxe Systems is nearly here. This interface consists of podule and 2MB drive unit and will allow 1.6MB's of storage on floppy discs. Fully ADFS compatible, the system will allow users to read/write from existing 800K ADFS discs in addition to a new 1.6MB disc format.

Watch this space for more news!!!!

Sound & Music

ARTiculate (Speech Synth)	£19.00
Armadeus	£59.00
Rhapsody(New Version)	£47.00
Superior Speech	£15.00
Tracker	£38.00

Bd

Educat	IOII
Craftshop 1	£27.00
Craftshop 2	£27.00
Jiglet	£27.00
Jigsaw	£27.00
Junior Database	£51.00
Magpie	£50.00
Numerator	£68.00
Touch Type	641 00

Best Sellers

Easi Writer	£140
Genesis II	£99
Impression 2	£132
Pipedream 3	£110
Rhapsody 2	£47
Squirrel	£108
Tracker	£38

New Games

Boogie Buggy Chess 3D Mig 29 Provocator Real McCov 2 Saloon Cars Wonderland

MultiFS

MultiFS provides the Archimedes with multiple filing system support. It allows the user to read and write to PC. Atari ST and BBC DFS discs from within the desktop environment.



MultiFS Features



- True RISC OS Filer
- Provides Access to DOS partitions
- Filetypes maintained on DOS discs
- Filetypes mapped to DOS extensions
- Supports disc names for DOS

Formats and creates system discs

Hardware

Monitors

AOC Multisync Panasonic Multiscan Philips CM8833Mk2

£295.00 £315.00 £249.00

Aleph One ARM 3

£399.00 SP Graphics Enhancer £179.00 SP Sampler & Midi Card £69.00

Expansion Cards

Disc Drives

5.25" 400K single 40/80 £125.00 trk drive with PSU.

Hard Drives

Large range of SCSI and ST506 drives available with interfaces at low prices phone for details.

All prices exclude VAT (@17.5%). Mainland UK postage free for software cash sales only. Hardware £10 per item. Overseas postage at cost. If you cannot see what you require please write or phone for availability and a copy of our comprehensive software catalogue.

All orders are processed immediately. However, delays can sometimes occur when suppliers are slow to deliver. We apologise for any inconvenience this may cause to our customers. Please include contact telephone number for written orders. Official orders welcome, payment due in 30 days. Invoices subject to late payment surcharges and carriage.



0 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 Dabhand Computing Ltd

TERMS: UK residents add 17.5% VAT to all prices, except books. Delivery FREE on all postal items in the UK. Foreign orders, no VAT, carriage at cost. (quotations available). Access/Visa cards accepted. Dabhand Computing Ltd. is a Qualified Acorn dealer. Official orders accepted from public sector/education/PLCs, otherwise cash with order. Tender invitations welcome. Callers welcome. We are 800 yds north of J17, M62. Fax: 061-766 8425. Prices subject to change



Dabhand Computing Ltd, 5 Victoria Lane, Whitefield, Manchester M25 6AL. This advert was produced using Impression from Computer Concepts.

		ı
7		2
_	٦.	4

without notification. Goods offered subject to being unsold.

Archimedes Computers

A 3000 2Mb Ram £599.00

A 3000 LC 2Mb Ram * £699.00

A 410/1£1099.00

A 420/1 LC **.....£1299.00

A 440/1£1699.00

A 540£2995.00 We can match or improve on prices advertised or quoted in or from this magazine please phone for the best deals. We operate the Acorn Schools, Academics & Finance schemes.

Pack includes PC Emulator, 1st Word

Oak SCSI Devices

20 Mb Internal Hard Disc£299

45 Mb Internal Hard Disc£399

80 Mb Internal Hard Disc£599 100 Mb Internal Hard Disc£795 200 Mb Internal Hard Disc£1195

20 Mb External Hard Disc£349

45 Mb External Hard Disc£449 80 Mb External Hard Disc£649

100 Mb External Hard Disc £845 200 Mb External Hard Disc £1245

40 Mb Internal Hard Disc£495

80 Mb Internal Hard Disc£675

100 Mb Internal Hard Disc£995

200 Mb Internal Hard Disc £1545

45 Mb External Hard Disc£685

80 Mb External Hard Disc£865 100 Mb External Hard Disc £1185 200 Mb External Hard Disc £1735 60 Mb Tape Streamer £795

Archimedes A400 5.25" Ext. floppy disc interface £30

A 540 4Mb Ram Upgrade £449

Additional 3.5" Floppy Disc £119

ARM 3 Upgrade (Aleph 1)£369 ArVis S-VHS Video Cont. Board £295

ArVis S-VHS Encoder Board £145

ArVis Video Graphics Board £877 Atomwide 8 Mb Memory Upgrade £850

Chroma 345 Overlay Board £389

Dongle Dangle (Impression/Oak)...... £6

Econet Module £46 Ethernet Expansion Card £249 Floating Point Expansion Card £449

Hawk V9 Video Digitiser£339 I/O Expansion Card£79 Keyboard Extender£8 Midi Upgrade to I/O Exp. Card£27 Midi Expansion Card£65 Mouse (New Style) £40 Scanlight Junior Scanner A6 (CC) £179 Scanlight Junior 256 Grey Level (CC) £199 Scanlight Senior Scanner A4 (CC) £349 Sheet Feeder for above A4 (CC) £105 SCSI Expansion Card (Acorn) £229 TCP/IP Ethernet £199

Plus, Genesis. ** + Acorn DTP.

Worra Winnie

High Speed Range































































Dabhand 410/1 to 420/1

Acorn A410/1 upgraded to A420/1 specification using only the highest quality Samsung Ram and a 20 Mb Seagate ST-125-1 28ms drive or Acorn drive formatted and tested for quaranteed trouble free use.

A410/2 20 Mb	
Colour System	£1289
Eizo 9060 SZ System	£1499

Dabhand 410/1 to 440/1

Acorn A410/1 upgraded to A440/1 specification using a Branded 40 Mb 28ms drive formatted and tested as ahove

A440/1 specification	£1299
Colour System	£1488
Eizo 9060 SZ System	£1699

Dabhand ST506 Hard Disc Drives

Archimedes A410 Internal Hard Disc Drives for use with 'on-board' ST506 winchester controller. Comes complete with mounting chassis, screws, connecting cables and easy to follow fitting instructions.

20	Mb	28ms	 £129
40	Mb	28ms	 £245

A3000 SCSI Devices

Please refer to Oak External SCSI prices in the opposite column as prices for A3000 external units are the same.

A3000 Ram Upgrade

Atomwide Ram Upgrade	S
1 Mb Ram Upgrade	£56
4Mb upgrade to above board	£130
4 Mb Ram Upgrade	£159

A3000 Upgrades

	5.25" External floppy disc cable	£15
	5.25" External f/disc buffer (Pres)	
	5.25" External f/disc buffer (Beebug)	£39
	Dust cover (Keyboard + Monitor)	£12
	User & Analogue Podule	£46
	Monitor Stand (Acorn)	£29
	Monitor Stand (Pres)	£24
	Mouse Extender (No more fiddling)	£8
	Serial Upgrade	£19
	Serial Link Kit (BBC-Arc)	£14
	User & Midi Podule	£46
	VIDC Enhancer	£29
۱		

A400 Series Ram Upgrades

Fast Samsung Ram complete with step by step fitting instructions, or fitted FREE on our premises by our Engineer.

1 Mb Ram	 £35
2 Mb Ram	£65
3 Mb Ram	 £99

Standard Monitors

	والمناول المرافعة
Acorn Colour	£199
Microvitec Cub 3000	£199
Philips CM8833 II	
Philips Mono (Green)	£85

All monitors come with free lead. State type of computer when ordering.

Multiscan Monitors

EIZO 9060SZ Flexiscan	£399
EIZO 9070SZ Flexiscan	£599
Taxan 775 Multivision	
Taxan 795 Multivision ^	£465
Taxan Viking II Mode 23	£749

comes with free VIDC enhancer.

Master 128

Street In Street	Mark Company (September 1987)
Mantar 100	 COCO
Wasier 120	7.303

Floppy Disc Drives

ì		
	5.25" Single 40/80 no psu	. £95
	5.25" Single 40/80 with psu	£109
	5.25" Dual 40/80 no psu	£185
	5.25" Dual 40/80 with psu	£199
	3.5" Single with psu	£85
1	3.5" + 5.25" 40/80 no psu	£185
	3.5" + 5.25" 40/80 with psu	

Printers


Citizen 120D+ (Serial add £20)	£129
Citizen Swift 9	£179
Star LC10	
STAR LC200 COLOUR (9 pin)	£199
CANON Bubblejet BJ-10e	£289
Canon Bubblejet BJ-130e	£449
Sheetfeeder for BJ-10e	£59
Citizen Swift 24	£249
Colour Kit for above (also Swift 9)	£39
STAR LC24 - 200	£239
STAR LC24 - 200 COLOUR	£289
Sheetfeeder for LC24 - 200	£69
Integrex Colourjet 132	£519
HP Paintjet	£795
LASER DIRECT (Qume)	£859
LASER DIRECT (LPB8 Hi Res.)	£1299



8 9 9 9 9 9 9 9 9 9 Midnight Graphics Products

Clip Art - Draw Files Give your DTP documents the right balance with Midnight Graphics Clip Art.


Over 480 Draw file images, presented in a library of five



Clip Art - Set 2


Clip Art Set 2 - Now Available Draw file Clip Art - Completely rotatable, scalable no loss of resolution.

Clip Art 2 £29.95



Full Range of Educational & Special Needs Software Available

4Mation, Chalksoft, Longman, Sherston, Widgit And many more ...



Books (No Vat)

C: A Dabhand Guide	£14.95
Archimedes Assembly Language	£14.95
Archimedes Operating System	£14.95
The above books have accompanying	discs add
£5 for 5.25", £7 for 3.5"	
A3000 Technical Guide	£29.95
A540 Technical Guide	£65.00
Acorn DTP Advanced U.G	
Archimedes First Steps	£9.95

BASIC V: A Dabhand Guide £9.95 BBC Basic Guide (Acorn)£19.95 DTP Seeds (4Mation) £8.45 128 Ref. Man.Pts 1&2 (ea.) £14.95 New Advanced User Guide......£19.95 RISCOS PRM's£79.00 Additional Arc Software Manuals (Acornsoft) First Word Plus, DTP, Assembler . (ea.) £10 ANSI C Version 3£19

Printer Drivers

Midnight Graphics	
Citizen Swift 9 Sprite Dump	£26.04
Citizen Swift 24 Sprite Dump	£26.04
Epson 24 Sprite Dump	
HP Paintjet Sprite Dump	£26.04
Integrex 132 Sprite Dump	£26.04
Integrex Colourcel Sprite Dump	£26.04
Juki 5520 Sprite Dump	
Star LC10 Sprite Dump	£26.04

Star XB24 Sprite Dump£26.04 Star LC200 Sprite Dump £26.04 Star LC24-200 Sprite Dump£26.04 Ace Computing Printer JX£13.00 Printer PJ£13.00 Printer CA £13.00 Electronic Font Foundry BubbleJet - BJ10e/130e£10.00



- Acorn Qualified Dealer
- Acorn Component Level Service Centre
- Specialists in Education
- Friendly Professional Service



Software

Į,		
	ANSI C V.3 Compiler + free C Guide	£130.00
	Apocolypse (3D Space Game)	
	Arc DFS (DFS Filing System)	622.00
	ArcTorm (Periol Dert)	LZZ.00
	ArcTerm (Serial Port) Artisan 2 (16 Colours)	£59.00
	Artisan 2 (16 Colours)	£45.00
	Atelier (Minerva 256 Colours)	
	BOOGIE BUGGY	£17.00
ŝ	CHESS 3D	£14.00
	CHOCKS AWAY 2 (Flight Simulator)	£15 00
	CHOCKS AWAY EXTRA MISSIONS	614.00
	CHOCKS AWAY 2 + EXTRA MISSIONS	CO7.00
1		
М	Desktop Office (Minerva Integrated Package)	
	DROP SHIP (Superb Graphics)	
	Euclid 2 (3D Drawing)	
	E-Type (Driving Simulation) / Designer each	£13.00
	Equazor (Equasion generating package)	
	Family Favorites (Minerva Compilation)	615.00
	First Word Plus V2 (Acorn)	CCE 00
	FONT FY (Fact Ffeet to Description)	100.00
-	FONT FX (Font Effects for Draw/Impression)	£8.65
1	Flexifile Relational Database (Minerva)	£110.00
1	Flexifile Relational Database (Minerva)GRAPHBOX with Hotlink to PDream 3	£60.00
١	Holed Out, Extra Courses, Designer each	£13.00
1	HOSTAGES (Superior)	£14.00
1	IMPRESSION 2 (Document Processor)	£125 00
	IMPRESSION ILINIOR (Easy DTP)	670.00
	IMPRESSION JUNIOR (Easy DTP)IMPRESSION BUSINESS SUPPLIMENT	C45.00
	INFRESSION BUSINESS SUPPLINIENT	£45.00
-	Inertia (4th Dimension)	£13.00
1	INTERDICTOR 2 (Flight Simulator)	£25.00
	Investigator (The Best Disc Copier)	£22.00
	IRON LORD	£14.00
	IRON LORD MINI HYPERPACKS (3 games p p) No's 1 to 4	£15.00
	Hypernack (12 Games)	660 00
	Maddingly Hall (Minerva Adv.)	C12.00
	MAD BROKESCOD MADIA DTV (Dieterm)	£13.00
	MAD PROFESSOR MARIARTY (Platform game)	
	Magnetic Scrolls (Adventures)	£22.00
	Manchester United	£19.00
	Microstudio (Emr - Learn Music)	£79.00
	MIG 29 (Flight Simulator)	£28.00
	MULTIFS (Arxe Systems - Atari, PC, DFS)	£27.00
	Multistore Database (Minerva)	£195 00
	Multistore Database (Minerva)	614 00
	PC Emulator + free Shareware	000.00
	Pipedream 3 (WP)	£115.00
۱	Pipe Mania (Addiction beyond belief)	£16.00
	POSTER (Superb effects)	£75.00
	POSTER (Superb effects)	£16.00
	ProArtisan (256 Colours)	£70.00
1	REAL MCCOY 2 (4 Game Compendium)	£20.00
1	Render Bender (Clares)	\$55.00
	RHAPSODY 2 (Clares Music package)	645.00
۱	SALOON CARS (Driving Simulation)	C10.00
۱		
	SCHEMA (Multitasking Spread Sheet)	£90.00
1	Superior GolfSUPERIOR SPEECH	£12.00
	SUPERIOR SPEECH	£14.00
1	STUDIO 24 PLUS (EMR New Risc Os Version)	£149.00
1	TEENAGE MUTANT TURTLES (Colouring Book)	£14.00
	The Wimp Game (Desktop Adventure 4th Dim.)	£14 00
1	Tracker (Make Great Music)	637.00
1		
	Twin World	£14.00
1	WONDERLAND (The Ultimate Adventure)	£24.00
	Worra Battle (Oak Tank Battle) FREE Headphones	
	WorraCad (Oak 2D Draughting Package)	
1	Worra Plot (Draw/HPGL Plotter Driver)	£25.00
1	How to fleet up	
١	How to find us	



Hours of Opening Monday - Friday 9.00 a.m. - 5.00 p.m. Saturday 10.00 a.m. - 5.00 p.m.

NO Minimum Order Value NO Carriage Charges in Mainland UK

ALL Goods Despatched within 24 Hours Subject To Stock Levels

TEL: 061 766 8423



4

4

4

4

4

4









dventure games generally involve children taking an

active role in a story,

where clues have to be fol-

lowed and problems solved

before the adventurer can pro-

gress to the next stage. They are very rewarding in that they

provide a wealth of stimuli

encouraging reading, thinking

Selective Software has a

history of providing simple yet

across the curriculum

and planning.

IN THE

effective educational adventure games for the eight-bit computer, including programs for infant, junior and lower secondary school pupils, all of which have proved popular WANTED both in schools and at home. Topologika has also built quite a name for itself as publishers educational adventure games with popular packages such as Giantkiller, the widely used mathematical adventure, as well as being responsible for classic material like Countdown to Doom by Peter Kilworth.

> **DAVE FUTCHER** believes that adventure games have a definite place in the classroom and in home education. Here he looks at two new adventures for children aged five to seven

Click

THE BEARS OFFER AN INCENTIVE

At the start of the adventure a number of scenes are shown on the screen, grouped around the main menu. These include a hollow tree, the wood, a picnic site and Freddy Teddy's house and garden. These are the places where the adventure takes place.

To visit a particular scene move the pointer over the required picture and click any mouse button. Once selected, the chosen location is shown, together with a message giving you some information or askyou to search for something at the site. Many of the pictures provided are interactive and as you click on them further messages appear. This is particularly effective for searching tasks, which constitute a major element of Freddy Teddy's Adventure.

In one scene the squirrel has lost his winter store of nuts somewhere in the large tree, and Freddy Teddy has to help him search for them. There are all sorts of things to be found a click on one branch brings up a bird's nest with a parent feeding its young. Eventually the nuts are found in a hollow in the trunk.

As well as searching for specified objects some scenes have puzzles to solve, while others include counting and memorizing objects. In a forest clearing the bears have to be counted as they appear on screen so that the correct number of sandwiches can be Furthermore some scenes cannot be visited until certain clues have been collected or other places have been visited.


Interestingly the authors have added the dimension of time to the game. This is simulated by incrementing a counter by a random amount each time the mouse is used. When the counter exceeds a program defined value, darkness will fall before the picnic can take place. As all children will understand, bears don't go searching around in the woods late at night!


TEDDY BEARS' PICNIC


The character of Freddy Teddy first appeared for the Archimedes and A3000 in a package of three programs, which Topologika published to support matching and sequencing activities for very young children.

Freddy Teddy's Adventure is the first in its series of educational adventures aimed at children aged five to seven. This is a colourful and easy to use educational adventure game set in Freddy's forest. The little bear has lost his honey without which he cannot go to the picnic, and the child's task is to help him find it. The child also has to help Freddy find some nuts, a clock and an invitation.

The adventure is started by clicking on the Teddy icon in the directory viewer. The program is not multi-tasking but it fully utilises the icons, mouse and pointer, encouraging the child to explore the full potential of the machine.







Little Red Riding Hood first appeared for the BBC, and now makes a welcome appearance in an improved package for the A3000. Although well executed with excellent graphics, and music developed with Tracker, the program really fails to harness the power of the A3000. Why does it use double-sized text, ignoring the potential of outline fonts? However, as an educational program it still has a great deal to offer.

It is an adventure in two separate parts. The first section follows Red Riding Hood as she travels through the forest to her grandma's house. This is not as easy as it at first appears - it is a linear journey on which the children using the program are expected to solve simple problems.

These puzzles generally have a mathematical content, and involve the children collecting a number of objects and remembering some of the things they are told by the various creatures they meet.

The forest is a magical place where plants, animals and other creatures take on a life of their own. Eventually they meet the wolf! Clever graphics and some basic animation make the child feel it is actually happening, but by using something collected on the way the wolf is frightened away and grandma's cottage is finally reached.

The second part of Little Red Riding Hood follows the story on from the cottage. Grandma has wandered off into the forest and Red Riding Hood has to go looking for her. After a while a bluebird appears to tell her that her grandma has been taken by the Giant to his castle.

This part of the program is more of a true adventure type program where the child is given a choice of movement between a number of locations on an on-screen map using the mouse and pointer. The objective is to help Red Riding Hood search for her grandma.

Along the way objects have to be collected and used. For instance, the child has to find a coin to throw into the well for good luck, and a rope to cross the broken bridge. Simple record keeping and map reading skills are also required in this part of the program.

From each location children can only move to an adjacent location connected by a foot path. A clever touch is that a box appears around those areas which movement allowed, and the pointer will not move out of the box.

Little Red Riding Hood is a highly motivating program, suitable for children of infant school age.

CONCLUSION

These packages are ideal for anyone with young children. Freddy Teddy's Adventure comes with a beautifully produced reading book, full of recognition and counting tasks, while Little Red Riding Hood includes an extensive manual with a large number of tasks to follow up.

Both programs successfully create imaginary worlds that young children easily identify with, aimed at such a level that they can be explored without adult supervision.

The puzzles and tasks are not too difficult and most importantly the programs foster much discussion and conversation. Once they have encountered these programs children will want to play them again and again.

PRODUCT DETAILS

Freddy Teddy's Adventure costs £19.95 and is published by Topologika, PO Box 39, Stilton, Peterborough, PE7 3RL. Tel: (0733) 244682.

Little Red Riding Hood costs £15 and is published by Selective Software, 64 Brooks Road, Street, Somerset, BA16 OPP. Tel: (0458) 43079.

Both are available for the BBC A3000 and Archimedes.

ARCtist




nybody Can Be an

This superb painting program has been designed to be incredibly easy to use and yet totally jam packed with features. Developed with help from educational specialists and professional graphic artists, ARCtist is ideally suited to home, school and professional users.

Just a few of ARCtist's features include:


- Full screen 256 colour mode 15 editing. RISC OS compatible.
- Intelligent spray gun that 'shades' rather than just plotting random dots of colour. Rotation up to 2870% faster than IPaint.
- Internal handling of up to 30 sprites with auto sprite naming, sorting, grabbing,
- cutting, instant masking, rotation, scaling etc..

 Masking tape option lets you mask any part of the screen for spray gun work, then lift off later to reveal what was underneath.
- Zoom around the screen at high speed and edit with pixel accuracy.
- Several brush types available with variable size.
- Undo option undoes the last change you made to a drawing, in case of mistakes.
- Special effects to distort, detect edges, trace with colours, trace with sprites, swap colours, dither colours, blur, anti alias etc. etc..
- Special proportionally spaced outline fonts that don't require any memory in the font cache. Put a rectangle around the area you want the text to fit and ARCtist will scale it to fit.
- Rectangle copy, move, rotate and scale. Also, accurate shape cut copy, move, rotate and scale tools to slice out the exact part of the screen you want
- Sprite animation with built in sequence editor, offset generator and flight path editor.
- Load, edit and save fill pattern files. ARCtist fill patterns are twice the size of normal ones.
- Two user definable drawing brushes, can be defined directly or grabbed from anywhere on the screen.
- Several hundred Kbytes of clip art included.





ARCticulate



This unique and revolutionary speech synthesizer actually has faces that talk to you and to each other. You can choose from 4 main faces and voices - male, female, alien or droid thereby truly bringing your computer to life!

ARCticulate works in the desktop environment allowing full multi-tasking with word processors etc.. ARCticulate will read any documents that you have written or you can insert jokes, questions etc. etc.


You can alter the pitch, speed, volume and of course voice, during and after any sentence, thus allowing the faces to even talk to each other.

The Dictionary supplied is a RISCOS application and is simplicity itself to use. It holds up to 600 words in any file and you can have as many files as you wish ideal for specialist subjects.

Also included in the package are a selection of jokes, some amusing noises to attach to desktop events, a provisional dictionary file and a superb demonstration program showing you just how articulate Arcticulate is!

FACTFILE

- ✓ 4 animated faces able to cover all mouth positions
- ✓ 4 meticulously sampled voices which can say absolutely anything you want
- ✓ All faces and voices can be installed together
- ✓ An individual face and voice can be installed in less than 120K
- Very easy to use dictionary application with up to 600 words per file and limitless files
- Reads text files, word processor documents and can be easily used with your
- Entertaining Joke program, Demo program and Funny Noises program also





DEALERS

Most of our software is available from most good dealers. If they don't stock them, then please give them a copy of this advert & tell them they can easily buy them directly from us.

LETTER

Simply send us a quick letter telling us the software you require, your name and address, and payment via cheque, postal order or ACCESS or VISA card details

The Fourth Dimension, 1 Percy Street, Sheffield, S3 8AU, England.

All orders are despatched immediately by 1st Class post. Carriage is paid by us in the U.K. (Overseas orders add £3 per product).

FULL DETAILS OF ALL OUR GAMES ARE AVAILABLE ON REQUEST & ARE SENT WITH ALL ORDERS.

TELEPHONE

TELEPHONE ORDERS WELCOME (0742) 700661 / 769950 ACCESS & VISA Accepted 24 hour Service 7 Days a Week

THE **FOURTH** DIMENSION

1 Percy Street Sheffield **S3 8AU** England Tel. (0742) 700661 or 769950

ACROSS THE GREAT DIVIDE

DAVE LAWRENCE takes a close look at Cross32 - is it the last word in assemblers?


ntil now, the Archimedes machine code programmer has had a choice of two assemblers; you could either use the one built in to Basic 5 or lash out 150 quid and use Acorn's own macro assembler Aasm. You can't easily assemble large programs with the Basic assembler, it won't warn you if you define a label twice and it has no real macros.

Aasm is a 'proper' assembler and therefore has better error checking, real macros and, most importantly, the ability to link source files together and assemble very large amounts of code. On the whole the built-in Basic assembler is quite adequate for most jobs - Aasm need only be used by the most ardent of code hackers.

Unfortunately Aasm is far from perfect, so I eagerly awaited the arrival of Baildon Electronics' Cross32 which Ian Copestake Software has been advertising for the last few months. Described as a table-based 'professional cross-assembler' something more than just a simple Arm assembler.

Instead of being tied to one 'target' processor it is capable of assembling code for just about any chip. You need only a so called 'processor table' for the cpu you are using. Tables for over 30 chips are supplied (including 6502, Z80, 68000, 8086) and it is a relatively simply task to add new ones.

Access to the chip's data sheet and a day or so of spare time should be quite sufficient. Theoretically it would be possible to build a table containing 6502 mnemonics referenced to Arm opcodes, you could then



test out your code at breakneck speed on an Archimedes.

The assembler itself is run from the command line by typing c32 source -H object. A Risc OS front end is provided for desktop people. This consists of an icon on the icon bar. If a file is dropped on this, it will be assembled in a 'single task window', meaning the assembler does not multi-task. If you desperately need it to, then you can run it from within an Edit task window.

As with Aasm you can prepare your source file in any text editor, I use Twin but you can use Edit, First Word Plus, Pipedream or even Impression if you want. There is very little else to say about the actual process of assembling; it works, and it works at a very respectable speed. I've successfully converted a large BBC machine code program into Cross32 format and it assembles perfectly.

If you are using an Archimedes as a development system and regularly need to produce code for 'alien' processors, Cross32 is a wonderful tool; the problem is if you are hoping to move over to Cross32 from Aasm or the Basic assembler.

As Cross32 was originally written on a PC, there are many features and facilities sadly missing. You cannot use & to represent hex numbers; expressions use curly brackets instead of parentheses; you cannot import binary files, meaning data. My Aasm can't do this either though - so three cheers for Basic!

You cannot automatically set the file type or the load and execution addresses of the final file (a datafile is produced). The directives used for data storage are non-Acorn standard and are not consistent (for example, DFB for EQUB, DLL for EQUD!).

More seriously, there is no automatic method of using a register to access a block of store (Aasm's ^ directive); you cannot nest macro calls, there are no local labels; you cannot

produce code to be used by a linker (Acorn's ObjAasm will do this); no cross-referencing infomation and no looping structures of any sort.

Due to the nature of the processor tables it cannot detect certain illegal Arm instructions such as MUL r0,r0,r1. These it will assemble quite happily and then will leave you to figure out just why your code doesn't work.

If you are starting a program from scratch, you could take all these things into account even the rather serious omissions. However, as an Arm assembler, there is not nearly enough of the functionality of Aasm to make it a full replacement. As a cross assembler, though, it's probably miles better than any alternatives.

You may not believe there is any good news, but there is! The authors are currently in the planning stage of version 2 and with any luck, most, if not all of the above criticisms will be removed.

At £175 it represents amazing value for money as you're getting at least 30 assemblers for the price of one. It's just a great shame there are so many omissions. Perhaps if there had been another couple of weeks of field testing, Cross32 would have been the last word in assemblers. Unless you're desperate for a cross assembler, I'd wait a while for version 2, especially if you want to develop Arm code.

PRODUCT DETAILS

Cross32 on Archimedes disc costs £175 from Ian Copestake Software, 10 Frost Drive, Wirral, Merseyside L61 4XL.

Computer Aided Draughting

Worra CAD is the first CAD system written for the RISC OS Desktop environment. It is a 2D package designed to help the user to produce top quality technical drawings. By taking all the hard work out of creating geometric constructions such tangents and blended arcs, and by automatically generating dimensions and linestyles, WorraCAD speeds the drawing process and allows high precision output to Plotters and to RISC OS Printer Drivers as well as a wide range of other RISC OS packages (e.g. DTP, Euclid etc.)

WorraCAD

£99.00

BASIC Compiler

The ABC BASIC Compiler is widely regarded by those 'in the know' as the most professional BASIC compiler available for the Archimedes. That's why there are more commercially available packages compiled with ABC than with any other BASIC compiler. Compilation takes place as a RISC OS task. Version 3 has support for the creation of relocatable modules. Modules containing libraries procedures and functions can be created and called from any other compiled (including Genesis II).

ABC Compiler

£69.00

A3000 RAM Upgrades

To really make the most of your A3000 you need more than the basic 1Mb of memory. The Oak Solutions A3000 RAM card offers an increase in memory to 2Mb or a full 4Mb, to greatly enhance the usefulness of the machine. The RAM card has low power consumption and gives off a minimal amount of heat so that reliable operation is ensured. The card is easy to fit, and, of course, is fully compatible with all A3000 upgrades such as Econet, disc buffers and internal and external podules.

2Mb £65.00 2Mb Upgradeable £85.00

£199.00 (

Primary 3D CAD

KiddiCAD is a revolutionary new 3D

CAD system. Unlike other 3D

systems, KiddiCAD has been designed

specifically for use by children in the 5

to 14 age range. KiddiCAD works by

mimicking the use of building bricks -

models are simply created by placing

bricks on top of one another in a

realtime 3D perspective view. It really

is childsplay. 256 colours can be used,

and KiddiCAD can output sprites in

any mode for transfer into art

packages, Genesis, DTP systems etc.,

and prints via the standard RISC OS

£99.00 (O)(A)

printer drivers.

KiddiCAD



Pascal Compiler

The Cambridge Pascal compiler supports a comprehensive version of the Pascal language and includes many extra features such as full string and local error handling. Additional extensions allow the use of random access files and provide direct access the operating system routines including star commands. compiler runs under the RISC OS Desktop. Cambridge Pascal comes complete with a library of procedures and functions which support access to the window manager.

Cambridge Pascal £69.00

internal



podules

Econet Software

Disc Sharer is a multi-tasking Risc OS utility which allows users of BBC micros and Archimedes to access the hard disc of another Archimedes across Econet. Printer Spooler is a multi-tasking Risc OS utility which accepts files from up to 24 Econet stations at the same time and queues them until the printer becomes free when it then manages the printing process. Remote Logon allows you to log onto the hard disc of your own machine from a remote machine across Econet with full password protection.

Disc Sharer £137.50
Printer Spooler £81.25

Remote Logon £38.00



SOLUTIONS

Plotter Driver for Drawfiles

This Risc OS utility allows users of !Draw (and other software that produces drawfiles) to output drawings to HPGL compatible plotters. By simply dragging a drawfile onto the Worra Plotter icon on the icon bar, it will be output as HPGL commands to the selected destination. Pen speed, plotter size and pen configuration may be selected from within Worra Plotter. Worra Plotter will render all CAD type objects and will render text objects in the plotter's own font. Sprites, line thickness, fills and text column objects are ignored.

Worra Plotter

£29.95

5 OAK SOLUTIONS

If it's got to work, it's got to be

Oak Solutions

Prices exclude p&p and VAT Telephone for Education Prices

Cross Park House Low Green Rawdon Leeds LS19 6HA Tel: 0532 502615 Fax: 0532 506868



available in three varieties. The entry level model provides a fully functional BBC user port, supported with fully 'Acorn Legal' software - ideal for use with the Concept Keyboard. The next model in the range has a BBC

A3000 User/Analogue/Disc

At last, a professional range of User

Port upgrades for the A3000. Our

expansion

model in the range has a BBC analogue port in addition to the user port, and the top model in the range has both these ports as well as a floppy disc buffer interface to allow extra

User Port £45.00 User/Analogue £54.00 User/Analog/Disc £65.00

floppy disc drives to be added.



p until now the only real way to write complex and speedy 32-bit applications was with the cumbersome ANSI C Release 3, or the even more cumbersome Acorn Assembler. Compiled Basic was a realistic alternative option to these two.

Now, after four person-years of work, Acorn is ready to release the Desktop Development Environment. The two new products, Acorn C release 4 and Assembler release 2, will replace Acorn C release 3 and Assm. Those existing users wishing to upgrade can expect a discount of about 50 percent.

DDE is designed by Acorn to make the whole process of applications and writing modules a less time-consuming task. And by allowing programs and applications to be written entirely on the desktop it generally makes things easier and more interactive.


A manual explaining the common tools in DDE, of which there are a bewildering array, (19 in C and 17 in Assembler) comes with both packages, together with a manual specific to each package on how to use the compiler or assembler. A tuitional manual is not supplied with either package, so to actually learn how to program in C or assembler you will need to look further afield.

The packages themselves can be run from floppy disc, for the more masochistic, but are obviously at home on a hard disc. Two megabytes of memory, or preferably more, is also a necessity.

The writing of the actual source code is achieved with an enhanced version of Edit called SrcEdit. Bugs have been fixed and features, such as column tabs and overwrite mode, have been added to ease the use of the application for writing source code. Through the whole of both packages Help is a common option. Highlighting a command or directive and choosing Help will search through selected help dictionary, which is set to the language being used, and display an explanation of what the keyword in question is used for.

SrcEdit also supports throwback in conjunction with the

JIM EULER ponders Acorn's friendly new Desktop Development Environment. Will it define the shape of code to come?



Assembler, ObjAsm or the C compiler, CC. With this option turned on any errors detected during compilation will be listed in a window. Double clicking on one of these will bring up the source code in SrcEdit, with the offending line highlighted for editing. This certainly saves a great deal of time in getting rid of it.

For the more deep-rooted error that occurs after assembly or compilation then DDT, the desktop debugging tool, is a rather impressive line by line debugger. It allows debugging of pre-prepared code, except modules, at machine level. It achieves this by actually stopping the desktop and allowing steps of varying sizes to be taken through the code.

The execution can be stopped at breakpoints, and registers and memory locations can be evaluated. More useful for debugging applications, it can be stopped on a Wimp event or swi call. Watchpoints can be set on variables and memory locations, and will tell you when they change. The position within the source code can also be displayed while debugging. DDT provides two windows, which aren't Risc Os controlled but behave as though they are.

Make is an application that provides a utility much like the sort of project management program seen on other, bigger computers. When writing large applications, several source code files may be used and Make simplifies the process of turning these into the object code. A makefile is a list of the commands used as a recipe to create the object code, and is created by dragging the source code files on to the Make window.

The beauty of a makefile is that it will only recompile or re-assemble sources have been changed.

This form of management is most useful in C but also helps with library files and common procedures.

A new version of FormEd is also supplied with both packages, the major difference being in the way you select windows for editing. Instead of splattering the windows all over the desktop when you load a template, they are now represented in a Paint style browser, and double clicking on a picon of a window will bring it up for editing.

As mentioned before many non-interactive command line tools are included to help make code more efficient, for instance, a patterns finder and a common word finder. Front-End is a module that supports all of the non-interactive tools. It provides a simple and quick interface to the wimp and allows single tasking commands and code to multi-task, much like Edit's task window. The assemblers Assm and ObjAssm use this module, and so does the C compiler.

These packages present a very friendly environment for writing code in. They are obviously not for the happy hacker, but for the professional or keen amateur.

The two packages will be available at the end of August. BAU will be featuring full reviews of both soon.

PRODUCT DETAILS

Desktop C costs £229+VAT and the Assembler £149+VAT. Contact your local dealer for more details.

COLOURJET 132 COLOUR INK JET PRINTER



EMULATES OTHER COLOUR PRINTERS EG. IBM 3852, Canon PJ1080A, Quadjet PRINTS OVERHEAD TRANSPARENCIES



EDUCATIONAL DISCOUNTS AVALIABLE

INTEGREX LTD., CHURCH GRESLEY, SWADLINCOTE DERBYS DE11 9PT
Tel (0283) 551551
Fax (0283) 550325
T/x 341727 INTEGX

ACORNUSER SHOW '91

Have you got your tickets for the Acorn event of the year yet?

The BBC Acorn User Show '91 will be held on October 11-13 at Wembley Conference Centre, London.

Will you be there to see all the latest hardware and software — over 60 exhibitors will be showing their new products. A special 'games arcade' will feature all the best new releases. There will be theatre and workshop sessions with lectures and demonstrations, and there will be technical advice available from Acorn and your favourite BBC Acorn User experts.

TICKETS IN ADVANCE

Save money by ordering your tickets in advance from Safesell Exhibitions Ltd, Market House, Cross Road, Tadworth, Surrey KT20 5SR.

Ticket Prices in advance from Safesell

- £5 for Adults
- £3 for under-16s
- under-5s free
- £13 family ticket (2) adults and 2 children)

Or you can get tickets on the day:

Ticket Prices on the door

- £6 for Adults
- £4 for under-16s
- under-5s free
- £16 family ticket (2) adults and 2 children)



ACORN SCSI-2 £ 230 105Mb £ 455 210Mb £ 725 RISC IX 1.2

All + VAT @ 17.5%, 2 year warranty, Other sizes available.

In our search for the fastest drive, to support RISC iX (Acorn's UNIX) we have developed the Warp Drive an external, high quality, SCSI drive with 9ms access time.

In conjunction with Acorns latest SCSI controller card the Warp drive not only provides UNIX users with a high performance drive, but also is suitable for RISC OS applications.

INIX UPGRADES

If you want to run RISC iX 1.2 on your Acorn Archimedes we are offering an upgrade service. This latest version of ACORN UNIX requires 100 Mb an ACORN SCSI card and 4Mb of memory. We can arrange for it to be installed on vour current 100Mb SCSI anywhere in the UK mainland. Alternatively it can be purchased pre installed on the WARP DRIVE ready for use.

This is the same version of UNIX as supplied on the R260.

£399 for R140 £999 for the Archimedes. call for more details!

UNIX MACHINES

Chameleon also sells the ACORN UNIX machines (R140, R225 etc.) at competitive prices - phone for more details.

ACORN R140 ARM2 4Mb RAM 47 Mb hard DiscPOA ACORN R225 ARM3 4Mb RAMPOA ACORN R260 ARM3 8Mb RAM POA 100 Mb hard Disc.....

UNIX NETWORKING

RISC OS ACORN Computers A310, 410, 420, 440, 3000 can be connected to UNIX hosts (eg ACORN R140 / 260 or SUN) through ethernet or econet. The ACORN TCP/IP Protocol Suite provides:

UNIX email, NFS filestore support; VT 220 terminal emulation.

The Gnome computer X Windows software allows ACORN computers to act as X terminals onto X Servers. R140 / 260 or Archimedes upgraded to RISC IX can act as a bridge between two networks.

ECONET

ETHERNET Patternami mani

Chameleon can network Acorn, UNIX, Novell, PC and Apple Computers.

For the serious Acorn User

COMPUTERS LTD.

Stowell Technology Centre **Montford Street** Salford M5 2SE

TEL (061) 745 9849

DESIGN FO

From medieval castles to computer logic... CHRIS DRAGE surveys Data

ata Designs' Designer Castles first appeared for the BBC B/Master 128 in 1988 and was quickly voted one of the most innovative programs of that year. Since then an Archimedes' version has followed and a sequel, Medieval Villages has been added.

As a departure from the medieval theme, Designer Environment and Designer Logic widen the perspective of the Designer series and broaden its application across the school curriculum. So what is so unique about Data Designs' approach?

The Designer software links a computer, printer and human ingenuity in a novel manner. Using the classroom computer, models can be designed and edited on-screen and the results printed as pieces ready for instant assembly into a 3D model with the help of scissors and glue.

The results of designing own castle/village/ your environment are really very good, despite the fact that the templates are printed on standard printer paper. A variety of sizes are offered and at the construction stage problems related to mounting, painting and surface details still have to be solved. Designer Logic is the odd one out in that no construction results from the screen model.

This concept is not new; Plane Designer from Griffin & George has been available for years, permitting children to design, print and construct simple flying models which, once tested, can be modified, rebuilt and retested.

Central to the software is something that Data Designs describes as printware. Utilising a central, printer control Rom, disc-based software is developed allowing all manner of subjects to be designed, and construction pieces to be printed out - including the necessary glue tabs! Archimedes versions, however, do not require a Rom.

Designer Castles for the BBC micro was extensively reviewed in BAU March 1989. It is a set of materials for designing castle units and printing them out on the printer. Once assembled these models are surprisingly strong. One extra benefit is that model layouts may be saved to Campus 2000 on the Castles database so that a variety of layouts is always available for downloading. This software follows sound design principles, allowing the user to see the product from plan and elevation view. It is easy to edit and modify in response to new design constraints.


The Archimedes version improves on the BBC B in a number of ways in addition to negating the need for yet another Rom. A full wimp environment operates and the black/white BBC screen layout is replaced by a colourful Mode 12 environment. The layout in windows is both clear and logical.

IN THE MODE

Two modes are used alternately throughout the design process: The first is the icon selection mode where the various design elements such as walls, towers, keep are chosen and combined as required on an 'elevation strip' at the bottom of the screen.

In the placement mode the elements are picked up and fixed in position in plan view on the design screen. Both a gridlock and free placement are offered making alignment quite straightforward. For fine angular movements a degrees window provides accurate rotations in degrees.

At any point a wall unit can be 'unfixed' and rotated or



deleted. Three sets of icons are offered at the design stage the first set represents low and high walls, round and square towers and a square keep. The second set comprises a variety of inner bailey buildings, the third a variety of siege weapons. Unfortunately, the popular windows option on the BBC is not present on the current Arc version so arrow loop-holes and so on must be drawn by the children prior to construction. Square keep castles such as Rochester and curtain wall castles like Beaumaris can both be modelled using Designer Castles.

Designs may be saved to disc for further amendments later on. The big bonus for Archimedes owners is that in addition to all the castle icons are the complete set of village icons and drawing tools to enable coloured plans to be designed. So a castle and its neighbouring village can be drawn on the plan and all the component pieces printed out, including the plan.

The current version does not support autoscaling of the model, so only one size of model is possible at present and this cannot be placed



accurately onto the plan. Similarly, the 'tile' option is also missing and those huge printed plans you may have seen on the Data Design stand at the BETT Show cannot as yet be produced from the Arc version. Data Design tells me this will be implemented together with the windows option on version 1.2.

I had the opportunity to test this software with my current Year-3 class whom I had taken on a visit to Rochester to see the castle and cathedral. They reconstructed the castle as it was in 1215 AD with unparal-

LEARNING

Design's popular multi-disciplinary approach to learning by doing





DESIGNER LOGIC FLOWS

leled gusto and enthusiasm. The whole model fits on a 'standard' blackboard. I was amazed at the amount of thought that took place over proportions of 'stonework', the relative heights of the walls and which colour to choose to ensure it all '...looked the same'.

Designer Castles prints the keep with square towers. The children were well aware of Rochester's unusual round tower built after King John's 1215 siege and were determined that this should be shown on the model. This produced more problem solving and discussion. Each item was glued to thin card to ensure that the model would have the strength to survive my class's handling of it.

The resulting construction is remarkably strong providing it is glued to a sturdy card or ply base. Measurement, estimation angles and proportion were some of the mathematical aspects to come out Designer Castles.

The package supports Risc OS compatible printer drivers. I used Computer Concepts' LaserDirect printer and the whole castle/village model was printed out very speedily indeed. Two types of output are possible: The former produces the pieces ready to be cut out and assembled. Currently, these can be only in one size. A plan of the castle/village may be printed as a rough guide to construction. Unfortunately, the 2D elevation view of each wall available on the BBC B version, which permits printing of a small and simplified version of the finished castle, is not possible on the Arc version.

Designer Environment (BBC B/Master) has followed in the wake of Castles and is a program which permits children to create a modern environment including a range of structures from phone boxes to mosques. A plan of the district can be drawn on screen and printed out up to 2m square, on which the assembled buildings can be placed. The program follows the operation of Medieval Villages very closely, offering all the features of the latter program. Designer Environment will find a niche in many a school software library as it addresses so many areas of the curricugeography, history, technology, art and IT.

It is particularly relevant to the national geography curriculum where comparisons between one's own environment and another is an important aspect. Similarly, using both Medieval Villages and Designer Environment two models could be built based on medieval or tudor times and modern maps illustrating change in a particular area. An Archimedes version of this program, too, development.

Another Archimedes program, Designer Logic, directly addresses the national mathematics curriculum requirements for pupils to understand logic gates (AND, OR, NAND and so on). The program permits a screen model to be made depicting the flow from an input, such as a temperature sensor, through a logic gate to an output, like a buzzer.

EXPERIMENTAL

From using a basic AND gate to the more complex latch-type circuit, pupils can learn through experimentation at their own pace. Completed designs can be saved and printed out for work away from the computer.

The Arc version is superior to the BBC B version in terms of colour and operation but is not Risc Os compliant. Taking over the whole screen, the program looks and feels like just what it is: an Arc rewrite of a BBC B program. Data Designs assures me that a Risc Os version is on the drawing board which will permit icons to be picked up using the mouse and placed on the design.

Data Design is planning further Designer software, the next being Designer Boxes for

Archimedes Although only on the drawing board, Boxes may prove to be the most innovative member of the Designer series to date.

A cuboid shown in isometric oblique view may be stretched and pulled like a !Draw object with the changes being mirrored by windows each one of which contains the three angles of projection: plan, elevation and front views. Measurement tools including protractor, volume, and 'tape measure' are included, permitting accurate stretching of the shape and consistency among planned groups of shapes.

Once the final shape has been decided upon, !Draw objects or !Paint sprites can be mapped onto each or all of the surfaces. Initial plans include a cuboid shape but, with the addition of raw pyramid and cone shapes, just about any other shape can be produced, decorated, and printed out this program would find wide applications in mathematics, science and technology.

Not only would I thoroughly recommended this software for schools but also as a Christmas gift for home computer buffs. It will keep the kids (and parents) quiet for hours!

PRODUCT DETAILS

For the BBC B, B+, Master 128 Printware ROM: £24.95 Designer Castles: £19.95 Medieval Villages: £19.95 Designer Environment: £25.00 Designer Logic: £25.00

For the Archimedes/A3000 Designer Castles: £60.00 Medieval Village: £60.00 Designer Logic: £25.00

For more information contact Data Designs, Business and Innovation Centre, Innovation Way, Barnsley, S75 1JL

Triple Education

Triple R Education is a new company established to meet the ever-changing complex needs of YOUR child and the National Curriculum

Behind Triple R Education

Pete Davidson (Project Director)

Pete has a BSc((hons) in Mathematics and Computer Science and also has certificate of education. He has been involved in education all his working life and has taught in Primary and Secondary schools and also lectured at University.

Over the past few years he has been involved in publishing magazines and software. He has been features editor of The Micro User and the world's first educational computer comic Let's Compute! He's also worked on many top educational software packages such as Mini Office, Mini Office II, and the award-winning Fun School series.


Steve Botterill (Financial Director)

Steve is a well-known figure in the computer software industry. He helped to establish Superior Software as the leading games producer for the BBC and Electron from 1982 to 1988. More recently he set up Impact Software and now is co-director of The Fourth Dimension and Triple R Education.

Steve intends to bring to educational software the quality of sound and graphics that modern games display but are lacking from other packages. And with all the Fourth Dimension equipment and programmers to help. Triple R is going to set brand new standards for educational software.



The REVOLUTIONARY Triple RR Overlays







Children find the QWERTY arrangement and the capital letters of computer keyboards confusing. They're fine for typists, but far from ideal for use with educational software. So, to give YOUR computer a purpose-designed keyboard, Triple R Education has designed a UNIQUE series of overlays. They simply attach to your normal keyboard and can be quickly fitted and removed as necessary.

Your child need no longer be forced to use a keyboard designed for adult typists. He or she can now use one specially created with education in mind. They all have lowercase letters and are supplied in both alphabetic and qwerty order. There's even one showing coins to help children get to grips with money.

These keyboard overlays are essential to help children to learn more from their computer!



Buy any two of these innovative educational products

and choose another FREE.

When you order, just let us know which three educational packages you want. You'll only be charged for the two most expensive.

HURRY: This offer ends on September 30th 1991







Education

Picture Book

A fabulous friendly welcome to the computer world with a suite of four colourful programs. All use superb pictures and great sounds to keep children happy for hours as they learn:

Alphabet Book: An animated electronic version of a child's abc book.

Spell it: An enjoyable introduction to spelling.

Count 'em: Fun with numbers counting the pictures.

Snap: A bright and entertaining educational version of the popular game with three levels and for up to three players.

BBC/Electron tape	12.95	
BBC 51/4" disc	14.95	

Master Compact 31/2" disc1	5.95
BBC A3000/Archimedes disc1	9.95





abcdefghij kimnopqris tuvwxyz

Picture Book comes complete with two revolutionary lower case keyboard overlays



ARCH

-MED

Money Matters

A superb suite of programs to teach currency facts. Based on a circus theme it's ideal for all children from tots to teens. Youngsters will love the cheerful clown graphics and the unique coin keyboard overlay. This is the best way for children to learn all about British coins and ways of tendering sums of money.

For the more advanced child higher levels are designed with specific National Curriculum attainment targets in mind.

BBC/Electron tape	12.95
BBC 51/4" disc	14.95






Money Matters comes complete with a keyboard overlay. Children can press pictures of coins rather than the computer keys

DataWord

This unique program has been designed with ease of use as a priority and fulfills many of the needs for a database in the National Curriculum. It works just like a card index but the flexibility of the text editor allows you to also use DataWord as a word processor too! Another really powerful feature of Dataword is the built-in card linking system which means parents and teachers can create files of inter-connected cards. THIS IS NOT JUST A DATABASE, it's a word processor, quiz game, electronic programmed learning book and a fabulous introduction to the world of Information Technology.

BBC/Electron tape	12.95
BBC 51/4" disc	14.95



BRITISH PRIME HIMISTERS

This sample card index file contains tone details about all the British Prine Himisters. Use it to tru some features of DataHord. For example:

* Search for all the Conservative ones:

* Howe the marked ones to the front.

* Print the marked ones

* Put the cards into alphabetical order

* Detainshifter:

* Marked : - Card : I

* Henory : 1328 Score : OFF

abcdefghij kimnopdrs tuvwxyz Data Word comes complete with two of the revolutionary lower case keyboard overlays and FIVE fascinating example files.



Target Maths

Four cleverly designed educational games that make children want to come back for more. Each has been thought out with specific National Curriculum targets in mind.


Eliminator: Learn tables and progress from Novice to Expert.


NumberFax: A unique game showing factors, odd and triangular numbers and more.

Scale Factor: Read linear scales exactly - and at higher levels improve your arithmetic skills too.

Slider: A computer version of Snakes and Ladders.

BBC/Electron tape	.12.95
BBC 51/4" disc	.14.95





Target Maths comes complete with details of how each program meets the needs of the National Curriculum

Converta-Key

Prices as above

Triple R alphabetic overlays are unique and our software is designed to work specifically with them. However we have now produced a program that lets you use the alphabetic overlay with any software that you write yourself. It will also work with lots of currently available commercial software too! Comes complete with a suite of introductory programs that you can use or customise to your own needs including: Hangman, Quizmaster, Anagrams, Memory Master, Find it and Speed-type.

Converta-Key comes complete with two of the revolutionary lower case keyboard overlays

Send 'em in!!!

If you have any ideas or have written any programs then please send them for evaluation.

We pay top royalties and can offer the best technical support.

SUPERFAST 1st Class FREE Delivery

LETTER

Simply send us a quick letter telling us the software you require, your name and address, and payment via cheque, postal order or ACCESS or VISA card details Triple R Education, 1 Percy Street,

Sheffield, S3 8AU, England.

All orders are despatched immediately by 1st Class post. Carriage is paid by us in the U.K. (Overseas orders add £3 per product).

(Overseas orders add £3 per product)
FULL DETAILS OF ALL OUR
GAMES ARE AVAILABLE ON
REQUEST & ARE SENT

WITH ALL ORDERS.

TELEPHONE


TELEPHONE ORDERS WELCOME

(0742) 700661 / 769950 ACCESS & VISA Accepted 24 hour Service 7 Days a Week

Triple R Education

1 Percy Street Sheffield S3 8AU England

Tel. (0742) 700661 or 769950 RCHIMEDES



DAVE FUTCHER

takes you on an archaeological adventure and unearths the value of Sherston's Arcventure software

ost people are fascinated by prehistoric monuments, Roman villas, castles and churches. Many have become intrigued by the work being by archaeologists, especially when the newspapers cover the finding of a 13th century gold brooch or the discovery of a skeleton in a Viking burial mound.

Arcventure offers the possibility of entering that kind of world. It's an archaeological adventure into Roman times. The program was designed and written by Mark Vanstone and has been fully researched by David Warner and developed in conjunction with Steve Hartgroves, an archaeological officer from Cornwall.

There are two distinct parts to the program. First there is the 'excavation' which takes place in recent history and then there's the 'expedition' which takes place in the second century of Roman times in Britain.

The excavation is based on a real site at Woodchester in Gloucestershire, which was a villa belonging to either a Roman governor or a wealthy native who had been favoured by the Romans. It is modelled on a dig by Samuel Lyons between 1793 and 1796 which uncovered the famous Orpheus mosaic pavement.

Although Arcventure does not completely simulate an archaeological excavation, which is a highly complex and technical operation, it does offer a very good structured simulation, allowing anyone with a BBC A3000 or an Archimedes to search for buried artefacts by 'digging' with their computer.



Arcventure is a very simple program to use, and most of the program's options are controlled by a single click on the Select button, although the

occasional use of Adjust is also called for. The keyboard is used for saving the current position and displaying other information.

When Arcventure is started for the first time, a very good called introduction Archaeologist's Instruction option is available. This takes you through some simple steps which show how to use the excavation part of the program. In this introduction you are shown the various functions by a character called Arc 1 who takes on the form of a computer. By following Arc 1s instructions you won't have any problems finding your way around the Arcventure environment.

WHERE YOU DIG

After the introduction Arc 1 provides a map of Great Britain on screen and from here you are zoomed to a map of the Gloucestershire area. A click on the continue button zooms you to a three dimensional view of Woodchester village and its Priory. Another click takes you to a two dimensional view of the Priory where the excavation takes place. This on screen map is used throughout the excavation and shows where the walls of the original Roman villa were found.

The on-screen map is placed in the centre of the screen with the control panel and a three bar Choice board for selecting options, four arrows for movement and a set of tools for the excavation below the map and time and score information above.

A message window opens and you are told that you have 14 days to find out about life as it was in Roman times. Two options are initially offered. One offers help, but only tells you that there are many interesting objects to be found and that the Choice board is used to select what you want to do. The other option takes you to the information hut which is a very important feature in the whole excavation.

The information hut is the place where objects that have been found are stored. It is also the place where the archaeologists' computer is located and is used to discover information * about more individual objects as they are found. Any objects collected during the dig are stored in the Objects Collected section and to get information about one of them you have to click on its name. When this has been done, the object appears in the centre of the screen and further information appears via a teletype display. For instance if you find a few pieces of leather, the message would be:

This mass of leather seems to be a boot of some kind. It is possible that it was once worn by a Roman soldier.

As well as a colour picture of the object as it was found and the written information about it, Arcventure offers a reconstruction facility. By clicking on this option you are provided with a reconstruction of what the object probably looked like. There is also a Cut



Away option which produces a cross section of the part of the site where the object was found and the display also indicates the age of the object in relation to the age of the house.

DIGGING

Once the information hut has been visited you can start digging. You can choose a tool by clicking on one of the icons at the bottom right of the display. Four different tools are provided. A spade for digging quickly and crudely, a trowel for more careful digging, a brush for fine work and a magnifying glass which can be used for inspecting the ground you are working on.

Once you have chosen the tool you want to dig with, you are asked to choose where you want to dig. This is done by moving the pointer to wherever you want to dig on the map and clicking the Select button. A window will open showing a small character digging.

After a short while a message will appear on the screen telling you what your digging has uncovered. If your message is 'You see nothing but bare earth', you need to dig somewhere else. When you find an object the option bars provide three choices - Store object; Look and store; Leave object.

There is a wide range of artefacts that can be found in the archaeological simulation. These include coins, dice, a bucket, bottle, a pottery jar, a boot, a statue, fragments of a lyre and a key.

There are also six special 'unknown' artefacts which can be investigated in the 'expedition' part of the adventure. The objects have been chosen by the author to give an overall impression of life in Roman Britain, and do not totally reflect the kind or the quantity of finds from an average dig.

TIME TRAVEL

What makes Arcventure more than an archaeological simulation, and totally different, is its dimension. travel time Whenever the children of encounter the one artefacts Arc 1 'unknown' opens up a window and invites them to journey back to Roman Britain via a time line to try and discover just what the artefact was used for.

This journey takes them to the Woodchester villa and parts of the Roman town of Corinium which is present day Cirencester. In the villa they can visit the main house, the bath house and the stables while in the town they enter through Gloucester Gate, and they can visit the Forum, the amphitheatre, the barracks and the Bath Gate.

During the expedition the children can talk to any characters they meet - some tell them about aspects of Roman life while others help them find out what the mystery artefact actually is. Two expedition cards provide information on latin words, and the various characters and objects they come across and need to use during their exploration.

The expedition part of Arcventure is the basis for a series of very clever historical adventures. A lot of different places have to be visited and objects moved and manipulated and mysteries have to be solved.

In these adventures, aspects of Roman life become clearer and there is no doubt that this part of the program will assist in the building up of childrens' understanding of what life in Roman Britain was like.

CONCLUSIONS

Arcventure is an exciting program that provides two complementary activities. Initially the users can work in the present, joining in a dig and building up a picture of how an archaeologist would work. They can choose where to explore, pick the right tool for each part of the uncovering process, being careful not to damage any of the remains, and then experience the excitement of finding artefacts in the earth and identifying what they



have found. Although obviously simplified, Arcventure remains a very good archaeological simulation. Its expedition dimension is the surprise. In it the children can leave twentieth century Britain and find themselves in second century Roman Britain at the entrance of a Roman villa. It's a wonderful way to experience history.

There are obvious uses for Arcventure within schools, It will certainly be used as an important part of any work on the Romans. But anyone who wants to experience what a simplified archaeological dig would be like will also find Arcventure worth exploring too. Sherston Software has produced an easy to use highquality software package that brings history alive in a rather unique way by offering an archaeological expedition into Roman times.

PRODUCT DETAILS

Arcventure costs £29.95 from Sherston Software, Swan Barton, Malmesbury, Wiltshire SN16 0LH. Tel: (0666) 840433. It is available for the Archimedes and BBC A3000 computers.

PRINTER REPAIRS

specialists in laser printers

EPSON, STAR, SEIKOSHA. HP, BROTHER, CANNON Sales/Service/Support/Spares

For Government and Educational organisations we can repair printers at a fixed rate. Please ring for further details

B.V. Computer Maintenance Ltd Park Royal Business Centre, 9-17 Park Royal Road, London NW10 7LQ Tel: 081-965 4056

Fax: 081-961 7313

SOFT..

Tel: 0962 863225

ANDED DISKS by S 10% Certified and Gu			BRA	NDED DISKS by VERBATIM DATALIFE, TDK
10 % Certified and Gu	10	100		Price per pack of 10
DSDD 135tpi		£46.00	3.5*	DSDD 135tpi£7.00
DSHD	£9.60	832	3.5"	DSHD

£4.30 £40.00 £5.20 £49.00 5.25" with envelopes/write protect tabs

...£7.00 .£12.50 5.25" DSDD 48tni ..£8.50 Amsoft CF2 Disks

ACCESSORIES
Disk Boxes 40 Cap 3.5*/50 Cap 5.25* – £6.99 each 80 C (10% Discount when bought with 25 disks 80 Cap 3.5*/100 Cap 5.25* - £7.99 each

Library Cases 10 Cap 5.25*/3.5* - £1.05 each Mouse Mats - £2.69 each Disk Labels 3.5" – £1.00 per 100 Disk Labels 5.25" – £1.50 per 100 Envelopes – £3.10 per 100
Printer Ribbons for most printers – Original and Compatible – Ring For Prices

ALL PRICES INCLUSIVE OF CARRIAGE FOR MAINLAND UK, ADD VAT AT 17.5% SOFT SECTOR 58 Andover Road, Winchester, Hants SO22 6AG

SENLAC Computing Ltd. (Est. 1988)

£	(ex VAT)		£	(ex VAT)
Impression 2150.00	(127.66)	Cash	Micro Studio Graphics from 17.50	(14.89)
Impression Junior81.00	(68.93)	On	Poster87.00	(74.04)
FontFX9.50	(8.08)	Delivery	Pipedream 3138.00	(117.45)
Scan-Light Plus Junior 192.00	(163.40)	available on	Schema	(96.17)
Scan-Light Plus A4407.00	(346.38)	single	Rhapsody 255.00	(38.30)
with Sheet Feeder506.00	(430.64)	orders up to	Genesis 2	(117.45)
Laser-Direct1050.00	(893.62)	£350.00	Magpie56.00	(47.66)
Laser-Direct Hi-Res1575.00	(1340.43)	value.	Revelation81.00	(68.94)
ShowPage138.00	(117.45)	Only £2.50	Squirrel (v1.0)	(104.68)
Equasor48.00	(40.85)	extra!	Multistore255.00	(217.02)
!Tracer57.00	(48.51)		Flexifile133.00	(113.19)
Midnight Graphics Clip Art 34.00	(29.94)		MultiFS34.00	(28.94)

*** REMEMBER! Prices include VAT at 171/2%, postage and packing ***

Please make cheques/postal orders payable to SENLAC Computing Ltd (AU). P.O.Box 304, BRIGHTON, BN2 2TT

We offer similar discounts across our whole range. Please send S.A.E. for current price list.

VAT Reg. No. 508 7594 16

Company Registration No. 2277309

ACORN APPROVED LONDON DEALER

Wide range of software and hardware stocked

EDUCATION ORDERS WELCOME

PHONE FOR BEST PRICES

Easy to get to Train: WOOD ST Station (British Rail) Road: Bottom of M11. just off North Circular

Tel No: 081-521 1784



217 WOOD STREET WALTHAMSTOW VISA **LONDON E17 3NT**

Arcade Games or Text Adventures?

Whatever your preference, we have programs to free your imagination and let you create great games on your Archimedes or A3000.





ALPS is the adventure creation system for the Archimedes. ALPS is multi-tasking with a built-in text editor and a sophisticated sentence analyser that can handle complex player commands. You can import graphics and redesign the character set. With a unique mouse-driven user interface and ramsave and ramload features, ALPS has been used to produce commercially available adventures. Comes on disc with 40 page Introductory and 66 page Reference Guides.

"Painstakingly put together" - Micro User "Powerful and easy to use" - Archive



£34.95





AUTOMATIC SERVICES

Creator is a complete easy-to-use arcade game designer that runs in the Desktop on the Archimedes and A3000 to bring professional games techniques to everyone. You can design arcade adventures, change screens when you want or create scrolling shoot-emups - the choice is yours. Supplied on two discs, including the designer, run-time system, sampled sounds, tunes, sprite library and demonstration games and comes with a 50 page User Guide.

- Animated sprites
 Screen designer
 Flight paths
- Attack waves
 Parallax scrolling
 Sound effects
- Background music
 Scrolling stars
 RISC OS compliant . No royalties to pay

£38.95



Also available: ALPS Support Disc - provides text and graphics compression for ALPS: crams more text into memory and allows more pictures on disc. £19.95. (£15.95 if bought with ALPS)

Music Editor - Make you own music with this multi-tasking music editor. Input notes with mouse, keyboard or MIDI instrument. Tunes can be used in games or on their own. £30.00 (£24.00 if bought with Creator)

Postage and packing FREE on all orders. Sales/Enquiries: 0762 342510 Alpine Software, Dept BAU1, PO Box 25, Portadown, CRAIGAVON, BT63 5UT

Saloon Cars













Combining the best features of a fast and furious racing game with the realism of an accurate driving simulator. Work your way up through the leagues, buy extra features and faster cars, to become the Saloon Car Racing Driver of the Year.

Game Plot

You are an amateur racing driver just starting in the field. You race at weekends during the summer, and have a full time job at the office all week* which helps you to pay some of the gargantuan bills you incur at weekends! You have recently blown

your life savings on an Astra GTE and entered a season of races ...
With your Astra you compete in class C against the other Astras and, if you prove yourself worthy by working your way up through the league, you may eventually manage to get sponsorship to race in class B. At this point you will need to buy a BMW M3, built to your exact specifications and the manufacturer's custom price. After a few more seasons you may even reach the exalted heights of a Cosworth Sierra ...
*It is beyond the scope of this program to provide a realistic simulation of a full time



The mathematical simulation of the dynamics of a car in motion was set up by a professional physicist. A Classical Newtonian model is used for the transmission and to model the motion of the wheels on the road in both regimes of sliding. The result of all this is a program realistic enough to allow front, rear and four wheel slides, Understeer and Oversteer and of course handbrake turns.

Graphics

The game features 256 colour, mode 13 graphics, designed by a professional artist. The view is a first person, cockpit view from which you can see the road ahead, the rear view mirror and instruments. The main view features totally customised handwritten ARM code graphics routines which were necessary to maintain the superb frame rate and create a view previously undreamed of. The courses (Silverstone & Brands Hatch) feature bridges, stands, gravel traps, barriers, the pit lane, and even the man with the chequered flag. Of course there are many other features, but we think its better to save most of them to be a surprise!

Technical Information



Sound Computer Inputs Serial Link Up to 25 FPS 250k of Handwritten Arm Code 256 colour, mode 13 graphics Handwritten custom graphics routines Digitally sampled sound effects (Naturally!) Any Archimedes with 1Mbyte or more

Mouse, Keyboard or Joystick This option will be supplied on a separate disc This will hopefully be available in October '91

BBC A3000 & ARCHIMEDES PRICE £24.95

Saloon Cars is compatible with the BBC A3000 and 310 & 400 Series

SUPERFAST 1st Class FREE Delivery

Most of our games are available from most good dealers. If they don't stock them, then please give them a copy of this advert & tell them they can easily buy them directly from us.

DEALERS

LETTER

Simply send us a quick letter telling us the game(s) you require, your name and address, and payment via cheque, postal order or ACCESS or VISA card details

The Fourth Dimension, 1 Percy Street, Sheffield, S3 8AU, England.

All orders are despatched immediately by 1st Class post. Carriage is paid by us in the U.K. (Overseas orders add £3 per product) FULL DETAILS OF ALL OUR GAMES ARE AVAILABLE ON REQUEST & ARE SENT WITH ALL ORDERS.

TELEPHONE

TELEPHONE ORDERS WELCOME

(0742) 700661 / 769950 ACCESS & VISA Accepted 24 hour Service 7 Days a Week









THE **FOURTH** DIMENSION

1 Percy Street Sheffield **S3 8AU** England Tel. (0742) 700661 or 769950









TACTIC

















THE THING OF DARKNESS

ARCHA: "...Game of top quality...",BBC/Acord User; "...polished and professionnal as well as beautifully...", The micro user; "...technischer Perfektion bei der programmierung!..." ASM march 91

TACIC: "...addictive game, containing precisely the right amount of simplicity and ingenuity to keep a player going back again & again "The Micra User;"...horribly addictive..." BAU,"...Technisch ist es ebenfalls nahezu perfekt...",ASM mai 91

BLASTON: 4 levels of fight with 256 colors, scroll, animation. "Blaston is well programmed, with good graphics and sound making a profiessional looking package", The micro user July 1991

FILE RACER: Take control over a fast rally buggy and race against opponents, in a land of adventures. "...a great game, terribly addictive, good looking and good fun" BAU august 91

BUBBLE FAIR : It all began at the fair inky and Jinky were just having fun when the first bubble came down from the sky... 72 levels, challenges, bonus...!) uses a big overscan screen(384*264) in 256 colors.

KERGANG: A really addictive game for your ARCHIMEDES, have you the right reflex? DESKTOP computible.

ROCKFALL: You will love this game.Marvellous animations from authors of the LUCKY LUKE and CUBITUS demo.Indispensable.

POLYONE: Help your penguin to destroy all the toxic blocks in a given time and try to assemble the diamonds. Two players in a very large scrolling land. Fantastics graphics and sound.50 levels

this funtastic and first ever role playing game for the ARCHIMEDES.First create your heroes and then immerse yourself in this incredible adventure.



PRICES	a av	all.	ABIL	ITY
GAMES				AVAILABLE
POIZONE	£19.95	225 FF	DM 69	09/91
BUBBLE FAIR	£19.95	225 FF	DM 69	OUT NOW
ROCKFALL	£19.95	225 FF	DM 69	10/91
KERBANG	£14.95	175 FF	DM 45	09/91
TACTIC	£19.95	225 FF	DM 69	OUT NOW
FINE RACER	£19.95	225 FF	DM 69	OUT NOW
BALLARENA	£19.95	225 FF	DM 69	OUT NOW
But the street of the state of the street of	£19.95	225 FF	DM 69	OUT NOW
THE THING OF DARKNESS	£29.95	325 FF	DM 99	10/91

GAME'S CREATOR

r France, Ireland. Germany and Switzerland work with us? a do adaptations for coin ago and other removators



STERNA c/o Vector Services 13 Denington Road - Wellingborouth Northants NN8 2RL Tél.: 0933 279 300



STERNA 4 rue de Massacan 34 140 VENDARGUES - FRANCE Tel.: 67 87.32.12

Tous les prix sont TTC et port compris



UFFENKAMP Computer System Gartenstr.3 W.4904 Enger Tel: 05224 2375

heck (+4,50 porto) odel

SLIMLINE SAMPLING

Serial Port's small **Econet-based** sound sampler gets the once over from **PAUL JAMES**


here seems to be a fad recently to plug things into the often unused Econet port on the Arc. High-speed serial links and joystick interfaces seem reasonable, but a sound sampler?

Well, the Serial Port has done it. Ecosampler is not only a sound sampler, but an Acorn standard Midi interface too, all on a board just 5x5cm, and all for around £50.

Sound sampling has a fascinating potential. Given the right software then it doesn't take much to realise how easy people like Vanilla Ice have it. Record a sound, press a few buttons, and as long as you have your Arc connected up to a decent amplifier then you'll sound just as good.

Of course sound sampling has other uses. If you write software then introducing samples into this can make a user feel much more at home. A user will immediately warm to a program that actually asks you to insert a disc, rather than throw up a box with 'Please insert disc 5' in it. Teachers have a definite use for sampling. When a child may not be that good at reading, or partially sighted, then a voice coming from the machine will make it seem far more friendly and encouraging.

The Ecosampler board itself is well-constructed. There are few components on it and it's quite nice to see that corners haven't been cut in production, which would have been easy to do with such an inexpensive product. The Econet port is used as its input and a specially built cable is supplied which has a 3mm input jack and Midi in and out leads, all of which dangle from the back of the board.



The sampler takes input from devices such as personal stereos and hi-fis, and the lead includes a section that will take a stereo input and convert it to mono. A standard 3.5mm stereo jack is supplied at the end that plugs into the source, but you can buy adaptors that fit to this that will convert it to a 5mm jack, which is commoner on older stereo systems.

My first attempt at recording a sound was completely unsuccessful, and after pulling the board out and putting it back again it decided to work. Later I found the cause was not the connection of the board but a fault in the lead supplied, which caused it to work intermittently. Rather annoying, because the only way to record a sound involves you plugging the jack into the output of the source, which in most cases cuts off all other sound.

Effectively, you record blind. So if your lead does play up then you don't know until you replay your sound through the computer. An oscilloscope option is supplied, though, which displays on screen what the sampler is receiving.

The oscilloscope option is also used to adjust the input level from the source. This can only be done by adjusting the volume of the sound coming into the sampler, so the source needs to have a volume control. Anything above 2.5V will be mercilessly cropped and will turn out as noise.

The sampling itself is done to a maximum of 250,000 samples per second on an 8-bit level, meaning that 127 is silent, with 0 and 255 being full volume. The output of a sampled sound is very good, and apart from some line noise introduced by the Arc (output sounds are filtered to death), well I couldn't tell it apart from my CD, easily. Serial Port is looking into the internal filtering problem and hopes to provide a little clip that will bypass the small piece of circuitry inside the Arc.

What is lacking is the software. I can just about understand why Serial Port has been

so impatient as to release the sampler as a product now, with software that is not acceptable, but it should have been more patient. Receiving half-written software is not only disappointing but probably costs the company more in sending new versions out, therefore adding costs to the final product.

At present recording sounds is a matter of setting up an input buffer, in bytes, and sample rate. The length of the sample is displayed and clicking on the record button blanks the screen and records what's going on. Then, after a short delay your sample is displayed on the screen. Here you can reprocess it in various ways such as filtering and undersampling. This is a necessity if your sample rate isn't that high, but it does take some time to process the sample.

I was pleased with the product - it's inexpensive and effective. The software is horribly naff at the moment, but it does allow you to record, save and play back sounds. Updated versions should be available soon. Also on the disc is a small program that will patch Armadeus so it picks up the sampler as a podule, which of course it isn't. For Midi users a Midi echo application is included, and also a small application for future use. The Midi net will allow four computers to be connected together and multi-player games to be played. Watch this space for further developments.

PRODUCT DETAILS

The Ecosampler costs £69 from The Serial Port, Burcott Manor, Wells, Somerset, BA5 1NH Tel: (0243) 531194.



A3000...see below...see below...see below A410/1 £989.10 £1187.10 €1169.10 A420/1 £1367.10 A440/1 £1529.10 £1727.10 A540 £2695.50 £2893.50

SUMMER SUPER SPECIALS A3000 Basic Model SUPER Price £499.99#

A3000 Stereo Colour Model SUPER Price £695.00#

WE ARE OPEN ALL DAY SATURDAY WHY NOT VISIT OUR SHOWROOM! Test ELV INTERDICTOR 2 TEST DRIVE THE NEW A540 ARMS ******

WE WILL TRY TO BETTER ANY OTHER DEALER PRICE ... PLEASE TELEPHONE



OUR PRICES DO NOT INCLUDE V.A.T.

Master 128	£359.10
Cambridge Z88 Lap Top	£189.95
Panasonic KX P1081	£146.95
Citizen Swift 9	£157.00
Citizen Swift 24	£260.83
Citizen Swift colour upgrade	£34.20
Star LC10	£155.40
Star LC10 Colour	£294.35
Philips 8833 Colour	£195.00#
Philips 7522 Amber Screen	£69.52
Philips 8832 Colour	£199.67
Ahkter 40/80 400K Sgle no PSU	£99.00
Ahkter 40/80 800K Dual no PSL	£199.00
Ahkter 40/80 400K Sgle & PSU	£114.53
Ahkter 40/80 800K Dual & PSU	£221.70

OAK COMPUTERS

20 Mb Ext HDisc (B & Master)	£517.75
SCSI 20Mb Add HDisc A3/410	£413.25
SCSI 20Mb Ext HDisc A3000	£508.25
SCSI 45Mb Add HDisc A3/410	£527.25
SCSI 45Mb Ext HDisc A3000	£622.25
SCSI Card for A3000	£189.05
SCSI Card for A3/410	£189.05

WE ARE LICENSED CREDIT BROKERS AND CAN OFFER FINANCE ON COMPUTERS AND SOFTWARE. WE OPERTATE THE ACORN TEACHER AND ACADEMIC SCHEMES FOR TRAINING AND FINANCE. PLEASE TELEPHONE !





This advert contains just a few of the items we have Please telephone or send a SAE for our FULL price lists

PRICES MARKED # ARE CHEQUE COMPUTECKLIA or CASH ONLY NO CREDIT CARDS

Dinting Lane Industrial Estate Glossop Derbyshire SK13 9NU Visa-Master-Lombard Cards We specialise in "Trading in" and buying Used Hardware & Software

Post and Packing Charges £1.00 for small, £2.45 for medium items Expensive products £9.00 for courier

ACORNSOFT

Desk Top Publisher (A)	£119.20
isp (BMC)	£16.10
ogistix (A)	£89.10
Micros in Business (BMC)	£34.75
ſwin (A)	£26.10
View 3.0 (B)	£41.60
View Index (BMC)	£10.40
View Plot (BMC)	£20.83
View Professional (BMC)	£55.51
View Sheet (BMC)	£41.60

COMPUTER CONCEPTS

Inter-Base (BMC)	£48.00
Inter-Chart (BMC)	£25.60
Inter-Sheet (BMC)	£39.20
Inter-Word (BMC)	£39.20
Inter-Sheet (A)	£23.20
Inter-Word (A)	£23.20
Laser Direct Laser Printer	£949.05
Spell Master (BMC)	£41.03
Impression II (A)	£152.09
Impression Junior (A)	£80.95

CLARES MICRO SUPPLIES

£39.09
£46.91
£39.09
£27.35
£46.91
£23.47

IMPACT SOFTWARE

The Real McCoy (A) Discs	£23.44
Man at Arms (A)	£15.62
Holed Out (A)	£15.62
Apocalypse (A)	£23.44
Nevyron (A)	£15.62
The Olympics (A)	£15.62

PRES

Adv. Control Panel (BMC)	£27.90
Adv. Disc Investigator (BMC)	£23.52
Adv. Disc Toolkit (BMC)	£27.90
Adv. File Manager (BMC)	£22.51
PRES Archi products all discou	nted!!

MINERVA SYSTEMS

System Delta+Card Index (BM)	£50.83
System Delta Plus (A)	£62.56
Atelier (A)	£78.22

DABS PRESS

Master Guide Book	£11.66
Viewstore/Sheet Book	£11.66
Archimedes DFS Disc	£23.44
"C" A Dabhand Guide	£13.45
Z88 A Dabhand Guide	£13.45
Archimedes Beginers Guide	£8.95

Summer Clearance

Goupil Golf Laptop/Desk PC 1meg 286 40meg H/disc VGA Retail £3500.00 SAVE £2300.00...... SALE Price £1200.00

Amstrad PC2086HD 12" VGA colour 30meg H/disc Retail £899.00 \$AVE £200.00 **SALE Price £699.00**

Amstrad PC2086\$D Mono monitor 3.5" Floppy Drive Retall £499.00 SAVE £50.00 SALE Price £449.00

Western Digital 30meg H/Card £249.00 SAVE £50.00 SALE Price £199.00

COMPUTERS & HARDWARE

USED STOCK SELECTION from COMPUTECK Ltd.

Misc

MISC. MISC

Mkc

Oak PMS

P M S Pace PRES Superlar Watford Watford Watford

Wattor Walford Walford

Acomsoft Acomsol Acomsoff Acomsoff CDS

Clares Database Database Domark

Impact Impact

Impact

Impact Im

MIsc. MISC

MIsc.

MISC. MIsc. Mkc Superior Superior Superior Superior

Superlo Superlo

Superio

Superior Superior Superior Superior

Superlo

Superior Superior Superior Superior Superior Superior

Superlo Superlo Superlo

8.00

Acoin	A3000 Archimedes Basic	370.00
Acom	BBC B 1770 DFS Seiles 3	170.00
Acom	BBC B 1770 DFS Seiles 4	170.00
Acom	BBC B 1770 DFS Series 7	200.00
Acom	BBC B 8271 DFS Series 3	170.00
Acom	BBC B 8271 DFS Seiles 4	170.00
Acom	BBC B 8271 DFS Series 7	200.00
Acom	BBC B+128 Computer	256.52
Acoin	Moster 128	282.61
Acom	Master Turbo Board	70.00
MIsc.	Z80 Second Processor	90.00
MIsc.	Quadram Mullscan 14	225.00
MIsc.	Zenlih Amber Screen	40.00
Epson	LQ/LX400 Cut Sheet Feeder	50.00
MIsc.	Brother HR40 Dalsy Wide Carr.	346.96
MIsc.	Dual Drive 801 no PSU	120.87
PRES	Hard Disc 20 mea A3000	295.00
Watford	Dual Drive 80T no PSU	120.87
AMS	AMX Mouse	20.00
AMS	Mouse (C)	20.00
Acoin	ADFS ROM and Disc	15.00
Acoin	Master Econel Module	30.00
Acoin	Prestel Adaptor (BM)	40.00
Beebug	Serial Link to BBC (A) Disc	12.00
Comp Con	Scanlight Junior (A)	120.00
MIsc.	8K SRAM Module	12.00
MIsc.	Chroma 250 Genlack Wild/Vision	295.00
Misc.	Grafpad	60.00
MIsc.	Printer Sharer 6 Comps to 1 Pr	160.00
Misc.	Prism Modern 2000 in Software	60.00
MIsc.	Terrel printer Sharer Box	23.00
Misc.	Timer Kit	8.00
MIsc.	Ilmewarp RIC Technomatic (B)	13.87
Moiley	3.5	95.00
Nidd Vall	Anamouse (BM)	20.00
PRES	Podule Expansion Box (A)	11.00
PRES	System Housing A3000	49.00
Walford	16K Disc RAM Board (B)	20.00
Walford	Beeb Scanner (BM)	85.00
Walford	Power Duck	6.00
	ROOKS	

nıc	Advanced User Guide BBC	10.00
c.	30 Basic Spectrum	3.00
c.	30 Hour Basic	4.00
c.	Assembly Lang Prog I Blinbaum	4.00
c.	Century Programming Course	4.00
c.	Dala Processing/Hardwr & Progm	0.00
c.	Forth on the BBC Micro	5.00
c.	Graphics & Sound by S Money	3.00
c.	Inside Information/J Megarry	4.00
c.	Intro The BBC Micro/I Sinclair	3.00
c.	Little Book of Basic Style	3.00
c.	The Computer Book/BBC Publics	3.00

Misco Misco

Draw Bender (A) Disc

	SI	RIOUS SOFTWARE	
	4mation	Grannys Garden (C) Disc	8.00
	AMS	AMX Super Art ROM (B)	25.00
	AMS	Extral Extral (BM) Disc	12.00
	AMS	Stop Press Discs (M)	25.00
	AMS	Super Art (C) Disc	25.00
	Acom	PC Emulator (A) Discs	60.00
	Acom User	Gallery Disc (B) 2xDisc	6.00
	Acom User	User Rom	12.00
	Acomsoft	1st Word Plus Rel 2 (A) Disc	43.04
	Acomsoft	BCPL ROM (B)	31.31
	Acomsoft	Desk Top Publisher (A) Disc	49.00
	Acomsoft		6.00
		Forth (B) Disc	
	Acomsoft	GXR Rom (B) ROM/Tape	16.00
	Acomsoft	HI - View (B) Disc	22.00
	Acomsoft	Linkword French (BM) Tape	10.00
	Acomsoft	Logistix (A) Disc	60.00
	Acomsoft	View Spell (BM) ROM & Disc	21.74
	Acomsoft	View Store (BMC) ROM	30.00
	Acomsoft	Viewsheet (BMC) ROM	30.00
	Acomsoft	Workshop (B) Disc	6.00
	BBC Pubs	Drawing (B) Tape	3.39
	BBC Pubs	VU-Type (B) Tape	6.00
	Beebug	Design (B) Disc	10.00
	Beebug	DFS Reader (A) Disc	7.00
	Beebug	Masterfile II (C) Disc	12.00
	Beebug	Paintbox (B) Disc	8.00
	Beebug	Quickcalc (B) Disc	8.00
	Beebug	Quickcalc (C) Disc	8.00
	Beebug	Sleuth (B) ROM	18.00
	Beebug	Teletext (B) Tape	3.50
	Beebug	Teletext Pack (B) Disc	7.00
	Beebug	Toolkit Plus (B) ROM	18.00
	Beebug	Vocab Tester (B) Tape	8.00
		Wordease (B) ROMs	12.00
	Beebug		15.00
	Clares	Artroom (C) Disc	
	Clares	Artroom (M) Disc	15.00
	Clares	Artroom (M) Disc	12.00
	Clares	Beta Base Utils (B) Disc	6.00
	Clares	Fontwise + (C) Disc	8.70
	Clares	Render Bender (A) Dlsc	39.00
	Comp Con	Acceleator (BM) ROMs	28.00
	Comp Con	Carelaker (B) ROM	12.00
	Comp Con	Graphics (BM) ROM	15.00
	Comp Con	Gremlin (B) ROM	15.00
	Comp Con	Impression Junior (A) Disc	50.00
	Comp Con	Inter-Sheet (BMC) ROM	30.00
	Comp Con	Spell Master (A) Disc	20.00
	Comp Con	Spell Master (BMC) ROM	30.00
	Comp Con	Wordwise Plus (BM) ROM	26.09
	Minerva	Gamma Plot (A) Disc	40.00
	Minerva	Home Accounts (A) Disc	25.00
	Minerva	Inter/View Link (C) Disc	10.00
	Minerva	Mall Shot Application (C) Disc	10.00
			26.04
	Minerva	Sales Ledger (BM) Disc	
	Minerva	Stock Management (C) Disc	26.04
	Misc.	1st Word Study Guide (A) Disc	10.00
	Misc.	3D Logo (C) Disc	12.00
	MIsc.	ADE+ (M) 2xROM	30.00
	MIsc.	AIDS II by Solf Smith	8.65
	MIsc.	Archway (A) Disc Bert Boot Maths 8-12 (C) Disc	60.00
	MIsc.		10.00
	MIsc.	Busicalc (BM) Disc/Supersoft	8.65
ı	MIsc.	Control Logo (C) Disc	12.00
١	Mkc.	Creation Discs (A) EMR 6xDiscs	26.04
١	MIsc.	Deebug and Disk Copy (B) Disc	8.26
١	Misc.	Diagram (B) Disc Pineapple	21.70

Fontald (B) ROM & Disc CJE	15.00
Gemini Combo Pack (B) Disc	12.00
Graphics Pack (B) Tape Salaman	3.00
Icon Art Master (BM) Disc	12.00
Insant Recall D/base (B) tape	6.00
Involcing (B) Disc	10.00
Logo Extension (C) Disc	7.78
Maths Age 4-14 (C) Disc	15.00
Merlin Database/Scribe (B) ROM	17.34
Micro Maths GCSE (C) Disc	15.00
Morse Tutor (B) Disc	8.65
Music Logo (C) Disc	12.00
Personal Accounts (A) Disc	17.00
Pixel Perfect DTP (BM) Discs	26.04
Pixel Perfect Maths Pack (B)	10.00
Pro Punter (BM) Discs	30.00
Record Keeper (B) Tape	4.00
Science & Technology (B) Disc	12.00
Share Anal -Synergy (B) Disc	26.04
Slave + ROM (B)	20.00
Spanish level A (BM) Disc	10.00
Spanish level B (BM) Disc	10.00
Spy (B) ROM	12.00
Star Stick (B) ROM	10.00
Superiboot (BM) Disc	6.00
Utiliram (B) Disc by Tubelink	10.00
VIsifax-VIewdata (B) ROM	20.00
Vu-Calc (Psion) (B) Tape	8.00
VU-File (B) Tape	10.00
Xmas Carols (A) EMR Disc	4.30
ZOOM Mach. Code Monitor (B)	10.00
Parametric Design Tool (A)	169.57
The Publisher (C) ROM + fonts	29.95
Micronet Terminal (B) ROM	8.00
Advnc'd 1770 DFS (B) ROM	20.00
Speechl (BM) Dlsc	6.00
Beebmon (B) ROM	20.00
Colour Art (B) Disc	6.00
NLQ Designer (BM) ROM	12.00
Office Master (B) Disc	10.00
Office Mate (B) Disc	6.00
View Printer Driver ROM	25.00
Wapping Editor (BM) ROM	30.00

wapping Editor (BM) ROM	30.00
GAMES	
Hils Vol 1 (C) Disc	7.00
Hils Vol 2 (C) Disc	7.00
Me & My Micro (E) Tape 8 Games	1.50
Rocket Raid (B) Tape	2.00
Rocket Raid (8) Tape Colossus Chess (8M) Disc	6.00
Interdictor (A) Disc	13.00
Fun School 2 6-8 (A) Disc	10.00
Fun School 2 under 6 (A) Disc	10.00
Not a Penny More (B) Disc/Book	6.00
Arcade Soccer (A) Disc	10.00
Chocks Away (A) Disc	15.00
Clogger (C) Disc Holed Out (A) Discs	5.00
Holed Out (A) Discs	10.00
Nevryon (A) Disc	10.00
Nevryon (C) Disc	8.00
Olympics (A) Disc	10.00
Powerband (A) Disc	14.00
Quazar (A) Disc	6.00
Real McCoy (A) Disc	18.00
U.I.M. (A) Disc Zenon (C) Disc	5.00
Moon Cresta (B) Disc	6.00
Way of the Expl Flst (B) Disc	6.00
Dr Who & Mines (MB+) Disc	6.00
Dr Who & Mines (MB+) Disc Magle 10 Hils (C) Disc	4.00
Freddy's Folly (A) Disc	6.00
Minotaur (A) Disc	7.83
Missile Control (A) Disc	7.83
ArcPinball (A) Disc	12.00
Avon & Muidac (A) Disc	8.26
Computer Crosswords (M) Disc	6.00
Fish (A) Disc	15.00
Fortress (B) Disc	6.00
Gulld of Thieves (A) Disc	12.00
Herwith the Clues (A) Disc	10.00
Question of Sport (BM) Disc	6.00
Rotor by Arcana (A) disc	10.00
Skirmish (C) Disc Twin World (A) Disc	6.00
Yes Prime Minister (B) Disc	6.00
Collection Vol 1 (C) Disc	6.00
Collection Vol 1 (C) Disc Collection Vol 2 (C) Disc	6.00
Conqueror (A) Dlsc	14.00
Hostages (A) Disc	10.00
Hostages (C) Disc	7.00
Palace of Magic (C) Disc	7.00
Perplexity (C) Disc	7.00
Play It Again Sam (C) Disc	7.00
Repton Thru Time (C) Disc	7.00
Sam 11 (C) Disc	7.00
Sam 13 (C) Disc	7.00
Sam 13 (C) Disc Sam 14 (C) Disc	7.00
Sam 2 (C) Disc	7.00
Sam 3 (C) Disc	7.00
Sam 4 (C) Disc Sam 5 (C) Disc	7.00
Sam 5 (C) Disc	7.00
Sam 6 (C) Disc	7.00
Sam 7 (C) Disc Sam 8 (C) Disc	7.00
Sam O (C) Disc	7.00
Sam 9 (C) Disc	7.00
Superior Soccer (C) Disc Zarch (A) Disc	8.00
Spy vs Spy (C) Disc	6.00
CP1 13 3P1 (C) DISC	0.00


(B) BBC B (M) Master 128 (C) Compact (A) Archimedes

USED BBC B, B+, MASTER & ARCHIMEDES HARDWARE PLUS SOFTWARE IS NOW REQUIRED PLEASE WRITE IN FOR A QUOTE TO TURN YOUR OLD OR UNWANTED GOODS INTO CASH ONCE AGAIN

Coming to an

Archimedes

near you soon!









GAIVIE SHOW

Air Supremacy is a new 32-bit game from Superior Software, and, broadly speaking, is a straight cross between Zarch and Conqueror. This is because you travel around a 3D landscape shooting at things (of course) and deciding when to change between your tank and your plane.

I've been playing an early version of Supremacy and I can tell you that it's very difficult to both fly and shoot things on the ground at the same time! I think I need a bit more practice. Meanwhile, I'll stick to the tank.

On the subject of Superior, you may remember that in the Speech! review in the July issue, we moaned about the problem of using the software with a SCSI disc system instead of ADFS, especially since SCSI has recently become quite popular.

Well, apparently, all the new copies of Speech! being sent out will now work on both ADFS and SCSI, so this event hereby goes down in history - a software publisher has listened to a reviewer!

Speaking of software that makes your computer talk, The Fourth Dimension recently released its speech package, ARCticulate. I'm looking forward to finding the differences between it and Superior Speech!. At the moment all I know is that you can display up to four animated faces on the screen - a boy, a girl, an alien and a robot - and apparently they are able to move their mouths in a convincing way no matter what you ask them to say! Hmmm!

One of The Fourth Dimension's early games, Arcade Soccer, is the subject of some tips sent in to the Game Show by Andrew Gray of Milton Keynes. Andrew reckons he's got goal scoring in the game well sussed, and provides the following advice to would-be Gary Linekers.

Set the kick strength to 70 percent then kick off by tapping the ball lightly to the right. Then run as close as you

dare up the right-hand side of the pitch until just before you are level with the semi-circular marking near the goal. At this point, divert onto a diagonal path and head straight for the furthest corner of the net.

As soon as you move into the penalty area, shoot and, if you've aimed correctly, the ball should find its way straight to the back of the net without any problems.



Since we haven't mentioned high scores for some time, I think Andrew's 11-year-old sister Rosemary deserves a mention for achieving a score of 71,195 in Cygnus Soft's Twin Worlds. So, has anyone managed a better score? Let me know!

I've said before that this Christmas is going to be megahot as far as Archimedes/ A3000 games are concerned, and one more step in this direction has recently been taken by Krisalis Software. It has announced the forthcoming release of a game called Chuck Rock, a title that has been enjoying success at the top of the 16-bit charts. I don't really know how to describe Chuck Rock, except to say that in it, you chuck rocks!

I'd like to finish this month's Game Show by wishing the computer holiday camp, Computer Park, a happy tenth anniversary in August.

Sam Greenhill

PLAY IT AGAIN SAM 15

Superior Software, Tel: (0652) 58585. BBC/Electron cass £12.95; BBC disc £14.95; Compact £19.95


The latest Beeb compilation from Superior contains two recent blasts from the past, one old chestnut, and an excellent new title, called Cyborg Warriors.


The Last Ninja 2 boasts an enormous playing area set over several parts of downtown New York, and the war against drugs is the ninja's mission. This game was coded by Peter Scott, who wrote the rather elderly Network which is also included. This is an amusing levels and platforms affair, full of cuddly aliens, and has remarkably fine gameplay for a game of early-80s, fledgling Scott, vintage.

Also here is the simply massive Ricochet. The neat twist to this game is that your spherical character called Sprat has to first squash himself down to gain enough 'bounce' to leap up onto higher platforms. This is easier said than done, and is frustrating but fun.

The new game, Cyborg Warriors, is a real treat for all you trigger-happy shoot'em up fanatics. You just fly along through the sideways-scrolling backdrop knocking merry hell out of everyone and everything that stands in your way.

The background has five planes of silky-smooth parallax, and it gives you a real feeling of depth as you progress through the eight different thematic levels, which





range widely from forest and desert scenes to a future city and a volcanic landscape.

The game also incorporates, without a hint of flicker, large, multi-segmented, lobster-like adversaries while sustaining the background movement. Tokens can be collected to beweapon yourself beyond a standard laser, and if you have a joystick you can play with a friend. Overall, this is one of the best Sams so far.

Mat Tizard



NO EXCUSES

Arxe Systems, tel: 081-534 1198. Archimedes/A3000 £24.95

No Excuses is best described as a tactical space-invaders. The aim of the game is to rid an isometric eight by eight grid of little green nasties that hover overhead. You play the part of the Strider; a kind of two-legged blue spider that can travel around the grid, square by square.

Aliens can be destroyed by either shooting them when they are directly overhead or waiting until they've landed and then zapping them. You'll have to be quick, as the unfriendly visitors also drop bombs as they descend and fire missiles when they land.

As well as providing you with an early grave, the alien's bombs produce a number of effects when they hit the grid. Each square can be any one of 16 types. Glue bombs make squares sticky, and the Strider takes longer to cross them. Smart bombs create squares



that destroy all aliens that have already landed. One particularly useful effect is the Super square that provides the Strider with his or her own super-person outfit.

When all aliens have been destroyed, a key can be collected and the Strider can move to the next level. Fifty levels are provided as standard and for those who manage to complete these, (or for those who can't!) a level designer is included that allows you to create your own puzzles.

The designer is really easy to operate with the mouse being used to pick squares and position them on the new grid.

Graphics in the game are a simple 16-colour affair, being a direct port from the Atari ST version. The sound is similarly basic, consisting of a few, rather distorted, samples that play between levels.

No Excuses is reasonable fun because it's different to virtually anything else on the market. Once you've finished the 50 levels though, there doesn't seem much to hold your interest. The level designer helps, Rather a disappointing 'sequel' to Rotor.

Rob Miller

BOOGIE BUGGY

Fourth Dimension. (0742) 700661. Archimedes/ A3000 £24.95

Ahhhhhhhh! I can't stand it anymore! This has got to be the most irritating game I've ever played. All my muscles are strained through trying to make this stupid smiling bouncing red dodgem car bounce in the right direction and it's killing me!




Sorry about that outburst; welcome to Boogie Buggy! Boogie's aim is to thwart evil and champion good, by collecting evil-ore and dropping it down manhole covers in Dodge City. Or at least that's what he does in the four city regions, which are quite good

fun. The Ore Conversion Plants are used by some evil monster chappie to create the evil-ore, and there are four increasingly irritating OCPs to be destroyed.

The first thing you notice about Boogie is that the graphics are gorgeous. The game uses the border as well as the main screen which in fact increases the main playing area by about 40 percent and the effect is stunning. The characters are all nicely drawn and animated, and in the city regions Boogie can whizz about collecting ore, leap over the scores of creepy-crawlies and collect bonuses in a very traditional, and welcome, arcade style manner.

He can even pick up some weird extension to his 'nose' which looks like a chain saw, and slice up the creepies. Contact with creepies affects the damage meter, and at 100 percent Boogie dies, though collected plasters can patch up most of the holes.

In the OCPs the view changes from overhead to side, and Boogie has to jump from




room to room until he finds the polarity switch, then throw it and get out before the whole thing explodes.

Here's the irritating part. To move between rooms, Boogie must jump. Whenever Boogie jumps, he hits something and causes damage to himself. At 100 percent Boogie dies. Therefore Boogie dies a lot, making the whole game nigh on impossible, since all nine regions must be completed in one game, and there's no password or save game facilities.

Boogie Buggy is fun until you get into it and realise that you're likely to get very annoyed and give up long before you ever complete it. Or at least that's my experience. In summation, 'irritating'.

Sam Greenhill



Frantic Fruit Fight to Save the Planet



TOP BANANA is a mega-ARCade romp in which you use your power of Love to save our Planet from impending ecological disaster and release hidden hoards of succulent riches.

- GAMEPLAY 4 separate Worlds of juicy addictive Coin-Op action.
- GRAPHICS 3 level parallax scrolling with 256 colour sampled video graphics.
- SOUND Solid sampled cyber-mixed sound. Gives a groovy sequenced dance track and individual atmosphere for each World.
- HARDWARE 1MB Archimedes and A3000 machines. RTFM Joystick compatible.
- · SOFTWEAR Includes quality loose fit T-Shirt with exclusive design and non-fade print.





To order Top Banana send a cheque or Postal Order for £25.99 (inc. P&P) payable to HEX addressed to HEX, P.O. Box 737, London SE5 9JG. Credit card holders dial 071 701 0652 for 24hr ordering service. For each extra T-shirt please add £6.99.



SOFTWARE SHOWCASE

EDUCATION

computer algebra

GCSE, A-level, university and professional algebra. Comprehensive range of facilities: integration, differentiation, linear & nonlinear equations, arbitrary precision integer and floating arithmetic, power series, GCD and factorization, complex numbers, matrix algebra plus many specialist modules. Needs 2 Mbytes, 4 better, plus hard disc; cut-down version can run off single floppy.

£440+VAT.

Site licenses available Also versions for Unix workstations etc Phone re MSDOS/386 and Atari/ST.

Codemist Ltd. (developers of Norcroft C), Alta, Horsecombe Vale,

Combe Down, Bath BA2 5OR phone: (0225) 837430



DataSheet is a spreadsheet specifically developed to meet the needs of the National Curriculum.

DataSheet comes from the same author as **DataSweet**. It is much enhanced over the original DataCalc. New features include:

- atly extended in both directions Dragable column widths •
- Data grouping for graphs Hotlink to graphing programs •
 Host of block operations Prints sheet as ASCII text much faster!

DataSheet is available from: Hampshire Microtechnology Centre, Connaught Lane, Portsmouth, PO6 4SJ Tel: (0705) 378266



A sophisticated new **National Curriculum** record keeping and reporting package for Primary Schools for the Archimedes and BBC.

Send now for a FREE COLOUR CATALOGUE to:



SOFTWARE, FREEPOST, TEL.(0792) SWANSEA, SA2 9ZZ. 204519

VISUAL IMAGES

Nova Visual Services

600 x 600 d.p.i.laser printing! For top-quality printing of your documents (!Draw, !Impression, !Poster etc), contact me now.

80p per A4 side 8p per side for extra copies

No minimum order!
Just send a 3.5" disc containing your document, instructions and a cheque to:
M.Wiggin, 50 Forton Road, Newport,
Shropshire. TF10 7JR.



Stitophine: 1710 JR. Also: images scanned at up to 256 grey levels; leaflets, business cards and promotional material printed. For further details, Tel. 0952 814624

EDUCATION

やみゅ曲米□▲サ Compose World Cempose World is collection of music programs to the Archimedes based on the original COMPOSE program which represents short phrases of music as pictures. These musical building blocks can be used to make a larger composition of one or more parts. A large number of offerent picture phrases can be used to make a composition. Individual phrases and pictures can be edited and then used immediately in the composition. The phrase editor has a number powerful facilities including transpose, change volume, stretch, invert, reverse etc.

Phrases can be edited in other music programs and printed in traditional notation. The phrases can be polyphonic

The pictures can be any sprite.

A simple cartoon can be displayed by linking other sprites to each picture phrase.

Compose Rhythm Maker Compose Play Compose Tune Files Compose for Pleasure and Purpos Send for a free copy of our catalogue.

Holly Tree Cottage Main Street Strelley Village tel (0602) 295019

Make the most of your Archimedes/A3000 with a brand new package for primary schools,

"Picture It!"

a unique software package specially designed as an aid to the National Curriculum.

"Picture It!" allows children to build up scenes using sets of simple pictures, linked to specific topics currently including History, Geograpy, Maths, Science, R.E and Design and Technology, It is exceptionally easy to use, making it an invaluable classroom resource, ideal for younger pupils or those with special needs.

For further information please contact:
Appian Way Software Ltd.,
Old Co-operative Buildings,
Langley Park,
Durbam DHZ OXE

STATISTICS

STATISTICS

The ESTABLISHED system

for the Acorn Archimedes is

FIRST

Write or telephone for details to

SERIOUS STATISTICAL SOFTWARE

Lynwood, Benty Heath Lane, Willaston

South Wirral L64 1SD

Tel: 051-327 4268

Now includes an On-Line Manual

EDUCATION

SSERC GRAPHICS LIBRARIES For Science & Technology Education

For Arc users of Draw, DTP, Magpie, Genesis etc. Latest:- now with Shaded spheres, cones, cylinders, wire-frame hemispheres, crystal lattice, ionic radii, Pathlink utility etc. etc.


Dheres, crystal lattice, ionic radii, Pathlink utility etc. etc. Dear Teacher/Curriculum Developer/Examiner, New you involved in preparation of carticular material? Do you juid it difficult to draw realistic apparatus or circuit diagram? Fed po with beakers that look like buckets! If you can dray an ion on to a Draw window you can now produce projessional looking diagrams with the help of the SSER Ciraphics Libraries, U.S. III & CKS)

NOW 3 discs! single user site licence Authority licence awthority licence with the control of the control o



丙

1



NORTHERN MICROMEDIA

Northern Micromedia is the publishing arm of NORICC, a regional IT Teachers Centre. We produce a wide range of stimulating educational software for children aged 5-16 and many titles are accompanied by useful support material

Please write or telephone for a free catalogue to:

NMM, Resource Centre, Coach Lane Campus, Coach Lane, Newcastle-upon-Tyne NE7 7XA

Tel: 091 270 0424

BRISTOL S.E.M.E.R.C SOFTWARE

KALEIDOSCOPE PACKS: Developed together with NCET. Applications of the programs Touch Explorer Plus, Prompt/Writer and Caption.

NEW FOR SEPTEMBER

Blackdown Hill Fort £10.00 Understanding Energy £8.00 King Arthur - Fact or Fiction £10.00

FUZZBUZZ - supplementary material for the popular reading scheme. Price £25.00 These programs available for BBC and Nimbus (with Concept Keyboards). A catalogue of the complete range can be obtained from:

BRISTOL S.E.M.E.R.C., THE DEPARTMENT OF

EDUCATION, BRISTOL POLYTECHNIC REDLAND HILL, BRISTOL BS6 6UZ. TEL (0272) 733141

DTP



SPECIALISTS IN DESK TOP PUBLISHING AND GRAPHICS

Home Tultion

DERBY (0332) 690691

WORD PROCESSING

CORPLAN FOR SERIOUS WORK WITH WORDWISE PLUS

Descriptive indexing for your letters & documents. Your own library of layout forms, letterheads etc.

Automatic import of addresses, references, dates etc.
Automatic import of addresses, references, dates etc.
CORPLAN does the layout, you just type the text!
Resident utilities for mailmerge, label printing etc.
Many other features, including inter-Word link.
For B, B+ & Master. Needs discs & Wordwise Plus.

Pack contains disc, tutorial manual, keystrip etc.

Price £19.50, post free UK. 14 day refund. Free information sheet available.



CORPLAN Computer Systems Three Gables, 7A Talbots Drive, Maidenhead, Berks, SL6 4LZ Phone or Fax: (0628) 24591

VISA

SOFTWARE SHOWGASE

PUBLIC DOMAIN

PUBLIC DOMAIN

PUBLIC DOMAIN

THE DATAFILE PD

*** Over 129 Megs of PD on 168 Discs *** (thats an average of 768k per disc!)

All at £1 per disc!!!!

Catalogue & Demo Disc Two:-

!Cat-a-log The highly detailed DATAFILE catalogue. Includes a discription of each program and disc size in k.


!Cubitus An animated cartoon with STracker !HeadPhone A utility to control the sound output An excellent alternative to the Arcs !LineEdit standard editor.

!Message !Scape

A multi-tasking scrolltext window. Zoom in on a mandlebrot and then view in 3D, lots of other options.

!VKiller The best Virus killer for the Arc it will also inocculate your discs.

Send £1 for the above Cat/Demo disc to 22 Duxford Drive, Aldergrove, Co.Antrim N.Ireland BT29 4BG.



Send for Skyfall's Summer Catalogue, it contains full details of our 360 disc range. We offer a support hotline, which can accept credit card orders, plus rapid depatch on all orders.

Please send £1 to; PO Box 2220, Birmingham, B43 5RZ.

VISA



The PD Library

Over 300 cram-packed discs of the best Archimedes Public Domain Software.

Unlike other libraries you can pick 'n mix the programs you want. Just £1.10 per disc for our own compiled discs or £1.50 for the pick 'n mix service.

Sections include: Animation, CAD/Design, Comms, Databases, Demos, Disc Utils, Fonts/DTP, Games, Graphics, Home Management, IBM/PC Utils, Languages, Music, Pictures, Printing, Programming, Sampling, Toys/Sillies and Word Processing.

The catalogue disc uses professionally written software, which is mouse controlled throughout. Just select the programs you want, and print out an order form!

Send a blank formatted disc and SAE or 75p for our catalogue/demo disc to:

Arch Angel PD, 9 Chancel Court, Pinhoe, Exeter, Devon, EX4 8QE. Cheques payable to Sean Creech.

32 Hollinwell Avenue Wollaton Nottingham NG8 17Z

The Data Stream is now pleased to offer our customers a price cut. Now we can offer our PD discs from just 99p. You now can choose from over 350 discs full of utilities, demos, soundtrackers, graphics, clipart, samples etc etc. Also we have the latest outline fonts.

Why not order our new Catalogue / Demo disc 3 ? This disc contains our new catalogue, Data Demo 3 and and some compressed PD to make this disc great value. Please send a 50p coin or a cheque made payable to "The Data Stream".

Now, the new magazine disc, Absolutely has been officially launched. Costing just £3.00 for one issue and £7.50 for three, the magazine comprises of many articles on subjects such as ARM coding and demo writing and 1 compressed disc of new Public Domain software. Please send any articles and orders to

Absolutely. 3 Burton Drive, Chilwell. Nottingha ng9 5715.

BUSY BEE COMPUTERS Ltd PO BOX 25, ORMSKIRK.

LANCS. L39 3QR.



0695 573825.

FREE PD DISCS


BUY 5 DISCS GET 1 FREE FIRST 100 ORDERS OVER £5 RECEIVE A FREE GIFT.

ARC PD & DEMO DISCS £1

SEND A5 SAE FOR PD AND SOFTWARE CATALOGUE.

MAKE PO/CHEQUES PAYABLE TO BUSY BEE COMPUTERS Ltd

DON'T FORGET...



that Acme PDSL means more software per disk, a great service and the widest range of Archimedes Public Domain available, all at an affordable price.

For your copy of the new Acme PDSL newsletter and catalogue, which details hundreds of disks at prices as low as 83p each, send one pound to:

> Acme PDSL (AU9) 17 May Avenue, Wollaton Nottingham NG8 2NE

BBC PD 8-bit Public Domain Softwo

WISH SOMETHING NEW WAS HAPPENING FOR YOUR BBC/ELECTRON? SOMETHING IS !

For your catalogue and sampler disc, send £1.50 to BBC PD, 18 Carlton Close, Blackrod, BOLTON BL6 5DL stating disc size and format - or send an A5 s.a.e. for brief details and a summary catalogue. (Please make cheques payable to A. Blundell).

PRIME PD

Public Domain Software for the Archimedes. Rapidly expanding collection of packed discs at only £1 each in a variety of categories. Unique, friendly and reliable service. Send £1 for our demo disc catalogue and printed catalogue or an SAE for our free printed catalogue only. Cheques and PO's payable to 'lan Kershaw'. PRIME PD (BAU1), 29 Tulworth Road, Poynton, Stockport, Cheshire SK12 1BQ

ROOM 7 SOFTWARE

!!VARIOUS!!

FOOD LIBRABASE MATRIX ANALYSIS £11.95 £10.58 INTRODUCTION EASY ELECTRONIC TO STATISTICS BANKER HOBBYIST £29.99 £8.50 £7.95 Our catalogue contains full details of these and other programs

for Acorn computers, Prices include postage and V.A.T. at 17.5% Most of our programs are available for the Electron/BBC B/B+/Master, COMPACT and ARCHIMEDES range on 5.25° and 3.5° discs.

2. First floor. H.S.L. Building. 437 Warrington Road. Rainhill. eyside L35 4LL. Tel: 051-426 7400. Fax. 051-493 1425



THE BEST VALUE AT 90 PENCE A DISC

Telstar PDSL can now offer discs at only 90 pence a disc. Nearly 300 discs and expanding all for only 90 pence a disc. See the vast range now and get our Demo disc for £1 now. Cheques to Telstar PD. FREE COMPETITION

By ordering our demo disc you will automatically be entered into our free draw to win 20 PD discs.

ALPS AND CREATOR GAMES

We are looking for games created with these two brilliant programmes from Alpine. If you have made any games with these why not send them in and let other people enjoy

TELSTAR PDSL 40 Alderbrook Close, Rolleston, Staffs DE13 9AH

OFTWARE SHOWGASE

GAMES

SPECIAL NEEDS

CALLING ALL SOFTWARE **PUBLISHERS**

Acorn Computers Ltd is constantly updating its database of software for BBC and Archimedes computers. If you would like your company's products to be considered for inclusion on the database, please contact:

> Sue Wall, Acorn Computers Ltd, Fulbourn Road, Cherry Hinton, Cambridge CB1 4JN. Tel: (0223) 245200

CREATOR ARCADE GAMES DESIGNER £38.95 Produce your own arcade-style games with *Creator*. No BASIC or ARM code programming knowledge needed.

ALPS (ADVENTURE SYSTEM) £34.95

ALPS allows you to create commercial-quality text adventures with graphics. Full RISC OS application.

COPS £19.95

A humorous adventure with text and graphics - spend a day as a cop on Hall Street and find the kidnapped Chief.

PLAGUE PLANET £14.95

A tough sci-fi text adventure with over 250 locations. All programs for Archimedes/A 3000, P+P free on all orders.

ALPINE SOFTWARE, Dept (BAU2) Tel: 0762 342510 PO BOX 25, Portadown, CRAIGAVON, BT63 5UT

C.J. COMPUTING SPECIAL NEEDS

Please contact us for all your Acorn computers (Hardware & Peripherals) We specialise in tailoring computer systems for special needs

Tel: (0454) 615905 Stoke Lodge, Bristol

FONTS

Guardians Of The Labyrinth

A new game from Soft Rock Software

21 Great George Street, Bristol, BS1 5QT

£3.49 including postage (Archimedes/A3000 only)

Also available: Escape from Exeria etc for the Arc/A3000 at f3.49 inc





A tantalizing range of original programs and outline fonts, now available at surprisingly modest prices.

DESIGN CONCEPT 30 South Oswald Road, Edinburgh ETH9 27HC 1 031 668 4518



ACORN USER ADVERTISEMENT PAGES - SEPTEMBER 1991

4th Dimension 104,112-	113,117	College Computers	4,5	IFEL	48	Selective Software	60
Ace Computing	19	Colton Software	2	Integrex	108	Selective Computer	
Acme PDSL	126	Computeck	120	Intelligent Interfaces	52	Services	125
Alan Blundell	126	Computer Concepts	62,76-79	Kendal Computer Centre	55	Senlac Computing	116
Aleph One	IFC	Computer Focus	33	Kudlian Software	125	Serious Statistical Softw	are 125
Alpine Software	116,127	Contex Computing	33	Leopard Technology	60	Simtec	60
Alsystems	19	Corplan Computer Sys	s 125	Longman Logotron	68	Simtron	52
Appian Way	125	CSS	48	Manor Court Supplies	96	Skyfall	126
Arcaynia P.D.	60	Dabhand Computing	100,101	Micro-Aid	96	Soft Sector	116
Arch Angel	126	Datafile	126	Microboss	82	Softrock Software	127
Arxe Systems Ltd	99	Datastream	126	Midnight Graphics	IBC	SSERC Graphics Library	y 125
Atomwide Ltd	16	David Pilling	54	Minerva Software	12	Star Micronics	11
Automatic Services	116	Design Concept	127	Northern Micromedia	125	Superior Software	OBC
AVP Computing	48	ESP	125	Norwich Computer Service	es-82	T.M.J. Computer Softwa	re 96
Beebug	6,7,22	Eterna	118	Nova Visual Services	125	Technomatic 3	0,31,32
Bristol Semerc	125	Fact Systems Ltd	82	Oak Solutions 14,28-2	9,106	Telstar Public Domain	126
Busy Bee Computers	126	Fairhurst Computer	96	Orion computers	97	The Data Store	48
BV Computer Maintena	nce 116	H.S. Software	125	Portobello Trading Compa	my 54	Timestep Weather Syste	ms 48
Chameleon Computers	109	HCCS Associates	20	PRES	\ 58	Watford Electronics	34-47
CJ Computers	127	HEX	124	Prime PD	126	We Serve	33
Clares Micro Supplies	72	Human Computer Inte	rface 80	Pyramid Computer Service	es 55	WL Computer house	126
Codemist Ltd	125	Ian Copestake Softwar	re 1,26	RJM	121		

One Line Game - Ekans revisited!

There is good news from planet Ekans. Since our last visit, in July of this year, new research has revealed that there are five distinct types of radioactive particles. If two particles of the same type are brought into close proximity (within a strongly positive ion field) they are harmlessly neutralised. To this end, a small ion chamber has been built into the cybernetic snake. Aligning the particles is a very tricky operation and requires quick thinking and a steady hand. Particles enter the ion field from above and slowly fill the chamber. Keys '1' and '3' activate local cyclo-magnetic generators and will move the particle left and right as it falls. Once stored in the ion field, adjacent particles of similar types will be neutralised, disappearing from the chamber and thus making room for further particles. Unfortunately no one knows what happens if the chamber fills up completely!

Entering the program

We couldn't quite make the program small enough to type in on one line, so we've come up with a rather cunning alternative! Carefully type in listing 1 and run it. Now type in the actual game in Listing 2 (There are seven spaces in line 50). Now press Fo. This will convert the game from a multi-line Basic program into a function key definition. Type NEW then press 1 followed by F0,

and as if by magic, this will create a true one line program which can be saved in the usual way. Please keep a copy of listing 1 as you'll probably need it for future games...

```
DIM mem 300:
Smem="*KEY0":
 REPEAT:
 1=f23-4:
 FORi=1TO1:
 ?t=b:
 t=t+1:
  f=f+1:
 ?t=ASC":":
  t=t-(b<>&F5):
 UNTIL f=TOP-2:
 $(t-1)="||M":
 X%=mem MOD 256:
Y%=mem DIV 256:
CALL &FFF7|M
Listing 1
```

July Solutions

PALER PALES MALES MILES

PAPER

PIPER PIPES PILES PILES


John Electron Model B Dave Peter M128 Graham Compact Brian Arc

Canon Citizen Star Panasonic Epson

View Wordwise Mini Office II Interword Pipedream

MILLS

Prize Puzzle



This diagram is from infamous secret agent Miss S P O'Nardge's notebook. It shows details of the interior of a secret foreign installation - obtained during previous intelligence missions. O' Nardge's task is to recover documents held in a safe in the room marked X. However, the four-storey building is heavily protected by sophisticated alarm and monitoring devices.


Equipped with the latest gadgetry O'Nardge is ready to begin her mission. In each room she has noted down the number of minutes she expects to take to disable any alarms therein. The question marks show rooms which have hitherto been impenetrable and which she must avoid. Other rooms, shown in colour, contain known secret passages through which she can safely pass. These make up her route from floor to floor and may also save her time. To help further, the organisation employing O'Nardge has a high-speed computer, which has been programmed to find her fastest route through the building to the safe and out again.

She must enter the room marked 'IN' and thereafter may move to any horizontally or vertically adjacent room. Having entered a room containing a secret passage, she must pass through that passage (to the room of the same colour) and from there to any adjacent room in the usual way. Except for 'IN' she cannot enter any room twice.

O'Nardge has found a route that will only involve 30 minutes of alarm-disabling. Did the computer calculate a quicker one? If so, how long did O'Nardge spend disabling alarms and how many rooms, counting 'IN' only once, did she enter? Send your solution (time and number of rooms) to 'September competition' at the usual address. The winner will be the sender of the first correct solution out of our hat on 31 August 1991.

July Prize Jigword solution

Congratulations to Mr Nigel Parker of Devon, who wins £25 for correctly solving July's abbreviations jigword. The solution is shown on the right, and the anagram we were looking for was LASER PRINTER.



Anagram Corner

John Maxwell of Harrow earns himself a crisp fiver for the following anagrams. Can you work them out? (Hint: of regular readers the magazine will have a distinct advantage!)

- Acorn field-test crow
- Giant mob punch dad
- A wet roof surprise
- Top rate relish
- Hot cacti men
- Cement cup rots cop
- Nastier waveform
- Hedonist uniform
- Lid emitted miaow
- Rotund fly confectioner



Give your software a

hard edge

In the jungle of Desktop Publishing and Computer Aided Design, tracking down

the perfect drawing tool can seem like a never-ending task.

Now discover TRACER, the ideal companion for users of all DTP and scanning packages.

TRACER will take a sprite file and turn it into a draw file, which can then be edited or manipulated without any loss of detail.

Amongst the many features of TRACER is a curve fitting facility, variable trace options and the unique Automatic Tracing Facility – giving you the control to keep even your wildest image in line!

For use with the Archimedes, TRACER is an ARM coded RISC OS multi-tasking application and will easily run on a 1Mb machine.

TRACER. The Creative Computer Drawing program. RRP £52.13 (excl. VAT).






For information and orders TELEPHONE 061-766 8423

Midnight Graphics, 5 Victoria Lane, Manchester M25 6AL

SUPERIOR SOFTWARE







SPEECH! Give Your Computer a Voice

SPEECH! works entirely in software, no extra hardware whatsoever is required, and has an unlimited vocabulary. The program has a built-in parser which translates English words into phonemes, so it can directly speak words you input or text files. The phonemes can be used directly if you wish, so stress and intonation can be added as required and even foreign languages can be spoken. SPEECH! includes a user-friendly spelling program, which can be easily changed to include your own words.

The new A3000/Archimedes version of SPEECH! is fully RISC OS compatible and allows multitasking in Desktop. You can vary the pitch, speed, volume, and voice, both directly and in your own text files and programs, and can even 'sing' words over a four octave range! The A3000/Archimedes version also includes a program so you can alter the dictionary yourself.

BBC Micro/Master & A3000/Archimedes

MASTER BREAK

Snooker-Style Trivia Quiz Game for 1 to 4 Players

Six categories of questions: SCIENCE & NATURE, POP MUSIC, GEOGRAPHY. SPORTS & PASTIMES, ARTS and HISTORY. Over 1500 questions in the BBC Micro/Electron version. Over 2000 questions in the A3000/Archimedes version, including digitised picture and digitised sound questions.

In the 1 player game, try to get the highest break - you might even manage the maximum break of 147. In the 2 to 4 player game, compete against your friends and family for the highest score and highest break.


Start your frame with an easy red question, then choose your colour have you the nerve to choose the black ball question? You've used all your PASSES and the ball is OVER THE POCKET - if you miss, it's a FOUL SHOT!

ALL THE FUN AND CHALLENGE OF A TRIVIA QUIZ AND SNOOKER MATCH ROLLED INTO ONE ENTHRALLING GAME.

BBC Micro/Master, Electron & A3000/Archimedes













PLAY IT AGAIN SAM 15 A New Action-Packed Four-Game Compilation

LAST NINJA 2

The Last Ninja is back with a vengeancel Battling with fists, shuriken stars, swords an lots of other devious weapons, against the evil Shogun in downtown New York.

"Animation is excellent and there's lots of detailed scenery. The puzzles are quite fiendish"....Micro User.

An action-packed Top Ten' game by Peter Scott, featuring teleport machines, lifts, springs, strange allens and lots, lots more. Shoot your way through more than 100 different screens as you attempt to collect the twenty parts of the 'Flynche' machine. Nerve-tingling excitement.

BBC Micro/Master & Electron

CYBORG WARRIORS

A brand-new release by Superior. A multi-level, sideways scrolling shoot-em-up, with lots of weird robots and monsters to shoot, and lokens to collect which can give more powerful weapon systems. The BBC Micro/ Master version has a joystick option, which allows two players to battle together.

RICOCHET

A massive arcade adventure with brilliant graphics, as you control SPRAT, the Small Partially Robotic Allen Time-traveller. Five different levels: FORTRESS, TECHLEV, DERELICT, THE UFO and ANCIENT.

"A superb problem-solving game. A must for your games collection"....BBC Acorn User.

SPEECH

MASTER BREAK

PLAY IT AGAIN SAM 15

BBC Micro/Electron Cassette...\$12.95 BBC Micro 51/4"Disc...\$14.95 Master Compact 31/4"Disc.....\$19.95

BBC Micro Cassettes & BBC Micro 51/4" Discs are compatible with BBC B, B+ & Master 128 computers. Screen pictures show the BBC Micro versions of the games, unless otherwise stated.

We have in stock over 30 different titles for the BBC Micro/Master and Acorn Electron computers including such great games as: ELITE, REVS + REVS 4 TRACKS, EXILE, HOSTAGES, A QUESTION OF SPORT, REPTON INFINITY, PERPLEXITY and SIM CITY, and the compilation titles: ACORNSOFT HITS 1 & 2, SUPERIOR COLLECTIONS 1, 2 & 3 and PLAY IT AGAIN SAMS 1 to 14. All are available for immediate despatch

Our A3000/Archimedes titles include great classics such as ZARCH, CONQUEROR and REPTON 3 (now with enhanced graphics), and the new highly praised golf simulation/designer, SUPERIOR GOLF. Also the action-packed HOSTAGES game.

Please write to the address below or telephone for a full list of Superior Software games.








VISA







All mail orders are despatched by first-class post
 Postage and packing is free
 Casselles and discs that are faulty on receipt will be replaced immediately
(This does not affect your statutory rights)

(Superior Software is a trading name of Superior Microcomputing Ltd.) Dept. Q1, P.O. Box 6, Brigg, S. Humberside DN20 9NH. Tel: (0652) 58585

24 HOUR TELEPHONE ANSWERING SERVICE FOR ORDERS